

LABORATORY REPORT

CUSTOMER: **Kleinfelder**
2880 Market Street, Suite 300,
Riverside, CA 92501
Tel (951) 801-3727 E-Mail: GJohnson@Kleinfelder.com

PROJECT: **The Grove Soil Sampling** PROJECT No.: **20192117.001A**
MATRIX: SOIL DATE RECEIVED: 04/20/20
DATE SAMPLED: 04/20/20 DATE ANALYZED: 06/17-19/20
REPORT TO: Mr. GEORGE JOHNSON DATE REPORTED: 06/22/20

SAMPLE I.D.: **KLF-4-2'**

LAB I.D.: 200420-39

SOLUBLE THRESHOLD LIMIT CONCENTRATION (STLC) ANALYSIS

UNIT: mg/L IN THE STLC LEACHATE

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLIC LIMIT	STLC LIMIT	EPA METHOD USED
Chromium (Cr)	0.073	0.05	1	2,500	560/5.0@	6010B

COMMENTS

DF = Dilution Factor

PQL = Practical Quantitation Limit

Actual Detection Limit = PQL X DF

TTLIC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

@ = Must meet the TCLP limit/chromium (5.0 mg/L in TCLP leachate)

** = TCLP Chromium/TTLIC-Chromium VI recommended (if marked)

*** = The concentration exceeds the STLC Limit, and the sample is defined as hazardous waste as per CAL-TITLE 22 (if marked)

Data Reviewed and Approved by: 
CAL-DHS ELAP CERTIFICATE No.: 1555

LABORATORY REPORT

CUSTOMER: **Kleinfelder**
2880 Market Street, Suite 300,
Riverside, CA 92501
Tel (951) 801-3727 E-Mail: GJohnson@Kleinfelder.com

PROJECT: **The Grove Soil Sampling** PROJECT No.: **20192117.001A**
MATRIX: SOIL DATE RECEIVED: 04/20/20
DATE SAMPLED: 04/20/20 DATE ANALYZED: 06/17-19/20
REPORT TO: Mr. GEORGE JOHNSON DATE REPORTED: 06/22/20

SAMPLE I.D.: **KLF-4-5'** LAB I.D.: 200420-40

SOLUBLE THRESHOLD LIMIT CONCENTRATION (STLC) ANALYSIS
UNIT: mg/L IN THE STLC LEACHATE

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLC LIMIT	STLC LIMIT	EPA METHOD USED
Chromium (Cr)	ND	0.05	1	2,500	560/5.0@	6010B

COMMENTS

DF = Dilution Factor
PQL = Practical Quantitation Limit
Actual Detection Limit = PQL X DF
ND = Below the actual detection limit or non-detected
TTLC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
@ = Must meet the TCLP limit/chromium (5.0 mg/L in TCLP leachate)
** = TCLP Chromium/TTLC-Chromium VI recommended (if marked)
*** = The concentration exceeds the STLC Limit, and the sample is defined as hazardous waste as per CAL-TITLE 22 (if marked)

Data Reviewed and Approved by: _____
CAL-DHS ELAP CERTIFICATE No.: 1555

LABORATORY REPORT

CUSTOMER: **Kleinfelder**
 2880 Market Street, Suite 300,
 Riverside, CA 92501
 Tel (951) 801-3727 E-Mail: GJohnson@Kleinfelder.com

PROJECT: **The Grove Soil Sampling** PROJECT No.: **20192117.001A**
 MATRIX: SOIL DATE RECEIVED: 04/20/20
 DATE SAMPLED: 04/20/20 DATE ANALYZED: 06/17-19/20
 REPORT TO: Mr. GEORGE JOHNSON DATE REPORTED: 06/22/20

SAMPLE I.D.: **KLF-4-10'** LAB I.D.: 200420-41


SOLUBLE THRESHOLD LIMIT CONCENTRATION (STLC) ANALYSIS

UNIT: mg/L IN THE STLC LEACHATE

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLIC LIMIT	STLC LIMIT	EPA METHOD USED
Chromium (Cr)	0.097	0.05	1	2,500	560/5.0@	6010B

COMMENTS

DF = Dilution Factor
 PQL = Practical Quantitation Limit
 Actual Detection Limit = PQL X DF
 TTLIC = Total Threshold Limit Concentration
 STLC = Soluble Threshold Limit Concentration
 @ = Must meet the TCLP limit/chromium (5.0 mg/L in TCLP leachate)
 ** = TCLP Chromium/TTLIC-Chromium VI recommended (if marked)
 *** = The concentration exceeds the STLC Limit, and the sample is defined as hazardous waste as per CAL-TITLE 22 (if marked)

Data Reviewed and Approved by: 
 CAL-DHS ELAP CERTIFICATE No.: 1555

LABORATORY REPORT

CUSTOMER: **Kleinfelder**
2880 Market Street, Suite 300,
Riverside, CA 92501
Tel (951) 801-3727 E-Mail: GJohnson@Kleinfelder.com

PROJECT: **The Grove Soil Sampling** PROJECT No.: **20192117.001A**
MATRIX: SOIL DATE RECEIVED: 04/20/20
DATE SAMPLED: 04/20/20 DATE ANALYZED: 06/17-19/20
REPORT TO: Mr. GEORGE JOHNSON DATE REPORTED: 06/22/20

SAMPLE I.D.: **KLF-4-14'** LAB I.D.: 200420-42

SOLUBLE THRESHOLD LIMIT CONCENTRATION (STLC) ANALYSIS
UNIT: mg/L IN THE STLC LEACHATE

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLIC LIMIT	STLC LIMIT	EPA METHOD USED
Chromium (Cr)	ND	0.05	1	2,500	560/5.0@	6010B

COMMENTS

DF = Dilution Factor
PQL = Practical Quantitation Limit
Actual Detection Limit = PQL X DF
ND = Below the actual detection limit or non-detected
TTLIC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
@ = Must meet the TCLP limit/chromium (5.0 mg/L in TCLP leachate)
** = TCLP Chromium/TTLIC-Chromium VI recommended (if marked)
*** = The concentration exceeds the STLC Limit, and the sample is defined as hazardous waste as per CAL-TITLE 22 (if marked)

Data Reviewed and Approved by: 
CAL-DHS ELAP CERTIFICATE No.: 1555

LABORATORY REPORT

CUSTOMER: **Kleinfelder**
2880 Market Street, Suite 300,
Riverside, CA 92501
Tel (951) 801-3727 E-Mail: GJohnson@Kleinfelder.com

PROJECT: **The Grove Soil Sampling** PROJECT No.: **20192117.001A**
MATRIX: SOIL DATE RECEIVED: 04/20/20
DATE SAMPLED: 04/20/20 DATE ANALYZED: 06/17-19/20
REPORT TO: Mr. GEORGE JOHNSON DATE REPORTED: 06/22/20


SAMPLE I.D.: **KLF-6-2'** LAB I.D.: 200420-46

SOLUBLE THRESHOLD LIMIT CONCENTRATION (STLC) ANALYSIS
UNIT: mg/L IN THE STLC LEACHATE

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLIC LIMIT	STLC LIMIT	EPA METHOD USED
Chromium (Cr)	ND	0.05	1	2,500	560/5.0@	6010B

COMMENTS

DF = Dilution Factor
PQL = Practical Quantitation Limit
Actual Detection Limit = PQL X DF
ND = Below the actual detection limit or non-detected
TTLIC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
@ = Must meet the TCLP limit/chromium (5.0 mg/L in TCLP leachate)
** = TCLP Chromium/TTLIC-Chromium VI recommended (if marked)
*** = The concentration exceeds the STLC Limit, and the sample is defined as hazardous waste as per CAL-TITLE 22 (if marked)

Data Reviewed and Approved by: 
CAL-DHS ELAP CERTIFICATE No.: 1555

LABORATORY REPORT

CUSTOMER: **Kleinfelder**
2880 Market Street, Suite 300,
Riverside, CA 92501
Tel (951) 801-3727 E-Mail: GJohnson@Kleinfelder.com

PROJECT: **The Grove Soil Sampling** PROJECT No.: **20192117.001A**
MATRIX: **SOIL** DATE RECEIVED: **04/20/20**
DATE SAMPLED: **04/20/20** DATE ANALYZED: **06/17-19/20**
REPORT TO: **Mr. GEORGE JOHNSON** DATE REPORTED: **06/22/20**


SAMPLE I.D.: **KLF-6-7'** LAB I.D.: **200420-48**

SOLUBLE THRESHOLD LIMIT CONCENTRATION (STLC) ANALYSIS
UNIT: mg/L IN THE STLC LEACHATE

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLIC LIMIT	STLC LIMIT	EPA METHOD USED
Chromium (Cr)	ND	0.05	1	2,500	560/5.0@	6010B

COMMENTS

DF = Dilution Factor
PQL = Practical Quantitation Limit
Actual Detection Limit = PQL X DF
ND = Below the actual detection limit or non-detected
TTLIC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
@ = Must meet the TCLP limit/chromium (5.0 mg/L in TCLP leachate)
** = TCLP Chromium/TTLIC-Chromium VI recommended (if marked)
*** = The concentration exceeds the STLC Limit, and the sample is defined as hazardous waste as per CAL-TITLE 22 (if marked)

Data Reviewed and Approved by: 
CAL-DHS ELAP CERTIFICATE No.: 1555

METHOD BLANK REPORT

CUSTOMER: **Kleinfelder**
2880 Market Street, Suite 300,
Riverside, CA 92501
Tel(951)801-3727 E-Mail: GJohnson@Kleinfelder.com

PROJECT: **The Grove Soil Sampling** PROJECT No.: **20192117.001A**
MATRIX: SOIL DATE RECEIVED: 04/20/20
DATE SAMPLED: 04/20/20 DATE ANALYZED: 06/17-19/20
REPORT TO: Mr. GEORGE JOHNSON DATE REPORTED: 06/22/20


METHOD BLANK FOR LAB I.D.: 200420-39, -40, -41, -42, -46, -48

SOLUBLE THRESHOLD LIMIT CONCENTRATION (STLC) ANALYSIS
UNIT: mg/L IN THE STLC LEACHATE

ELEMENT ANALYZED	SAMPLE RESULT	PQL	DF	TTLIC LIMIT	STLC LIMIT	EPA METHOD USED
Chromium (Cr)	ND	0.05	1	2,500	560/5.0@	6010B

COMMENTS

DF = Dilution Factor
PQL = Practical Quantitation Limit
Actual Detection Limit = PQL X DF
ND = Below the actual detection limit or non-detected
TTLIC = Total Threshold Limit Concentration
STLC = Soluble Threshold Limit Concentration
@ = Must meet the TCLP limit/chromium (5.0 mg/L in TCLP leachate)
** = TCLP Chromium/TTLIC-Chromium VI recommended (if marked)
*** = The concentration exceeds the STLC Limit, and the sample is defined as hazardous waste as per CAL-TITLE 22 (if marked)

Data Reviewed and Approved by: 
CAL-DHS ELAP CERTIFICATE No.: 1555

QA/QC for Metals Analysis --STLC

Matrix Spike/ Matrix Spike Duplicate/ LCS :

ANALYSIS DATE: 6/19/2020

Unit : mg/L (ppm)

Analysis	Spk.Sample ID	LCS CONC.	LCS %Rec.	LCS STATUS	Sample Result	Spike Conc.	MS	% Rec MS	MSD	% Rec MSD	% RPD
Chromium(Cr)	200616-28	5.00	101	PASS	0	5.00	4.49	90%	4.44	89%	1%
Copper(Cu)	200616-28	5.00	103	PASS	2.64	5.00	6.73	82%	6.63	80%	2%
Lead(Pb)	200616-28	5.00	102	PASS	0.915	5.00	4.58	73%	4.53	72%	1%

ANALYSIS DATE: 6/19/2020

Analysis	Spk.Sample ID	LCS CONC.	%Rec.	LCS STATUS	Sample Result	Spike Conc.	MS	% Rec MS	MSD	% Rec MSD	% RPD
Mercury (Hg)	200617-34	0.0125	92	PASS	0	0.0125	0.0110	88%	0.0113	90%	3%

MS/MSD Status:

Analysis	%MS	%MSD	%LCS	%RPD
Chromium(Cr)	PASS	PASS	PASS	PASS
Copper(Cu)	PASS	PASS	PASS	PASS
Lead(Pb)	FAIL *	FAIL *	PASS	PASS
Mercury (Hg)	PASS	PASS	PASS	PASS
Accepted Range	75 ~ 125	75 ~ 125	85 ~ 115	0 ~ 20

Batch for samples: 200417-59, 61, 62, 63
200420-39, 40, 41, 42, 46, 48

ANALYST: _____

FINAL REVIEWER: _____

*=Fail due to matrix interference

Note: LCS is in control therefore results are in control

Enviro-Chem, Inc. Laboratories
 1214 E. Lexington Avenue,
 Pomona, CA 91766
 Tel: (909) 590-5905 Fax: (909) 590-5907
 CA-DHS ELAP CERTIFICATE #1555

Turnaround Time
 0 Same Day
 0 24 Hours
 0 48 Hours
 0 72 Hours
 0 96 Hours (Standard)

ETA 8/15/08 - PH/ML/CO
 EPA 8220B-VOC (MIL)
 EPA 8210B-THE 22
 EPA 8210B-THE 22
 S7LC CR-WEST

SAMPLE ID	LAB ID	SAMPLING DATE	SAMPLING TIME	MATRIX	NO. OF CONTAINERS	TEMPERATURE	PRESERVATION	Analysis Required		COMMENTS
KLF-4-2'	411470-59	4/28/20	7:00	Soil	5	4°C ice	X	X	X	
KLF-4-5'	411470-59		7:40							
KLF-4-10'	411470-59		8:00							
KLF-4-14'	411470-59		8:30							
KLF-5-2'	411470-59		9:05							
KLF-5-5'	411470-59		9:20							
KLF-5-10'	411470-59		9:45							
KLF-6-2'	411470-59		10:50							
KLF-6-5'	411470-59		11:05							
KLF-6-7'	411470-59		11:40							

Company Name: **Kleinfelder**
 Address: **2280 Market St. Suite 300**
 City/State/Zip: **Riverside, CA 92501**
 Project Contact: **George Johnson**
 Tel: **(951) 801-3727**
 Fax/Email: **Gjohnson@kleinfelder.com**
 Sampler's Signature: *[Signature]*
 Project Name/ID: **The Grove Soil Sampling**
 20192417.001A

Received by: *[Signature]* Date & Time: **8/15/08 15:55**
 Received by: *[Signature]* Date & Time: **8/15/08 15:55**
 Received by: *[Signature]* Date & Time: **8/15/08 15:55**

Instructions for Sample Storage After Analysis:
 Dispose of Return to Client Store (30 Days)
 Other:

CHAIN OF CUSTODY RECORD

WRITE WITH SAMPLE - YELLOW TO CLIENT



Republic Services

18500 N. Allied Way, Phoenix, AZ 85054

SPECIAL WASTE DEPARTMENT DECISION

Waste Profile #
5123208701

Expiration Date
7/1/2021

I. Decision Request:

Initial Recertification Change

Disposal Facility: 5123 - Sunshine Canyon Landfill

Generator Name: LEBOO GROUP INC

Generator Site Address: 5600 W CENTURY BLVD

City: LOS ANGELES

County:

State: CA

Zip:

Name of Waste: LONGAN

Estimated Annual Volume: 600 Pounds

II. Special Waste Department Decision:

Approved Rejected


Management Method(s): Landfill Solidification Bioremediation Deep Well Transfer Facility

Problematic Special Waste according to Republic? Yes No

If yes, which one?

Approved by Special Waste Review Committee? Yes No Not Applicable

Precautions, Conditions or Limitations on Approval

Special Waste Analyst Signature: 

Date: 7/8/2020

Name (Printed): KEITH DIAMANTI

III. Facility Decision:

Approved Rejected

Precautions, Conditions or Limitations on Approval

By signing below, the General Manager or Designee agrees that a fully executed Special Waste Service Agreement is on file for this profile and that the special waste file is complete.

General Manager or Designee: _____

Name (Printed): _____

Date: 7/8/2020

Special Waste Profile



Disposal Facility: 5123 Sunshine Canyon Landfill CA



Waste Profile #: 5123 20 8701

Sales Rep #:

I. Generator Information

Generator Name: LEBOO GROUP INC

Generator Site Address: 5600 W CENTURY BLVD

City: LOS ANGELES

County:

State: California



Zip: 90045

State ID/Reg No:

State Approval/Waste Code:

NAICS #:

Generator Mailing Address (if different)

City:

County:

State: --Select State--



Zip:

Generator Contact Name: FENG MAI

Email: MAIFENG2020@HOTMAIL.COM

Phone Number: 6264296687

Ext:

Fax Number:

II. Billing Information

Bill To: LEBOO GROUP INC

Contact Name: FENG MAI

Billing Address: 8716 DE ADALENA ST

Email:

City: ROSEMEAD

State: California



Zip: 91770

Phone: 6264296687

III. Waste Stream Information

Name of Waste: LONGAN

Process Generating Waste: LONGAN HAS INSECT

Type of Waste: Pollution Control Waste



Physical State: Solid



Method of Shipment: Other



Estimated Volume: 600

Volume Type: Pounds



Frequency: One-time Event (single project)



Disposal Consideration: Landfill



IV. Representative Sample Certification

No Sample Taken

Sample Taken Type of Sample Composite Sample



Is the representative sample collected to prepare this profile and laboratory analysis, collected in accordance with U.S. EPA 40 CFR 261.20(c) guidelines or equivalent? Yes No

Sample Date:

Sample ID Numbers or SDS:

Remember to attach Laboratory Analytical Report (and/or Material Safety Data Sheet) including Chain of Custody and required parameters provided for this profile.

V. Physical Characteristics of Waste

Characteristic Components (must equal 100%):

% By Weight (out of 100% - ranges acceptable):

1. longan	95%
2. cardboard	5%
3.	
4.	
5.	

Color: Odor (describe): Does Waste Contain Free Liquids? Yes No % Solids: pH: Flash Point: °F

Attach Laboratory Analytical Report (and/or Material Safety Data Sheet) including Chain of Custody and required parameters provided for this profile.

RCRA Regulatory Questions

- Does this waste or generating process contain regulated concentrations of the following Pesticides and/ or Herbicides: Chlordane, Endrin, Heptachlor (and its epoxides), Lindane, Methoxychlor, Toxaphene, 2,4-D, or 2,4,5-TP Silvex as defined in 40 CFR 261.33? Yes No
- Does this waste contain reactive sulfides (greater than 500 ppm) or reactive cyanide (greater than 250 ppm) [reference 40 CFR 261.23(a)(5)]? Yes No
- Does this waste contain regulated concentrations of Polychlorinated Biphenyls (PCBs) as defined in 40 CFR Part 761? Yes No
- Does this waste contain concentrations of listed hazardous wastes defined in 40 CFR 261.31, 261.32, 261.33, including RCRA F-Listed Solvents? Yes No
- Has this waste been delisted under 40 CFR 260.20 and 260.22? If yes, attach the final decision to delist the waste as published in the Federal Register. Yes No
- Does this waste exhibit a Hazardous Characteristic as defined by Federal and/or State regulations? If Yes, identify the applicable waste code and specify if the waste is hazardous as defined by Federal, State or both?
- Does this waste contain regulated concentrations of 2,3,7,8-Tetrachlorodibenzodioxin (2,3,7,8-TCDD), or any other dioxin as defined in 40 CFR 261.31? Yes No
- Is this a regulated Medical or Infectious Waste as defined by Federal and/or State regulations? Yes No
- Is this a regulated Radioactive Waste as defined by Federal and/or State regulations? Yes No
- Is this a solid waste that is not a hazardous waste in accordance with 40 CFR 261.4(b)? If yes, please provide the corresponding regulatory citation.

Republic Services Waste Handling Questions

- Does this waste generate heat or react when contacted with water/moisture? Yes No
- Does the waste contain sulfur or sulfur by-products? Yes No
- Is this waste generated at a State or Federal Superfund cleanup site subject to regulation under CERCLA? Yes No
- Is this waste from a TSD facility, TSD-like facility or consolidator (i.e. multiple wastes/multiple generators)? Yes No
- If yes to the above question, please provide clarification.

Special Waste Profile



VI. Certification

I hereby certify that to the best of my knowledge and belief, the information contained herein is a true, complete and accurate description of the waste material being offered for disposal and all known or suspected hazards have been disclosed. All Analytical Results/Material Safety Data Sheets submitted are truthful and complete and are representative of the waste.

I further certify that by utilizing this profile, neither myself nor any other employee of the company will deliver for disposal or attempt to deliver for disposal any waste which is classified as toxic waste, hazardous waste or infectious waste, or any other waste material this facility is prohibited from accepting by law. I shall immediately give written notice of any change or condition pertaining to the waste not provided herein. Our company hereby agrees to fully indemnify this disposal facility against any damages resulting from this certification being inaccurate or untrue.

I understand that attaching an electronic signature, I am signing this document, consent to complete this transaction and receive all related communication electronically, and agree this document will be binding as though I had physically signed it. A printout of this document may be accepted with the same authority as the original.

If electronic signature is preferred, please submit completed (unsigned) form to your Special Waste Coordinator or Special Waste Sales Executive to initiate signature process.

I further certify that the company has not altered the form or content of this profile sheet as provided by Republic Services.

FENG MAI

Authorized Representative Name
(Printed)

OWNER

Title
(Printed)

LEBOO GROUP INC

Company Name

A handwritten signature in black ink, appearing to read "Feng Mai", is written over a horizontal line.

Representative Signature

7/1/20

Date



SPECIAL WASTE SERVICE AGREEMENT
NON-HAZARDOUS WASTES

Special Waste Profile Number: 5123 20 8701

Generator Billing Information

Republic Waste Location (Company)

Name: LEBOO GROUP INC (ACCT 321 CASH)
Address: 8716 DE ADALENA ST
City: ROSEMEAD
State: CA Zip: 91770
Phone: 626.429.6687 Fax: _____
Contact: FENG MAIN

SUNSHINE CANYON LANDFILL (5123)
14747 SAN FERNANDO RD
SYLMAR, CA 91342
818.362.2141

Project: FOOD PRODUCTS—LONGAN County and State of Origin: LOS ANGELES, CA

Additional Information: SITE: 5600 W CENTURTY BLVD LOS ANGELES

1. **Special Waste Service.** Subject to the terms and conditions contained herein, the Company and the Generator agree to be legally bound hereby, and the Company agrees to accept at its facility identified above ("Facility"), Acceptable Waste (as defined in Section 6) delivered by Generator.

2. (A) Rates for Disposal:

<u>Waste</u>	<u>Disposal Method</u>	<u>Disposal Rate:</u>	<u>Fees / Taxes / Misc.</u>	<u>Transportation</u>
<u>FOOD PRODUCTS</u>				
<u>N/A</u>				

Additional Information:

PROFILE EXPIRES 07/1/2021 | MATERIAL CODE XD-FOOD WASTE | EAV 600 POUNDS

Generator shall also be liable for all taxes, fees, or other charges imposed by federal, state, local or provincial laws and regulations.

Cannot Exceed Daily Volume of 600 POUNDS Without Prior Approval of Company.

(B) **Incorporation by Reference.** In addition to Special Waste Profile(s), the following documents are incorporated by reference into this Agreement as if fully set forth herein.

1)N/A

2)N/A

3. **Term of Agreement.** This Agreement is effective for 12 months, commencing 07/08/2020 and shall automatically be renewed for a similar term thereafter unless either party shall give written notice (via certified mail) of termination to the other party at least thirty (30) days before the expiration of the then-current term.

THE COMPANY AND THE GENERATOR, IN CONSIDERATION OF THE MUTUAL OBLIGATIONS CONTAINED HEREIN, AGREE THAT THIS IS A LEGALLY BINDING AGREEMENT WHICH IS SUBJECT TO THE TERMS AND CONDITIONS SET FORTH ON THIS PAGE AND ON THE REVERSE SIDE OF THIS DOCUMENT. IN ADDITION, THE GENERATOR IS CERTIFYING THE ATTACHED TERMS AND CONDITIONS HAVE BEEN REVIEWED AND INITIALLED AT THE BOTTOM OF THE PAGE.

GENERATOR

REPUBLIC SERVICES/COMPANY

SIGNATURE (AUTHORIZED REPRESENTATIVE)

SIGNATURE (AUTHORIZED REPRESENTATIVE)

FENG MAI owner
NAME AND TITLE (PLEASE PRINT)

EDWARD ANTOLIN

NAME AND TITLE (PLEASE PRINT)

7/9/2020
DATE

7/9/2020

DATE

Edward Antolin

The Agreement. This agreement of the parties ("Agreement") for the disposal of Acceptable Waste shall consist of this Agreement, orders to the Agreement (if any), any Special Waste Profiles (including any approved changes and re-certifications) and any Application, permit and approval that may be applicable to the disposal of such Acceptable Waste ("Acceptable Waste Documentation").

Waste Accepted at Facility. Generator represents, warrants and covenants that the waste delivered to Company at its Facility hereunder will be Acceptable Waste and will not contain any unacceptable or quantity of hazardous materials or substances, radioactive materials or substances, or toxic waste or substances, as defined by applicable federal, state, local or provincial laws or regulations. Any waste substances, as defined by applicable federal, state, local or provincial laws or regulations. The which does not meet these requirements shall hereinafter be referred to as "Unacceptable Waste". The Generator shall in all matters relating to the collection, transportation and disposal of the Acceptable Waste hereunder, comply with all applicable federal, state and local laws, regulations, rules and orders regarding the same (collectively, "Applicable Laws").

Acceptable Waste. Only waste that satisfies each of the following criteria shall be accepted for disposal at the Facility ("Acceptable Waste"): (a) the waste conforms to the description set forth in the Acceptable Waste Documentation; (b) the waste does not contain any Unacceptable Waste; (c) the waste is accurately reflected on any Special Waste Profile(s) as directed by the Company pursuant to Section 7; (d) the waste is acceptable for disposal at the Facility under all Applicable Laws; and (e) the transportation to and disposal of the waste at the Facility is otherwise in accordance with this Agreement. The parties may incorporate additional Acceptable Waste as part of this Agreement if prior to delivery of such Waste to Company, Generator has provided an Application for such Acceptable Waste and the Company has approved disposal of such Acceptable Waste within the limitations and conditions contained in Company's written notice of approval of Special Waste Disposal. Title to and liability for any and all Acceptable Waste handled or disposed of by Company shall at all times remain with Generator and Broker (if a Broker is involved).

Rights of Refusal/Rejection. The Generator shall inspect all waste at the place(s) of collection and shall remove any and all Unacceptable Waste. Company has the right to refuse, or to reject after acceptance, any load(s) of waste(s) delivered to its Facility including if the Company believes (a) Generator has breached (or is breaching) its representations, warranties, covenants or agreements in this Agreement or any Acceptable Waste Documentation, or any Applicable Laws; or (b) that the waste contains Unacceptable Waste. The Company has the right to refuse, or to reject after acceptance, any load(s) of waste(s) delivered to its Facility if the Company has reason to believe, in its sole discretion, that the waste: (1) emits excessive odors; (2) negatively impacts operations at the Facility. Company shall have the right to inspect all vehicles and containers of waste haulers, including the Generator's vehicles, in order to determine whether the waste is Acceptable Waste pursuant to this Agreement and all Applicable Laws. The Company's exercise, or failure to exercise, its rights hereunder shall not operate to relieve the Generator of its responsibilities or liability under this Agreement.

Limited License to Enter. This Agreement provides Generator with a license to enter the Facility for the limited purpose of, and only to the extent necessary for, off-loading Acceptable Waste at the Facility in the manner directed by Company. Except in an emergency, Generator's personnel shall not leave the immediate vicinity of their vehicle. After off-loading the Acceptable Waste, Generator's personnel shall promptly leave the Facility. Under no circumstances shall Generator or its personnel engage in any scavenging of waste or other materials at the Facility. The Company reserves the right to make and enforce reasonable rules and regulations concerning the operation of the Facility, the conduct of the drivers and others on the Facility premises, quantities and sources of waste, and any other matters necessary or desirable for the safe, legal and efficient operation of the Facility including, but not limited to, speed limits on haul roads imposed by the Company, and the wearing of hard hats and other personal protection equipment by all individuals allowed on the Facility premises. Generator agrees to conform to such rules and regulations as they may be established and amended from time to time. Company may refuse to accept waste from and shall deny an entrance license to, any of Generator's personnel whom Company believes is under the influence of alcohol or other chemical substances. Generator shall be solely responsible for its employees and subcontractors performing their obligations in a safe manner when at the facility of Company.

Charges and Payment. Payment shall be made by Generator within thirty (30) days after receipt of invoice from Company. If any amount is overdue, the Company may terminate this Agreement. Generator agrees to pay a finance charge equal to the maximum interest rate permitted by law. Generator shall be liable for all taxes, fees, or other charges imposed upon the disposal of the Acceptable Waste by federal, state, local or provincial laws and regulations. Company, from time to time, may modify its rates upon thirty (30) days written notice to Generator. For the purposes of this section, written notice may be provided via email, certified mail, or overnight courier.

Termination. Company shall have the right to immediately terminate and/or suspend this Agreement upon the occurrence of any of the following events of default: (a) Generator's failure to timely pay any amounts due under this Agreement to Company; (b) Generator's breach of any of its obligations, representations, warranties or covenants under this Agreement or any Acceptable Waste Documentation; or (c) the filing of a voluntary or involuntary petition for reorganization or bankruptcy against Generator. Generator shall be liable for any losses, claims, expenses and damages incurred by Company as a result of suspension or termination hereunder. Generator's obligations, representations, warranties and covenants regarding the Acceptable Waste delivered and all indemnities contained in this Agreement shall survive expiration and termination of this Agreement. Additionally, Company shall have the right to terminate this Agreement for convenience at any time on 30 days' notice to Generator.

Driver's Knowledge and Authority. Generator represents, warrants and covenants that its drivers who deliver Acceptable Waste to Company's Facility have been advised by Generator of the Company's prohibition on deliveries of hazardous materials or substances, radioactive materials or substances, or toxic waste or substances or any other Unacceptable Waste to the Facility of Company's restrictions on deliveries of Special Waste to the Facility, of the definitions of "Hazardous Waste and Hazardous Substances" as provided by applicable federal, state and local law, rules and regulations and "Special Waste" as provided herein, and of the terms of this license to enter Company's Facility.

Indemnification. Generator shall indemnify, defend and hold harmless the Company and its subsidiaries, affiliates and parent corporations, as applicable and their respective officers, directors, lenders, employees, subcontractors and agents from and against any and all claims, suits, losses, liabilities, assessments, damages, fines, costs and expenses, including reasonable attorneys fees arising under federal, state or local laws, regulations or ordinances, or relating to the (a) the transportation to and/or disposal of any Unacceptable Waste at the Facility, whether or not Generator or Company was negligent in failing to identify the Unacceptable Waste; (b) the reloading and/or removal of Unacceptable Waste at the Facility; (c) any penalties, fines or remediation activities incurred by or imposed as the result of the transportation and/or disposal of Unacceptable Waste; (d) any increased inspection, testing, study and analysis costs made necessary due to reasonable concerns of Company as to the content of the waste transported and/or disposed of at the Facility following discovery of potentially Unacceptable Waste; and (e) the Company's inability to use the Facility due to the presence of Unacceptable Waste including without limitation any consequential damages. Company may also, in its sole discretion, require Generator to promptly remove the Unacceptable Waste at Generator's sole expense. This indemnification and other obligations stated in this paragraph shall survive the termination of this Agreement.

Insurance. Generator shall maintain in full force and effect throughout the term of this Agreement the following types of insurance in at least the amounts specified below.

Coverages	Minimum Amounts of Insurance
Worker's Compensation	Statutory
Employer's Liability	\$1,000,000
General Liability	\$1,000,000 combined single limit
Automobile Liability (if Generator hauling)	\$1,000,000 combined single limit

All insurance will be by insurers authorized to do business in the state in which the Facility is located. Generator shall deliver the Certificates of Insurance evidencing the foregoing policies to Company before Generator delivers any waste to the Facility pursuant to this Agreement. In addition, the (i) Commercial

General Liability (including the Umbrella/Excess policy) must include Commercial General Liability, Automatic specifically covering Generator's indemnification of Company, and (j) The Commercial General Liability, Automatic Liability and the Umbrella/Excess Liability policies must be written on an "occurrence form". Said policies shall thereafter be canceled, be permitted to expire or laps, or be changed without 30 days advance written notice to be given to Company. With the exception of workers' compensation, Company shall be shown as additional insured under all of the insurance policies required by this Section 13. The policies required by this Section shall be primary and non-contributory with respect to Company, and the insurance providers shall agree to waive their rights of subrogation against Company.

14. **Failure to Perform.** Except for Generator's obligation to pay amounts due to Company, neither party hereto shall be liable for its failure to perform hereunder due to circumstances not its fault and beyond its reasonable control including, but not limited to, strikes or other labor disputes, riots, protests, civil disturbances or sabotage, changes in law, fires, floods, compliance with government requests, explosions, accidents, weather, lack of required natural resources, or acts of God affecting either party hereto. In the event of any of the circumstances provided for in the preceding sentence, including, but not limited to, whether any federal, state or local court or governmental authority takes any action which would (i) close or restrict operations at the Facility, (ii) limit the quantity or prohibit disposal of Acceptable Waste at the Facility, or (iii) limit the ability of or prohibit Generator from delivering Acceptable Waste to the Facility, the Company shall have the right, at its option, to reduce, suspend or terminate Generator's access to the Facility immediately, without prior notice and without any additional liabilities between the parties, other than Generator's payment obligation hereunder. Neither Party is required hereunder to settle a labor dispute against its own best judgment.

15. **Assignment.** Generator may not assign, transfer or otherwise vest in any other Company, entity or person, in whole or in part, any of its rights or obligations under the Agreement without the prior written consent of the Company, provided, however, that the Company may without any such prior written consent, assign its rights and/or obligations under the Agreement to a subsidiary or affiliate corporation.

16. **Right of Disposal.** This Agreement does not grant any rights to dispose of waste other than in accordance herewith.

17. **Continuing Compliance.** The Generator has a continuing obligation to inform the Company of any new information or information not previously provided to the Company by Generator which may affect the acceptability of the waste by the Company. Further, the Generator shall comply with all Company requests for evidence of Generator's continuing compliance with the terms of the Agreement including but not limited to the following: (i) providing updated Special Waste profiles on the waste(s) offered for disposal or, (ii) providing appropriate certification that the waste being offered for disposal is accurately reflected by the appropriate Special Waste Profile or, (iii) re-sample the waste at Generator's expense if reasonable cause exists as to its acceptability under the terms of this Agreement or, (iv) allow the Company to re-sample the waste at Generator's expense if reasonable cause exists to its acceptability under the terms of this Agreement or any Acceptable Waste Documentation.

18. **Miscellaneous.**

(A) This Agreement shall be governed by the laws of the State in which the Facility is located.

(B) No waiver of a breach of any of the obligations contained in the Agreement shall be construed to be a waiver in whole or in part of any other obligation of the same obligation or of any other obligation of this Agreement.

(C) Unless otherwise provided for herein, no modification, release, discharge or waiver of any provision of this Agreement shall be of any force, or effect, unless in writing signed by all parties to this Agreement.

(D) Generator shall treat as confidential and not disclose to others during or subsequent to the term of this Agreement, except as is necessary to perform this Agreement, or to comply with any applicable law regulation any information (including any technical information, experience or data) regarding the Company's plans, programs, plants, processes, products, costs, equipment or operations which may come within the knowledge of the Generator or its employees in the performance of this Agreement, without in each instance securing the prior written consent of the other Company.

(E) If any term, phrase, obligation or provision of this Agreement shall be held to be invalid, illegal or unenforceable in any respect, this Agreement shall remain in effect and be construed without regard to such term, phrase, obligation or provision.

(F) This Agreement constitutes the entire understanding between the parties, replacing and amending any previous agreements between the parties, and shall be binding upon all parties hereto, their successors, heirs, representatives and assigns. Any provision, term or condition in any acknowledgment, purchase order or other response by Generator which is in addition to or different from the provisions of this Agreement shall be deemed objected to by the Company and shall be of no effect.

(G) Generator represents, warrants and covenants that it is and, during the term of this Agreement will remain, in compliance with and will perform its obligations pursuant to all applicable laws and regulations and shall indemnify, defend and hold harmless the Company from any breach thereof.

(H) It is the understanding and agreement of the parties that the Company is an independent contractor, and is not an agent, nor an authorized representative of the Generator.

(I) Company may provide any of the Services covered by this Agreement through any of its affiliates, subcontractors, provided that any such affiliate or subcontractor shall remain responsible for the performance of all such services as obligations in accordance with this Agreement.

20. **Notices.** Unless otherwise provided herein, all notices herein provided for shall be considered as having been given upon being placed in the mail, certified postage prepaid addressed to the Company or Generator at the address herein set forth in this Agreement or to such other address as may be given to the other party in writing.

21. **Unstated Damages.** If Generator terminates this Agreement before its expiration other than as a result of a breach by Company, Generator shall pay Company an amount equal to the most recent month's monthly charges multiplied by the lesser of (a) six months or (b) the number of months remaining in the term. Generator acknowledges that the event of such a termination, actual damages to Company would be uncertain and difficult to ascertain, so amount is the best, reasonable and objective estimate of the actual damages to Company, such amount does not constitute a penalty, and such amount is reasonable under the circumstances. Any amount payable under this paragraph shall be in addition to amounts already owing under this Agreement.

GENERATOR: FM

REPUBLIC SERVICES/COMPANY:

Edward Antolin

December 2018



Republic Services

18500 N. Allied Way, Phoenix, AZ 85054

SPECIAL WASTE DEPARTMENT DECISION

Waste Profile #
5123208715

Expiration Date
7/7/2021

I. Decision Request:

Initial Recertification Change

Disposal Facility: 5123 - Sunshine Canyon Landfill

Generator Name: COREY NURSERY CO INC

Generator Site Address: 16650 MONTE VISTA AVE

City: CLAREMONT

County:

State: CA

Zip:

Name of Waste: POTHOS HAWAIIANA PETITE CUTTINGS (PLANT LEAVES)

Estimated Annual Volume: 250 Pounds

II. Special Waste Department Decision:

Approved Rejected


Management Method(s): Landfill Solidification Bioremediation Deep Well Transfer Facility

Problematic Special Waste according to Republic? Yes No

If yes, which one?

Approved by Special Waste Review Committee? Yes No Not Applicable

Precautions, Conditions or Limitations on Approval

Special Waste Analyst Signature: 

Date: 7/7/2020

Name (Printed): KEITH DIAMANTI

III. Facility Decision:

Approved Rejected

Precautions, Conditions or Limitations on Approval

By signing below, the General Manager or Designee agrees that a fully executed Special Waste Service Agreement is on file for this profile and that the special waste file is complete.

General Manager or Designee:

Date: 7/7/2020



Name (Printed): CHRIS COYLE

Special Waste Profile



Disposal Facility: Waste Profile #:
Sales Rep #:

I. Generator Information

Generator Name:
Generator Site Address:
City: County: State: Zip:
State ID/Reg No: State Approval/Waste Code: NAICS #:
Generator Mailing Address (if different)
City: County: State: Zip:
Generator Contact Name: Email:
Phone Number: Ext: Fax Number:

II. Billing Information

Bill To: Contact Name:
Billing Address: Email:
City: State: Zip: Phone:

III. Waste Stream Information

Name of Waste:
Process Generating Waste:
Type of Waste: Physical State: Method of Shipment:
Estimated Volume: Volume Type:
Frequency: Disposal Consideration:

IV. Representative Sample Certification

No Sample Taken
 Sample Taken Type of Sample
Is the representative sample collected to prepare this profile and laboratory analysis, collected in accordance with U.S. EPA 40 CFR 261.20(c) guidelines or equivalent? Yes No
Sample Date: Sample ID Numbers or SDS:

Remember to attach Laboratory Analytical Report (and/or Material Safety Data Sheet) including Chain of Custody and required parameters provided for this profile.

Special Waste Profile



V. Physical Characteristics of Waste

Characteristic Components (must equal 100%):

% By Weight (out of 100% - ranges acceptable):

1. plant leaf cuttings	80%
2. cardboard boxes	15%
3. plastic bags	5%
4.	
5.	

Color: Odor (describe): Does Waste Contain Free Liquids? Yes No % Solids: pH: Flash Point: °F

Attach Laboratory Analytical Report (and/or Material Safety Data Sheet) including Chain of Custody and required parameters provided for this profile.

RCRA Regulatory Questions

- Does this waste or generating process contain regulated concentrations of the following Pesticides and/ or Herbicides: Chlordane, Endrin, Heptachlor (and its epoxides), Lindane, Methoxychlor, Toxaphene, 2,4-D, or 2,4,5-TP Silvex as defined in 40 CFR 261.33? Yes No
- Does this waste contain reactive sulfides (greater than 500 ppm) or reactive cyanide (greater than 250 ppm) [reference 40 CFR 261.23(a)(5)]? Yes No
- Does this waste contain regulated concentrations of Polychlorinated Biphenyls (PCBs) as defined in 40 CFR Part 761? Yes No
- Does this waste contain concentrations of listed hazardous wastes defined in 40 CFR 261.31, 261.32, 261.33, including RCRA F-Listed Solvents? Yes No
- Has this waste been delisted under 40 CFR 260.20 and 260.22? If yes, attach the final decision to delist the waste as published in the Federal Register. Yes No
- Does this waste exhibit a Hazardous Characteristic as defined by Federal and/or State regulations? If Yes, identify the applicable waste code and specify if the waste is hazardous as defined by Federal, State or both? Yes No
- Does this waste contain regulated concentrations of 2,3,7,8-Tetrachlorodibenzodioxin (2,3,7,8-TCDD), or any other dioxin as defined in 40 CFR 261.31? Yes No
- Is this a regulated Medical or Infectious Waste as defined by Federal and/or State regulations? Yes No
- Is this a regulated Radioactive Waste as defined by Federal and/or State regulations? Yes No
- Is this a solid waste that is not a hazardous waste in accordance with 40 CFR 261.4(b)? If yes, please provide the corresponding regulatory citation. Yes No

Republic Services Waste Handling Questions

- Does this waste generate heat or react when contacted with water/moisture? Yes No
- Does the waste contain sulfur or sulfur by-products? Yes No
- Is this waste generated at a State or Federal Superfund cleanup site subject to regulation under CERCLA? Yes No
- 4a. Is this waste from a TSD facility, TSD-like facility or consolidator (i.e. multiple wastes/multiple generators)? Yes No
- 4b. If yes to the above question, please provide clarification.

Special Waste Profile



VI. Certification

I hereby certify that to the best of my knowledge and belief, the information contained herein is a true, complete and accurate description of the waste material being offered for disposal and all known or suspected hazards have been disclosed. All Analytical Results/Material Safety Data Sheets submitted are truthful and complete and are representative of the waste.

I further certify that by utilizing this profile, neither myself nor any other employee of the company will deliver for disposal or attempt to deliver for disposal any waste which is classified as toxic waste, hazardous waste or infectious waste, or any other waste material this facility is prohibited from accepting by law. I shall immediately give written notice of any change or condition pertaining to the waste not provided herein. Our company hereby agrees to fully indemnify this disposal facility against any damages resulting from this certification being inaccurate or untrue.

I understand that attaching an electronic signature, I am signing this document, consent to complete this transaction and receive all related communication electronically, and agree this document will be binding as though I had physically signed it. A printout of this document may be accepted with the same authority as the original.

If electronic signature is preferred, please submit completed (unsigned) form to your Special Waste Coordinator or Special Waste Sales Executive to initiate signature process.

I further certify that the company has not altered the form or content of this profile sheet as provided by Republic Services.

Alberto Santoyo

Authorized Representative Name
(Printed)

Greenhouse Manager

Title
(Printed)

Corey Nursery Co. Inc.

Company Name

A handwritten signature in blue ink, appearing to read "Alberto Santoyo", written over a horizontal line.

Representative Signature

7/7/2020

Date



SPECIAL WASTE SERVICE AGREEMENT NON-HAZARDOUS WASTES

Special Waste Profile Number: 5123 20 8715

Generator Billing Information

Name: COREY NURSERY CO INC (ACCT 321 CASH)
Address: 16650 MONTE VISTA AV
City: CLAREMONT
State: CA Zip: 91711
Phone: 909.621.6886 Fax: _____
Contact: REBECCA FALTER

Republic Waste Location (Company)

SUNSHINE CANYON LANDFILL (5123)
14747 SAN FERNANDO RD
SYLMAR, CA 91342
818.362.2141

Project: PLANT CUTTINGS County and State of Origin: LOS ANGELES, CA

Additional Information: SITE: SAME AS BILLING

1. **Special Waste Service.** Subject to the terms and conditions contained herein, the Company and the Generator agree to be legally bound hereby, and the Company agrees to accept at its facility identified above ("Facility"), Acceptable Waste (as defined in Section 6) delivered by Generator.

2. (A) **Rates for Disposal:**

<u>Waste</u>	<u>Disposal Method</u>	<u>Disposal Rate:</u>	<u>Fees / Taxes / Misc.</u>	<u>Transportation</u>
--------------	------------------------	-----------------------	-----------------------------	-----------------------

FOOD PRODUCTS

N/A

Additional Information:

PROFILE EXPIRES 07/07/2021 | MATERIAL CODE XD-FOOD WASTE | EAV 250 POUNDS

Generator shall also be liable for all taxes, fees, or other charges imposed by federal, state, local or provincial laws and regulations.

Cannot Exceed Daily Volume of 250 POUNDS Without Prior Approval of Company.

(B) **Incorporation by Reference.** In addition to Special Waste Profile(s), the following documents are incorporated by reference into this Agreement as if fully set forth herein.

1)N/A

2)N/A

3. **Term of Agreement.** This Agreement is effective for 12 months, commencing 07/07/2020 and shall automatically be renewed for a similar term thereafter unless either party shall give written notice (via certified mail) of termination to the other party at least thirty (30) days before the expiration of the then-current term.

THE COMPANY AND THE GENERATOR, IN CONSIDERATION OF THE MUTUAL OBLIGATIONS CONTAINED HEREIN, AGREE THAT THIS IS A LEGALLY BINDING AGREEMENT WHICH IS SUBJECT TO THE TERMS AND CONDITIONS SET FORTH ON THIS PAGE AND ON THE REVERSE SIDE OF THIS DOCUMENT. IN ADDITION, THE GENERATOR IS CERTIFYING THE ATTACHED TERMS AND CONDITIONS HAVE BEEN REVIEWED AND INITIALLED AT THE BOTTOM OF THE PAGE.

GENERATOR

Alberto Santoyo
SIGNATURE (AUTHORIZED REPRESENTATIVE)
Alberto Santoyo Greenhouse Manager
NAME AND TITLE (PLEASE PRINT)
7/7/2020
DATE

REPUBLIC SERVICES/COMPANY

Edward Antolin
SIGNATURE (AUTHORIZED REPRESENTATIVE)
EDWARD ANTOLIN, MESE
NAME AND TITLE (PLEASE PRINT)
7/7/2020
DATE

Terms and Conditions of Special Waste Service Agreement

4. **The Agreement.** This agreement of the parties ("Agreement") for the disposal of Acceptable Waste shall consist of this Agreement, riders to the Agreement (if any), any Special Waste Profiles (including any approved changes and re-certifications) and any Application, permit and approval that may be applicable to the disposal of such Acceptable Waste ("Acceptable Waste Documentation").
5. **Waste Accepted at Facility.** Generator represents, warrants and covenants that the waste delivered to Company at its Facility hereunder will be Acceptable Waste and will not contain any unacceptable quantity of hazardous materials or substances, radioactive materials or substances, or toxic waste or substances, as defined by applicable federal, state, local or provincial laws or regulations. Any waste which does not meet these requirements shall hereinafter be referred to as "Unacceptable Waste". The Generator shall in all matters relating to the collection, transportation and disposal of the Acceptable Waste hereunder, comply with all applicable federal, state and local laws, regulations, rules and orders regarding the same (collectively, "Applicable Laws").
6. **Acceptable Waste.** Only waste that satisfies each of the following criteria shall be accepted for disposal at the Facility ("Acceptable Waste"): (a) the waste conforms to the description set forth in the Acceptable Waste Documentation; (b) the waste does not contain any Unacceptable Waste; (c) the waste is accurately reflected on any Special Waste Profile(s) as directed by the Company pursuant to Section 7; (d) the waste is acceptable for disposal at the Facility under all Applicable Laws; and (e) the transportation to and disposal of the waste at the Facility is otherwise in accordance with this Agreement. The parties may incorporate additional Acceptable Waste as part of this Agreement if prior to delivery of such Waste to Company, Generator has provided an Application for such Acceptable Waste and Company has approved disposal of such Acceptable Waste within the limitations and conditions contained in Company's written notice of approval of Special Waste Disposal. Title to and liability for any and all Acceptable Waste handled or disposed of by Company shall at all times remain with Generator and Broker (if a Broker is involved).
7. **Rights of Refusal/Rejection.** The Generator shall inspect all waste at the place(s) of collection and shall remove any and all Unacceptable Waste. Company has the right to refuse, or to reject after acceptance, any load(s) of waste(s) delivered to its Facility including if the Company believes (a) Generator has breached (or is breaching) its representations, warranties, covenants or agreements in this Agreement or any Acceptable Waste Documentation, or any Applicable Laws; or (b) that the waste contains Unacceptable Waste. The Company has the right to refuse, or to reject after acceptance, any load(s) of waste(s) delivered to its Facility if the Company has reason to believe, in its sole discretion, that the waste: (1) emits excessive odors; (2) negatively impacts operations at the Facility. Company shall have the right to inspect all vehicles and containers of waste haulers, including the Generator's vehicles, in order to determine whether the waste is Acceptable Waste pursuant to this Agreement and all Applicable Laws. The Company's exercise, or failure to exercise, its rights hereunder shall not operate to relieve the Generator of its responsibilities or liability under this Agreement.
8. **Limited License to Enter.** This Agreement provides Generator with a license to enter the Facility for the limited purpose of, and only to the extent necessary for, off-loading Acceptable Waste at the Facility in the manner directed by Company. Except in an emergency, Generator's personnel shall not leave the immediate vicinity of their vehicle. After off-loading the Acceptable Waste, Generator's personnel shall promptly leave the Facility. Under no circumstances shall Generator or its personnel engage in any scavenging of waste or other materials at the Facility. The Company reserves the right to make and enforce reasonable rules and regulations concerning the operation of the Facility, the conduct of the drivers and others on the Facility premises, quantities and sources of waste, and any other matters necessary or desirable for the safe, legal and efficient operation of the Facility including, but not limited to, speed limits on haul roads imposed by the Company, and the wearing of hard hats and other personal protection equipment by all individuals allowed on the Facility premises. Generator agrees to conform to such rules and regulations as they may be established and amended from time to time. Company may refuse to accept waste from and shall deny an entrance license to, any of Generator's personnel whom Company believes is under the influence of alcohol or other chemical substances. Generator shall be solely responsible for its employees and subcontractors performing their obligations in a safe manner when at the facility of Company.
9. **Charges and Payment.** Payment shall be made by Generator within thirty (30) days after receipt of invoice from Company. If any amount is overdue, the Company may terminate this Agreement. Generator agrees to pay a finance charge equal to the maximum interest rate permitted by law. Generator shall be liable for all taxes, fees, or other charges imposed upon the disposal of the Acceptable Waste by federal, state, local or provincial laws and regulations. Company, from time to time, may modify its rates upon thirty (30) days written notice to Generator. For the purposes of this section, written notice may be provided via email, certified mail, or overnight courier.
10. **Termination.** Company shall have the right to immediately terminate and/or suspend this Agreement upon the occurrence of any of the following events of default: (a) Generator's failure to timely pay any amounts due under this Agreement to Company; (b) Generator's breach of any of its obligations, representations, warranties or covenants under this Agreement or any Acceptable Waste Documentation; or (c) the filing of a voluntary or involuntary petition for reorganization or bankruptcy against Generator. Generator shall be liable for any losses, claims, expenses and damages incurred by Company as a result of suspension or termination hereunder. Generator's obligations, representations, warranties and covenants regarding the Acceptable Waste delivered and all indemnities contained in this Agreement shall survive expiration and termination of this Agreement. Additionally, Company shall have the right to terminate this Agreement for convenience at any time on 30 days' notice to Generator.
11. **Driver's Knowledge and Authority.** Generator represents, warrants and covenants that its drivers who deliver Acceptable Waste to Company's Facility have been advised by Generator of the Company's prohibition on deliveries of hazardous materials or substances, radioactive materials or substances, or toxic waste or substances or any other Unacceptable Waste to the Facility of Company's restrictions on deliveries of Special Waste to the Facility, of the definitions of "Hazardous Waste and Hazardous Substances" as provided by applicable federal, state and local law, rules and regulations and "Special Waste" as provided herein, and of the terms of this license to enter Company's Facility.
12. **Indemnification.** Generator shall indemnify, defend and hold harmless the Company and its subsidiaries, affiliates and parent corporations, as applicable and their respective officers, directors, lenders, employees, subcontractors and agents from and against any and all claims, suits, losses, liabilities, assessments, damages, fines, costs and expenses, including reasonable attorneys fees arising under federal, state or local laws, regulations or ordinances, or relating to the (a) the transportation to and/or disposal of any Unacceptable Waste at the Facility, whether or not Generator or Company was negligent in failing to identify the Unacceptable Waste; (b) the reloading and/or removal of Unacceptable Waste at the Facility; (c) any penalties, fines or remediation activities incurred by or imposed as the result of the transportation and/or disposal of Unacceptable Waste; (d) any increased inspection, testing, study and analysis costs made necessary due to reasonable concerns of Company as to the content of the waste transported and/or disposed of at the Facility following discovery of potentially Unacceptable Waste; and (e) the Company's inability to use the Facility due to the presence of Unacceptable Waste including without limitation any consequential damages. Company may also, in its sole discretion, require Generator to promptly remove the Unacceptable Waste at Generator's sole expense. This indemnification and other obligations stated in this paragraph shall survive the termination of this Agreement.
13. **Insurance.** Generator shall maintain in full force and effect throughout the term of this Agreement the following types of insurance in at least the amounts specified below:

Coverages	Minimum Amounts of Insurance
Worker's Compensation	Statutory
Employer's Liability	\$1,000,000
General Liability	\$1,000,000 combined single limit
Automobile Liability (if Generator hauling)	\$1,000,000 combined single limit

General Liability (including the Umbrella/Excess policy) policy must include: Contractual Liability coverage specifically covering Generator's indemnification of Company, and (ii) The Commercial General Liability, Automobile Liability and the Umbrella/Excess Liability policies must be written on an "occurrence form". Said policies shall not thereafter be canceled, be permitted to expire or laps, or be changed without 30 days advance written notice has been given to Company. With the exception of workers' compensation, Company shall be shown as additional insureds under all of the insurance policies required by this Section 13. The policies required by this Section 13 shall be primary and non-contributory with respect to Company, and the insurance providers shall agree to waive their rights of subrogation against Company.

14. **Failure to Perform.** Except for Generator's obligation to pay amounts due to Company, neither party hereto shall be liable for its failure to perform hereunder due to circumstances not its fault and beyond its reasonable control, including, but not limited to, strikes or other labor disputes, riots, protests, civil disturbances or sabotage, changes in law, fires, floods, compliance with government requests, explosions, accidents, weather, lack of required natural resources, or acts of God affecting either party hereto. In the event of any of the circumstances provided for in the preceding sentence, including, but not limited to, whether any federal, state or local court or governmental authority takes any action which would (i) close or restrict operations at the Facility, (ii) limit the quantity or prohibit the disposal of Acceptable Waste at the Facility, or (iii) limit the ability of or prohibit Generator from delivering Acceptable Waste to the Facility, the Company shall have the right, at its option, to reduce, suspend or terminate Generator's access to the Facility immediately, without prior notice and without any additional liabilities between the parties, other than Generator's payment obligation hereunder. Neither Party is required hereunder to settle any labor dispute against its own best judgment.
15. **Assignment.** Generator may not assign, transfer or otherwise vest in any other Company, entity or person, in whole or in part, any of its rights or obligations under the Agreement without the prior written consent of the Company, provided, however, that the Company may without any such prior written consent, assign its rights and/or obligations under the Agreement to a subsidiary or affiliate corporation.
16. **Right of Disposal.** This Agreement does not grant any rights to dispose of waste other than in accordance herewith.
17. **Continuing Compliance.** The Generator has a continuing obligation to inform the Company of any new information, or information not previously provided to the Company by Generator which may affect the acceptability of the waste by the Company. Further, the Generator shall comply with all Company requests for evidence of Generator's continuing compliance with the terms of the Agreement including but not limited to the following: (i) providing new, updated Special Waste profiles on the waste(s) offered for disposal or, (ii) providing appropriate certification that the waste being offered for disposal is accurately reflected by the appropriate Special Waste Profile or, (iii) re-sample the waste at Generator's expense if reasonable cause exists as to its acceptability under the terms of this Agreement or, (iv) allow the Company to re-sample the waste at Generator's expense if reasonable cause exists as to its acceptability under the terms of this Agreement or any Acceptable Waste Documentation.
18. **Miscellaneous.**
 - (A) This Agreement shall be governed by the laws of the State in which the Facility is located.
 - (B) No waiver of a breach of any of the obligations contained in the Agreement shall be construed to be a waiver of any prior or succeeding breach of the same obligation or of any other obligation of this Agreement.
 - (C) Unless otherwise provided for herein, no modification, release, discharge or waiver of any provision or obligation hereof shall be of any force, or effect, unless in writing signed by all parties to this Agreement.
 - (D) Generator shall treat as confidential and not disclose to others during or subsequent to the terms of this Agreement, except as is necessary to perform this Agreement, or to comply with any applicable law or regulation any information (including any technical information, experience or date) regarding the Company's plans, programs, plants, processes, products, costs, equipment or operations which may come within the knowledge of the Generator or its employees in the performance of this Agreement, without in each instance securing the prior written consent of the other Company.
 - (E) If any term, phrase, obligation or provision of this Agreement shall be held to be invalid, illegal or unenforceable in any respect, this Agreement shall remain in effect and be construed without regard to such term, phrase, obligation or provision.
 - (F) This Agreement constitutes the entire understanding between the parties, replacing and amending any prior agreements between the parties, and shall be binding upon all parties hereto, their successors, heirs, representatives and assigns. Any provision, term or condition in any acknowledgement, purchase order or other response by Generator which is in addition to or different from the provisions of this Agreement shall be deemed objected to by the Company and shall be of no effect.
 - (G) Generator represents, warrants and covenants that it is and, during the term of this Agreement will remain, in compliance with and will perform its obligations pursuant to all applicable laws and regulations and shall indemnify, defend and hold harmless the Company from any breach thereof.
 - (H) It is the understanding and agreement of the parties that the Company is an independent contractor, and is not an agent, nor an authorized representative of the Generator.
 - (I) Company may provide any of the Services covered by this Agreement through any of its affiliates or subcontractors, provided that Company shall remain responsible for the performance of all such services and obligations in accordance with this Agreement.

20. **Notices.** Unless otherwise provided herein, all notices herein provided for shall be considered as having been given upon being placed in the mail, certified postage prepaid addressed to the Company or Generator at the address herein set forth in this Agreement or to such other address as may be given to the other party in writing.

21. **Liquidated Damages.** If Generator terminates this Agreement before its expiration other than as a result of a breach by Company, Generator shall pay Company an amount equal to the most recent month's monthly charges multiplied by the lesser of (a) six months or (b) the number of months remaining in the term. Generator acknowledges that in the event of such a termination, actual damages to Company would be uncertain and difficult to ascertain, such amount is the best, reasonable and objective estimate of the actual damages to Company, such amount does not constitute a penalty, and such amount is reasonable under the circumstances. Any amount payable under this paragraph shall be in addition to amounts already owing under this Agreement.

All insurance will be by insurers authorized to do business in the state in which the Facility is located. Generator shall deliver the Certificates of Insurance evidencing the foregoing policies to Company before Generator delivers any waste to the Facility pursuant to this Agreement. In addition, the (i) Commercial


GENERATOR: AS

REPUBLIC SERVICES/COMPANY: Edward Antolin


APPENDIX G

TRACKING MODE TRENDS


Tracking Mode Evaluation Shallow Well MW-1




Tracking Mode Evaluation Shallow Well MW-1




Tracking Mode Evaluation Shallow Well MW-5




Tracking Mode Evaluation Shallow Well MW-5




Tracking Mode Evaluation Shallow Well MW-5




Tracking Mode Evaluation Shallow Well MW-5




Tracking Mode Evaluation Shallow Well MW-5




Tracking Mode Evaluation Shallow Well MW-13R




Tracking Mode Evaluation Shallow Well MW-13R




Tracking Mode Evaluation Shallow Well MW-13R




Tracking Mode Evaluation Shallow Well MW-13R




Tracking Mode Evaluation Shallow Well MW-14




Tracking Mode Evaluation Shallow Well MW-14




Tracking Mode Evaluation Deep Well DW-3




Tracking Mode Evaluation Deep Well DW-5




Tracking Mode Evaluation Deep Well DW-5



Historical Constituent Concentrations Deep Well PZ-4




Historical Constituent Concentrations Deep Well PZ-4



APPENDIX H

GRAPHICAL PRESENTATION OF ANALYTICAL DATA


Time Series



Constituent: 1,1-Dimethylethanol Analysis Run 2/12/2021 2:56 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: Sunshine VOCs 2020


Time Series



Constituent: 1,4-Dichlorobenzene Analysis Run 2/12/2021 2:56 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: Sunshine VOCs 2020


Time Series



Constituent: 1,4-Dioxane Analysis Run 2/12/2021 2:56 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: Sunshine VOCs 2020


Time Series



Constituent: Acetone Analysis Run 2/12/2021 2:56 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: Sunshine VOCs 2020


Time Series



Constituent: Carbon Disulfide Analysis Run 2/12/2021 2:56 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: Sunshine VOCs 2020


Time Series



Constituent: cis-1,2-Dichloroethene Analysis Run 2/12/2021 2:56 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: Sunshine VOCs 2020


Time Series



Constituent: MTBE Analysis Run 2/12/2021 2:56 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: Sunshine VOCs 2020


Time Series



Constituent: Naphthalene Analysis Run 2/12/2021 2:56 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: Sunshine VOCs 2020


Time Series



Constituent: Tetrahydrofuran Analysis Run 2/12/2021 2:56 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: Sunshine VOCs 2020


Time Series



Constituent: Toluene Analysis Run 2/12/2021 2:56 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: Sunshine VOCs 2020


Time Series



Constituent: Alkalinity Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Alkalinity Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Alkalinity Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Chemical Oxygen Demand Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Chemical Oxygen Demand Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Chemical Oxygen Demand Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Chloride Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Chloride Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Chloride Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Nitrogen, Ammonia Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Nitrogen, Ammonia Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Nitrogen, Ammonia Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Potassium, Total Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Potassium, Total Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Potassium, Total Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Solids, Total Dissolved Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Solids, Total Dissolved Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Solids, Total Dissolved Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Total Organic Carbon Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020


Time Series



Constituent: Total Organic Carbon Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020

Time Series



Constituent: Total Organic Carbon Analysis Run 2/12/2021 2:50 PM

Sunshine Canyon Landfill Client: Geo-Logic Associates Data: 2Sunshine gen chem 2020

APPENDIX I

TABULATED ANALYTICAL DATA

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-10R	2/17/2020 13:13	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
CM-10R	6/22/2020 9:16	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
CM-10R	9/21/2020 11:30	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
CM-10R	12/22/2020 7:15	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
CM-10R	2/17/2020 13:13	Acetone	<20	ug/L	20	67-64-1	10
CM-10R	6/22/2020 9:16	Acetone	<20	ug/L	20	67-64-1	10
CM-10R	9/21/2020 11:30	Acetone	<10	ug/L	10	67-64-1	4
CM-10R	12/22/2020 7:15	Acetone	<8	ug/L	8	67-64-1	4
CM-10R	2/17/2020 13:13	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
CM-10R	6/22/2020 9:16	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
CM-10R	9/21/2020 11:30	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
CM-10R	12/22/2020 7:15	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
CM-10R	2/17/2020 13:13	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
CM-10R	6/22/2020 9:16	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
CM-10R	9/21/2020 11:30	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
CM-10R	12/22/2020 7:15	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
CM-10R	2/17/2020 13:13	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
CM-10R	6/22/2020 9:16	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
CM-10R	9/21/2020 11:30	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
CM-10R	12/22/2020 7:15	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
CM-10R	2/17/2020 13:13	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
CM-10R	6/22/2020 9:16	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
CM-10R	9/21/2020 11:30	Bromomethane	<2	ug/L	2	74-83-9	0.99
CM-10R	12/22/2020 7:15	Bromomethane	<1	ug/L	1	74-83-9	0.93
CM-10R	2/17/2020 13:13	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
CM-10R	6/22/2020 9:16	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
CM-10R	9/21/2020 11:30	Chloromethane	<5	ug/L	5	74-87-3	2
CM-10R	12/22/2020 7:15	Chloromethane	<1	ug/L	1	74-87-3	0.29
CM-10R	2/17/2020 13:13	Methyl Iodide	<2	ug/L	2	74-88-4	1
CM-10R	6/22/2020 9:16	Methyl Iodide	<2	ug/L	2	74-88-4	1
CM-10R	9/21/2020 11:30	Methyl Iodide	<25	ug/L	25	74-88-4	14
CM-10R	12/22/2020 7:15	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
CM-10R	2/17/2020 13:13	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
CM-10R	6/22/2020 9:16	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
CM-10R	9/21/2020 11:30	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
CM-10R	12/22/2020 7:15	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
CM-10R	2/17/2020 13:13	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
CM-10R	6/22/2020 9:16	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
CM-10R	9/21/2020 11:30	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
CM-10R	12/22/2020 7:15	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
CM-10R	2/17/2020 13:13	Chloroethane	<1	ug/L	1	75-00-3	0.4
CM-10R	6/22/2020 9:16	Chloroethane	<1	ug/L	1	75-00-3	0.4
CM-10R	9/21/2020 11:30	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
CM-10R	12/22/2020 7:15	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
CM-10R	2/17/2020 13:13	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
CM-10R	6/22/2020 9:16	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
CM-10R	9/21/2020 11:30	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
CM-10R	12/22/2020 7:15	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
CM-10R	2/17/2020 13:13	Acetonitrile	<20	ug/L	20	75-05-8	10

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-10R	6/22/2020 9:16	Acetonitrile	<20	ug/L	20	75-05-8	10
CM-10R	9/21/2020 11:30	Acetonitrile	<10	ug/L	10	75-05-8	2
CM-10R	12/22/2020 7:15	Acetonitrile	<10	ug/L	10	75-05-8	3.9
CM-10R	2/17/2020 13:13	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
CM-10R	6/22/2020 9:16	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
CM-10R	9/21/2020 11:30	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
CM-10R	12/22/2020 7:15	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
CM-10R	2/17/2020 13:13	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
CM-10R	6/22/2020 9:16	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
CM-10R	9/21/2020 11:30	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
CM-10R	12/22/2020 7:15	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
CM-10R	2/17/2020 13:13	Bromoform	<1	ug/L	1	75-25-2	0.4
CM-10R	6/22/2020 9:16	Bromoform	<1	ug/L	1	75-25-2	0.4
CM-10R	9/21/2020 11:30	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
CM-10R	12/22/2020 7:15	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
CM-10R	2/17/2020 13:13	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
CM-10R	6/22/2020 9:16	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
CM-10R	9/21/2020 11:30	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
CM-10R	12/22/2020 7:15	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
CM-10R	2/17/2020 13:13	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
CM-10R	6/22/2020 9:16	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
CM-10R	9/21/2020 11:30	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
CM-10R	12/22/2020 7:15	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
CM-10R	2/17/2020 13:13	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
CM-10R	6/22/2020 9:16	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
CM-10R	9/21/2020 11:30	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
CM-10R	12/22/2020 7:15	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
CM-10R	2/17/2020 13:13	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
CM-10R	6/22/2020 9:16	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
CM-10R	9/21/2020 11:30	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
CM-10R	12/22/2020 7:15	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
CM-10R	2/17/2020 13:13	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
CM-10R	6/22/2020 9:16	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
CM-10R	9/21/2020 11:30	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
CM-10R	12/22/2020 7:15	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
CM-10R	2/17/2020 13:13	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
CM-10R	6/22/2020 9:16	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
CM-10R	9/21/2020 11:30	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
CM-10R	12/22/2020 7:15	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
CM-10R	2/17/2020 13:13	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
CM-10R	6/22/2020 9:16	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
CM-10R	9/21/2020 11:30	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
CM-10R	12/22/2020 7:15	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
CM-10R	2/17/2020 13:13	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
CM-10R	6/22/2020 9:16	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
CM-10R	9/21/2020 11:30	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
CM-10R	12/22/2020 7:15	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
CM-10R	2/17/2020 13:13	2-Butanone	<5	ug/L	5	78-93-3	2.5
CM-10R	6/22/2020 9:16	2-Butanone	<5	ug/L	5	78-93-3	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-10R	9/21/2020 11:30	2-Butanone	<5	ug/L	5	78-93-3	0.46
CM-10R	12/22/2020 7:15	2-Butanone	<5	ug/L	5	78-93-3	3
CM-10R	2/17/2020 13:13	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
CM-10R	6/22/2020 9:16	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
CM-10R	9/21/2020 11:30	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
CM-10R	12/22/2020 7:15	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
CM-10R	2/17/2020 13:13	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
CM-10R	6/22/2020 9:16	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
CM-10R	9/21/2020 11:30	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
CM-10R	12/22/2020 7:15	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
CM-10R	2/17/2020 13:13	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
CM-10R	6/22/2020 9:16	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
CM-10R	9/21/2020 11:30	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
CM-10R	12/22/2020 7:15	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
CM-10R	2/17/2020 13:13	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
CM-10R	6/22/2020 9:16	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
CM-10R	9/21/2020 11:30	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
CM-10R	12/22/2020 7:15	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
CM-10R	2/17/2020 13:13	Naphthalene	<1	ug/L	1	91-20-3	0.4
CM-10R	6/22/2020 9:16	Naphthalene	<1	ug/L	1	91-20-3	0.4
CM-10R	9/21/2020 11:30	Naphthalene	<1	ug/L	1	91-20-3	0.097
CM-10R	12/22/2020 7:15	Naphthalene	<1	ug/L	1	91-20-3	0.32
CM-10R	2/17/2020 13:13	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
CM-10R	6/22/2020 9:16	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
CM-10R	9/21/2020 11:30	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
CM-10R	12/22/2020 7:15	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
CM-10R	2/17/2020 13:13	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
CM-10R	6/22/2020 9:16	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
CM-10R	9/21/2020 11:30	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
CM-10R	12/22/2020 7:15	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
CM-10R	2/17/2020 13:13	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
CM-10R	6/22/2020 9:16	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
CM-10R	9/21/2020 11:30	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
CM-10R	12/22/2020 7:15	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
CM-10R	2/17/2020 13:13	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
CM-10R	6/22/2020 9:16	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
CM-10R	9/21/2020 11:30	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
CM-10R	12/22/2020 7:15	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
CM-10R	2/17/2020 13:13	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
CM-10R	6/22/2020 9:16	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
CM-10R	9/21/2020 11:30	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
CM-10R	12/22/2020 7:15	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
CM-10R	2/17/2020 13:13	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
CM-10R	6/22/2020 9:16	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
CM-10R	9/21/2020 11:30	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
CM-10R	12/22/2020 7:15	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
CM-10R	2/17/2020 13:13	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
CM-10R	6/22/2020 9:16	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
CM-10R	9/21/2020 11:30	Styrene	<0.5	ug/L	0.5	100-42-5	0.059

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-10R	12/22/2020 7:15	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
CM-10R	2/17/2020 13:13	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
CM-10R	6/22/2020 9:16	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
CM-10R	9/21/2020 11:30	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
CM-10R	12/22/2020 7:15	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
CM-10R	2/17/2020 13:13	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
CM-10R	6/22/2020 9:16	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
CM-10R	9/21/2020 11:30	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
CM-10R	12/22/2020 7:15	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
CM-10R	2/17/2020 13:13	Acrolein	<50	ug/L	50	107-02-8	2.5
CM-10R	2/17/2020 13:13	Acrolein	<5	ug/L	5	107-02-8	2.5
CM-10R	6/22/2020 9:16	Acrolein	<5	ug/L	5	107-02-8	2.5
CM-10R	9/21/2020 11:30	Acrolein	<10	ug/L	10	107-02-8	0.59
CM-10R	12/22/2020 7:15	Acrolein	<4	ug/L	4	107-02-8	2.2
CM-10R	2/17/2020 13:13	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
CM-10R	6/22/2020 9:16	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
CM-10R	9/21/2020 11:30	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
CM-10R	12/22/2020 7:15	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
CM-10R	2/17/2020 13:13	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
CM-10R	6/22/2020 9:16	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
CM-10R	9/21/2020 11:30	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
CM-10R	12/22/2020 7:15	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
CM-10R	2/17/2020 13:13	Propionitrile	<20	ug/L	20	107-12-0	10
CM-10R	6/22/2020 9:16	Propionitrile	<20	ug/L	20	107-12-0	10
CM-10R	9/21/2020 11:30	Propionitrile	<5	ug/L	5	107-12-0	1
CM-10R	12/22/2020 7:15	Propionitrile	<5	ug/L	5	107-12-0	3.7
CM-10R	2/17/2020 13:13	Vinyl acetate	<4	ug/L	4	108-05-4	2
CM-10R	6/22/2020 9:16	Vinyl acetate	<4	ug/L	4	108-05-4	2
CM-10R	9/21/2020 11:30	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
CM-10R	12/22/2020 7:15	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
CM-10R	2/17/2020 13:13	Acrylonitrile	<50	ug/L	50	107-13-1	1
CM-10R	2/17/2020 13:13	Acrylonitrile	<2	ug/L	2	107-13-1	1
CM-10R	6/22/2020 9:16	Acrylonitrile	<2	ug/L	2	107-13-1	1
CM-10R	9/21/2020 11:30	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
CM-10R	12/22/2020 7:15	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
CM-10R	2/17/2020 13:13	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
CM-10R	6/22/2020 9:16	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
CM-10R	9/21/2020 11:30	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
CM-10R	12/22/2020 7:15	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
CM-10R	2/17/2020 13:13	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
CM-10R	6/22/2020 9:16	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
CM-10R	9/21/2020 11:30	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
CM-10R	12/22/2020 7:15	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
CM-10R	2/17/2020 13:13	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
CM-10R	6/22/2020 9:16	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
CM-10R	9/21/2020 11:30	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
CM-10R	12/22/2020 7:15	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
CM-10R	2/17/2020 13:13	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
CM-10R	6/22/2020 9:16	Tetrahydrofuran	<10	ug/L	10	109-99-9	5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-10R	9/21/2020 11:30	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
CM-10R	12/22/2020 7:15	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
CM-10R	2/17/2020 13:13	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
CM-10R	6/22/2020 9:16	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
CM-10R	9/21/2020 11:30	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
CM-10R	12/22/2020 7:15	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
CM-10R	2/17/2020 13:13	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
CM-10R	6/22/2020 9:16	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
CM-10R	9/21/2020 11:30	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
CM-10R	12/22/2020 7:15	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
CM-10R	2/17/2020 13:13	1,4-Dioxane	<0.99	ug/L	0.99	123-91-1	0.25
CM-10R	6/22/2020 9:16	1,4-Dioxane	<0.99	ug/L	0.99	123-91-1	0.25
CM-10R	9/21/2020 11:30	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
CM-10R	12/22/2020 7:15	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
CM-10R	2/17/2020 13:13	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
CM-10R	6/22/2020 9:16	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
CM-10R	9/21/2020 11:30	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
CM-10R	12/22/2020 7:15	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
CM-10R	2/17/2020 13:13	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
CM-10R	6/22/2020 9:16	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
CM-10R	9/21/2020 11:30	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
CM-10R	12/22/2020 7:15	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
CM-10R	2/17/2020 13:13	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
CM-10R	6/22/2020 9:16	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
CM-10R	9/21/2020 11:30	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
CM-10R	12/22/2020 7:15	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
CM-10R	2/17/2020 13:13	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
CM-10R	6/22/2020 9:16	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
CM-10R	9/21/2020 11:30	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
CM-10R	12/22/2020 7:15	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
CM-10R	2/17/2020 13:13	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
CM-10R	6/22/2020 9:16	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
CM-10R	9/21/2020 11:30	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
CM-10R	12/22/2020 7:15	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
CM-10R	2/17/2020 13:13	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
CM-10R	6/22/2020 9:16	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
CM-10R	9/21/2020 11:30	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
CM-10R	12/22/2020 7:15	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
CM-10R	2/17/2020 13:13	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
CM-10R	6/22/2020 9:16	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
CM-10R	9/21/2020 11:30	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
CM-10R	12/22/2020 7:15	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
CM-10R	2/17/2020 13:13	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
CM-10R	6/22/2020 9:16	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
CM-10R	9/21/2020 11:30	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
CM-10R	12/22/2020 7:15	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
CM-10R	2/17/2020 13:13	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
CM-10R	6/22/2020 9:16	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
CM-10R	9/21/2020 11:30	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-10R	12/22/2020 7:15	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
CM-10R	2/17/2020 13:13	2-Hexanone	<5	ug/L	5	591-78-6	2.5
CM-10R	6/22/2020 9:16	2-Hexanone	<5	ug/L	5	591-78-6	2.5
CM-10R	9/21/2020 11:30	2-Hexanone	<10	ug/L	10	591-78-6	0.5
CM-10R	12/22/2020 7:15	2-Hexanone	<6	ug/L	6	591-78-6	4.3
CM-10R	2/17/2020 13:13	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
CM-10R	6/22/2020 9:16	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
CM-10R	9/21/2020 11:30	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
CM-10R	12/22/2020 7:15	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
CM-10R	2/17/2020 13:13	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
CM-10R	6/22/2020 9:16	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
CM-10R	9/21/2020 11:30	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
CM-10R	12/22/2020 7:15	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
CM-10R	2/17/2020 13:13	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
CM-10R	6/22/2020 9:16	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
CM-10R	9/21/2020 11:30	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
CM-10R	12/22/2020 7:15	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
CM-10R	2/17/2020 13:13	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
CM-10R	6/22/2020 9:16	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
CM-10R	9/21/2020 11:30	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
CM-10R	12/22/2020 7:15	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
CM-10R	2/17/2020 13:13	Ammonia	10	mg/L	0.2	7664-41-7	0.1
CM-10R	6/22/2020 9:16	Ammonia	11	mg/L	1	7664-41-7	0.5
CM-10R	9/21/2020 11:30	Ammonia	10	mg/L	0.2	7664-41-7	0.1
CM-10R	12/22/2020 7:15	Ammonia	8.5	mg/L	2.5	7664-41-7	0.5
CM-10R	2/17/2020 13:13	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
CM-10R	6/22/2020 9:16	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
CM-10R	9/21/2020 11:30	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
CM-10R	12/22/2020 7:15	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
CM-10R	2/17/2020 13:13	Alkalinity	410	mg/L	4	ALK	0
CM-10R	6/22/2020 9:16	Alkalinity	380	mg/L	4	ALK	0
CM-10R	9/21/2020 11:30	Alkalinity	470	mg/L	4	ALK	0
CM-10R	12/22/2020 7:15	Alkalinity	550	mg/L	4	ALK	0
CM-10R	6/22/2020 9:16	Boron, Total Recoverable	1	mg/L	0.05	7440-42-8	0.025
CM-10R	12/22/2020 7:15	Boron, Total Recoverable	0.79	mg/L	0.05	7440-42-8	0.025
CM-10R	6/22/2020 9:16	Bromide	0.65	mg/L	0.5	24959-67-9	0.25
CM-10R	12/22/2020 7:15	Bromide	<0.5	mg/L	0.5	24959-67-9	0.25
CM-10R	2/17/2020 13:13	Chloride	8.3	mg/L	2.5	16887-00-6	1.3
CM-10R	6/22/2020 9:16	Chloride	8.1	mg/L	0.5	16887-00-6	0.25
CM-10R	9/21/2020 11:30	Chloride	9.6	mg/L	2.5	16887-00-6	1.3
CM-10R	12/22/2020 7:15	Chloride	9	mg/L	0.5	16887-00-6	0.25
CM-10R	6/22/2020 9:16	Calcium, Total Recoverable	280	mg/L	0.1	7440-70-2	0.05
CM-10R	12/22/2020 7:15	Calcium, Total Recoverable	230	mg/L	0.1	7440-70-2	0.05
CM-10R	6/22/2020 9:16	Carbon Dioxide, Free	60	mg/L	2	124-38-9	0
CM-10R	12/22/2020 7:15	Carbon Dioxide, Free	42	mg/L	2	124-38-9	0
CM-10R	2/17/2020 13:13	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-10R	6/22/2020 9:16	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-10R	9/21/2020 11:30	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-10R	12/22/2020 7:15	Chemical Oxygen Demand	<20	mg/L	20	COD	10

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-10R	6/22/2020 9:16	Iron, Total Recoverable	2.4	mg/L	0.1	7439-89-6	0.05
CM-10R	12/22/2020 7:15	Iron, Total Recoverable	0.28	mg/L	0.1	7439-89-6	0.05
CM-10R	6/22/2020 9:16	Fluoride, Total	1.4	mg/L	0.5	16984-48-8	0.25
CM-10R	12/22/2020 7:15	Fluoride, Total	1.1	mg/L	0.5	16984-48-8	0.25
CM-10R	2/17/2020 13:13	Potassium, Total Recoverable	12	mg/L	0.5	9/7/7440	0.25
CM-10R	6/22/2020 9:16	Potassium, Total Recoverable	12	mg/L	0.5	9/7/7440	0.25
CM-10R	9/21/2020 11:30	Potassium, Total Recoverable	11	mg/L	0.5	9/7/7440	0.25
CM-10R	12/22/2020 7:15	Potassium, Total Recoverable	10	mg/L	0.5	9/7/7440	0.25
CM-10R	6/22/2020 9:16	Bicarbonate	380	mg/L	4	HCO3	0
CM-10R	12/22/2020 7:15	Bicarbonate	550	mg/L	4	HCO3	0
CM-10R	6/22/2020 9:16	Manganese, Total Recoverable	0.54	mg/L	0.02	7439-96-5	0.015
CM-10R	12/22/2020 7:15	Manganese, Total Recoverable	0.29	mg/L	0.02	7439-96-5	0.015
CM-10R	6/22/2020 9:16	Magnesium, Total Recoverable	180	mg/L	0.02	7439-95-4	0.01
CM-10R	12/22/2020 7:15	Magnesium, Total Recoverable	190	mg/L	0.02	7439-95-4	0.01
CM-10R	6/22/2020 9:16	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
CM-10R	12/22/2020 7:15	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
CM-10R	2/17/2020 13:13	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
CM-10R	6/22/2020 9:16	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
CM-10R	9/21/2020 11:30	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
CM-10R	12/22/2020 7:15	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
CM-10R	6/22/2020 9:16	Sodium, Total Recoverable	210	mg/L	0.5	7440-23-5	0.26
CM-10R	12/22/2020 7:15	Sodium, Total Recoverable	160	mg/L	0.5	7440-23-5	0.26
CM-10R	6/22/2020 9:16	Sulfate	1700	mg/L	25	14808-79-8	13
CM-10R	12/22/2020 7:15	Sulfate	1400	mg/L	25	14808-79-8	13
CM-10R	6/22/2020 9:16	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
CM-10R	12/22/2020 7:15	Sulfide, Total	3.8	mg/L	0.25	18496-25-8	0.14
CM-10R	2/17/2020 13:13	Solids, Total Dissolved	2600	mg/L	20	TDS	10
CM-10R	6/22/2020 9:16	Solids, Total Dissolved	2700	mg/L	20	TDS	10
CM-10R	9/21/2020 11:30	Solids, Total Dissolved	2600	mg/L	20	TDS	10
CM-10R	12/22/2020 7:15	Solids, Total Dissolved	2000	mg/L	10	TDS	5
CM-10R	2/17/2020 13:13	Total Organic Carbon	3.1	mg/L	0.1	TOC	0.05
CM-10R	6/22/2020 9:16	Total Organic Carbon	3.3	mg/L	0.1	TOC	0.05
CM-10R	9/21/2020 11:30	Total Organic Carbon	4.3	mg/L	0.1	TOC	0.05
CM-10R	12/22/2020 7:15	Total Organic Carbon	4.2	mg/L	0.1	TOC	0.05
CM-11R	2/17/2020 10:47	Total Organic Carbon	4.8	mg/L	0.1	TOC	0.05
CM-11R	6/22/2020 12:27	Total Organic Carbon	5.1	mg/L	0.1	TOC	0.05
CM-11R	9/21/2020 9:15	Total Organic Carbon	5.4	mg/L	0.1	TOC	0.05
CM-11R	12/22/2020 8:45	Total Organic Carbon	5	mg/L	0.1	TOC	0.05
CM-11R	2/17/2020 10:47	Solids, Total Dissolved	3500	mg/L	50	TDS	25
CM-11R	6/22/2020 12:27	Solids, Total Dissolved	3600	mg/L	20	TDS	10
CM-11R	9/21/2020 9:15	Solids, Total Dissolved	3500	mg/L	20	TDS	10
CM-11R	12/22/2020 8:45	Solids, Total Dissolved	4400	mg/L	50	TDS	25
CM-11R	6/22/2020 12:27	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
CM-11R	12/22/2020 8:45	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
CM-11R	6/22/2020 12:27	Sulfate	2600	mg/L	50	14808-79-8	25
CM-11R	12/22/2020 8:45	Sulfate	2500	mg/L	50	14808-79-8	25
CM-11R	6/22/2020 12:27	Sodium, Total Recoverable	570	mg/L	1	7440-23-5	0.52
CM-11R	12/22/2020 8:45	Sodium, Total Recoverable	570	mg/L	0.5	7440-23-5	0.26
CM-11R	2/17/2020 10:47	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-11R	6/22/2020 12:27	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
CM-11R	9/21/2020 9:15	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
CM-11R	12/22/2020 8:45	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
CM-11R	6/22/2020 12:27	Nitrogen, Nitrate	0.14	mg/L	0.22	14797-55-8	0.11
CM-11R	12/22/2020 8:45	Nitrogen, Nitrate	0.11	mg/L	0.22	14797-55-8	0.11
CM-11R	6/22/2020 12:27	Magnesium, Total Recoverable	150	mg/L	0.02	7439-95-4	0.01
CM-11R	12/22/2020 8:45	Magnesium, Total Recoverable	140	mg/L	0.02	7439-95-4	0.01
CM-11R	6/22/2020 12:27	Manganese, Total Recoverable	3.5	mg/L	0.02	7439-96-5	0.015
CM-11R	12/22/2020 8:45	Manganese, Total Recoverable	3	mg/L	0.02	7439-96-5	0.015
CM-11R	6/22/2020 12:27	Bicarbonate	50	mg/L	4	HCO3	0
CM-11R	12/22/2020 8:45	Bicarbonate	61	mg/L	4	HCO3	0
CM-11R	2/17/2020 10:47	Potassium, Total Recoverable	9.6	mg/L	0.5	9/7/7440	0.25
CM-11R	6/22/2020 12:27	Potassium, Total Recoverable	11	mg/L	0.5	9/7/7440	0.25
CM-11R	9/21/2020 9:15	Potassium, Total Recoverable	10	mg/L	0.5	9/7/7440	0.25
CM-11R	12/22/2020 8:45	Potassium, Total Recoverable	9.2	mg/L	0.5	9/7/7440	0.25
CM-11R	6/22/2020 12:27	Fluoride, Total	0.67	mg/L	1	16984-48-8	0.5
CM-11R	12/22/2020 8:45	Fluoride, Total	0.56	mg/L	1	16984-48-8	0.5
CM-11R	6/22/2020 12:27	Iron, Total Recoverable	0.12	mg/L	0.1	7439-89-6	0.05
CM-11R	12/22/2020 8:45	Iron, Total Recoverable	0.16	mg/L	0.1	7439-89-6	0.05
CM-11R	6/22/2020 12:27	Carbon Dioxide, Free	62	mg/L	2	124-38-9	0
CM-11R	12/22/2020 8:45	Carbon Dioxide, Free	53	mg/L	2	124-38-9	0
CM-11R	2/17/2020 10:47	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-11R	6/22/2020 12:27	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-11R	9/21/2020 9:15	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-11R	12/22/2020 8:45	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-11R	6/22/2020 12:27	Calcium, Total Recoverable	240	mg/L	0.1	7440-70-2	0.05
CM-11R	12/22/2020 8:45	Calcium, Total Recoverable	210	mg/L	0.1	7440-70-2	0.05
CM-11R	2/17/2020 10:47	Chloride	10	mg/L	5	16887-00-6	2.5
CM-11R	6/22/2020 12:27	Chloride	9.9	mg/L	1	16887-00-6	0.5
CM-11R	9/21/2020 9:15	Chloride	11	mg/L	5	16887-00-6	2.5
CM-11R	12/22/2020 8:45	Chloride	10	mg/L	1	16887-00-6	0.5
CM-11R	6/22/2020 12:27	Bromide	<1	mg/L	1	24959-67-9	0.5
CM-11R	12/22/2020 8:45	Bromide	<1	mg/L	1	24959-67-9	0.5
CM-11R	6/22/2020 12:27	Boron, Total Recoverable	1.4	mg/L	0.05	7440-42-8	0.025
CM-11R	12/22/2020 8:45	Boron, Total Recoverable	1.4	mg/L	0.05	7440-42-8	0.025
CM-11R	2/17/2020 10:47	Alkalinity	50	mg/L	4	ALK	0
CM-11R	6/22/2020 12:27	Alkalinity	50	mg/L	4	ALK	0
CM-11R	9/21/2020 9:15	Alkalinity	49	mg/L	4	ALK	0
CM-11R	12/22/2020 8:45	Alkalinity	61	mg/L	4	ALK	0
CM-11R	2/17/2020 10:47	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
CM-11R	6/22/2020 12:27	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
CM-11R	9/21/2020 9:15	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
CM-11R	12/22/2020 8:45	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
CM-11R	2/17/2020 10:47	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
CM-11R	6/22/2020 12:27	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
CM-11R	9/21/2020 9:15	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
CM-11R	12/22/2020 8:45	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
CM-11R	2/17/2020 10:47	Ammonia	2.7	mg/L	0.2	7664-41-7	0.1
CM-11R	6/22/2020 12:27	Ammonia	<1	mg/L	1	7664-41-7	0.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-11R	9/21/2020 9:15	Ammonia	2.4	mg/L	0.2	7664-41-7	0.1
CM-11R	12/22/2020 8:45	Ammonia	2.2	mg/L	0.5	7664-41-7	0.1
CM-11R	2/17/2020 10:47	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
CM-11R	6/22/2020 12:27	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
CM-11R	9/21/2020 9:15	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
CM-11R	12/22/2020 8:45	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
CM-11R	2/17/2020 10:47	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
CM-11R	6/22/2020 12:27	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
CM-11R	9/21/2020 9:15	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
CM-11R	12/22/2020 8:45	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
CM-11R	2/17/2020 10:47	2-Hexanone	<5	ug/L	5	591-78-6	2.5
CM-11R	6/22/2020 12:27	2-Hexanone	<5	ug/L	5	591-78-6	2.5
CM-11R	9/21/2020 9:15	2-Hexanone	<10	ug/L	10	591-78-6	0.5
CM-11R	12/22/2020 8:45	2-Hexanone	<6	ug/L	6	591-78-6	4.3
CM-11R	2/17/2020 10:47	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
CM-11R	6/22/2020 12:27	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
CM-11R	9/21/2020 9:15	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
CM-11R	12/22/2020 8:45	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
CM-11R	2/17/2020 10:47	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
CM-11R	6/22/2020 12:27	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
CM-11R	9/21/2020 9:15	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
CM-11R	12/22/2020 8:45	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
CM-11R	2/17/2020 10:47	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
CM-11R	6/22/2020 12:27	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
CM-11R	9/21/2020 9:15	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
CM-11R	12/22/2020 8:45	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
CM-11R	2/17/2020 10:47	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
CM-11R	6/22/2020 12:27	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
CM-11R	9/21/2020 9:15	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
CM-11R	12/22/2020 8:45	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
CM-11R	2/17/2020 10:47	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
CM-11R	6/22/2020 12:27	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
CM-11R	9/21/2020 9:15	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
CM-11R	12/22/2020 8:45	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
CM-11R	2/17/2020 10:47	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
CM-11R	6/22/2020 12:27	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
CM-11R	9/21/2020 9:15	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
CM-11R	12/22/2020 8:45	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
CM-11R	2/17/2020 10:47	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
CM-11R	6/22/2020 12:27	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
CM-11R	9/21/2020 9:15	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
CM-11R	12/22/2020 8:45	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
CM-11R	2/17/2020 10:47	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
CM-11R	6/22/2020 12:27	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
CM-11R	9/21/2020 9:15	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
CM-11R	12/22/2020 8:45	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
CM-11R	2/17/2020 10:47	1,4-Dioxane	<0.98	ug/L	0.98	123-91-1	0.25
CM-11R	6/22/2020 12:27	1,4-Dioxane	<0.99	ug/L	0.99	123-91-1	0.25
CM-11R	9/21/2020 9:15	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-11R	12/22/2020 8:45	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
CM-11R	2/17/2020 10:47	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
CM-11R	6/22/2020 12:27	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
CM-11R	9/21/2020 9:15	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
CM-11R	12/22/2020 8:45	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
CM-11R	2/17/2020 10:47	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
CM-11R	6/22/2020 12:27	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
CM-11R	9/21/2020 9:15	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
CM-11R	12/22/2020 8:45	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
CM-11R	2/17/2020 10:47	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
CM-11R	6/22/2020 12:27	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
CM-11R	9/21/2020 9:15	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
CM-11R	12/22/2020 8:45	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
CM-11R	2/17/2020 10:47	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
CM-11R	6/22/2020 12:27	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
CM-11R	9/21/2020 9:15	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
CM-11R	12/22/2020 8:45	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
CM-11R	2/17/2020 10:47	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
CM-11R	6/22/2020 12:27	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
CM-11R	9/21/2020 9:15	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
CM-11R	12/22/2020 8:45	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
CM-11R	2/17/2020 10:47	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
CM-11R	6/22/2020 12:27	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
CM-11R	9/21/2020 9:15	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
CM-11R	12/22/2020 8:45	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
CM-11R	2/17/2020 10:47	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
CM-11R	6/22/2020 12:27	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
CM-11R	9/21/2020 9:15	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
CM-11R	12/22/2020 8:45	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
CM-11R	2/17/2020 10:47	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
CM-11R	6/22/2020 12:27	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
CM-11R	9/21/2020 9:15	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
CM-11R	12/22/2020 8:45	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
CM-11R	2/17/2020 10:47	Vinyl acetate	<4	ug/L	4	108-05-4	2
CM-11R	6/22/2020 12:27	Vinyl acetate	<4	ug/L	4	108-05-4	2
CM-11R	9/21/2020 9:15	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
CM-11R	12/22/2020 8:45	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
CM-11R	2/17/2020 10:47	Propionitrile	<20	ug/L	20	107-12-0	10
CM-11R	6/22/2020 12:27	Propionitrile	<20	ug/L	20	107-12-0	10
CM-11R	9/21/2020 9:15	Propionitrile	<5	ug/L	5	107-12-0	1
CM-11R	12/22/2020 8:45	Propionitrile	<5	ug/L	5	107-12-0	3.7
CM-11R	2/17/2020 10:47	Acrylonitrile	<50	ug/L	50	107-13-1	1
CM-11R	2/17/2020 10:47	Acrylonitrile	<2	ug/L	2	107-13-1	1
CM-11R	6/22/2020 12:27	Acrylonitrile	<2	ug/L	2	107-13-1	1
CM-11R	9/21/2020 9:15	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
CM-11R	12/22/2020 8:45	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
CM-11R	2/17/2020 10:47	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
CM-11R	6/22/2020 12:27	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
CM-11R	9/21/2020 9:15	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-11R	12/22/2020 8:45	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
CM-11R	2/17/2020 10:47	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
CM-11R	6/22/2020 12:27	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
CM-11R	9/21/2020 9:15	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
CM-11R	12/22/2020 8:45	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
CM-11R	2/17/2020 10:47	Acrolein	<50	ug/L	50	107-02-8	2.5
CM-11R	2/17/2020 10:47	Acrolein	<5	ug/L	5	107-02-8	2.5
CM-11R	6/22/2020 12:27	Acrolein	<5	ug/L	5	107-02-8	2.5
CM-11R	9/21/2020 9:15	Acrolein	<10	ug/L	10	107-02-8	0.59
CM-11R	12/22/2020 8:45	Acrolein	<4	ug/L	4	107-02-8	2.2
CM-11R	2/17/2020 10:47	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
CM-11R	6/22/2020 12:27	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
CM-11R	9/21/2020 9:15	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
CM-11R	12/22/2020 8:45	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
CM-11R	2/17/2020 10:47	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
CM-11R	6/22/2020 12:27	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
CM-11R	9/21/2020 9:15	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
CM-11R	12/22/2020 8:45	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
CM-11R	2/17/2020 10:47	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
CM-11R	6/22/2020 12:27	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
CM-11R	9/21/2020 9:15	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
CM-11R	12/22/2020 8:45	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
CM-11R	2/17/2020 10:47	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
CM-11R	6/22/2020 12:27	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
CM-11R	9/21/2020 9:15	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
CM-11R	12/22/2020 8:45	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
CM-11R	2/17/2020 10:47	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
CM-11R	6/22/2020 12:27	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
CM-11R	9/21/2020 9:15	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
CM-11R	12/22/2020 8:45	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
CM-11R	2/17/2020 10:47	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
CM-11R	6/22/2020 12:27	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
CM-11R	9/21/2020 9:15	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
CM-11R	12/22/2020 8:45	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
CM-11R	2/17/2020 10:47	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
CM-11R	6/22/2020 12:27	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
CM-11R	9/21/2020 9:15	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
CM-11R	12/22/2020 8:45	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
CM-11R	2/17/2020 10:47	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
CM-11R	6/22/2020 12:27	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
CM-11R	9/21/2020 9:15	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
CM-11R	12/22/2020 8:45	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
CM-11R	2/17/2020 10:47	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
CM-11R	6/22/2020 12:27	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
CM-11R	9/21/2020 9:15	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
CM-11R	12/22/2020 8:45	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
CM-11R	2/17/2020 10:47	Naphthalene	<1	ug/L	1	91-20-3	0.4
CM-11R	6/22/2020 12:27	Naphthalene	<1	ug/L	1	91-20-3	0.4
CM-11R	9/21/2020 9:15	Naphthalene	<1	ug/L	1	91-20-3	0.097

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-11R	12/22/2020 8:45	Naphthalene	<1	ug/L	1	91-20-3	0.32
CM-11R	2/17/2020 10:47	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
CM-11R	6/22/2020 12:27	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
CM-11R	9/21/2020 9:15	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
CM-11R	12/22/2020 8:45	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
CM-11R	2/17/2020 10:47	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
CM-11R	6/22/2020 12:27	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
CM-11R	9/21/2020 9:15	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
CM-11R	12/22/2020 8:45	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
CM-11R	2/17/2020 10:47	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
CM-11R	6/22/2020 12:27	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
CM-11R	9/21/2020 9:15	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
CM-11R	12/22/2020 8:45	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
CM-11R	2/17/2020 10:47	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
CM-11R	6/22/2020 12:27	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
CM-11R	9/21/2020 9:15	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
CM-11R	12/22/2020 8:45	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
CM-11R	2/17/2020 10:47	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
CM-11R	6/22/2020 12:27	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
CM-11R	9/21/2020 9:15	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
CM-11R	12/22/2020 8:45	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
CM-11R	2/17/2020 10:47	2-Butanone	<5	ug/L	5	78-93-3	2.5
CM-11R	6/22/2020 12:27	2-Butanone	<5	ug/L	5	78-93-3	2.5
CM-11R	9/21/2020 9:15	2-Butanone	<5	ug/L	5	78-93-3	0.46
CM-11R	12/22/2020 8:45	2-Butanone	<5	ug/L	5	78-93-3	3
CM-11R	2/17/2020 10:47	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
CM-11R	6/22/2020 12:27	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
CM-11R	9/21/2020 9:15	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
CM-11R	12/22/2020 8:45	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
CM-11R	2/17/2020 10:47	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
CM-11R	6/22/2020 12:27	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
CM-11R	9/21/2020 9:15	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
CM-11R	12/22/2020 8:45	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
CM-11R	2/17/2020 10:47	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
CM-11R	6/22/2020 12:27	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
CM-11R	9/21/2020 9:15	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
CM-11R	12/22/2020 8:45	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
CM-11R	2/17/2020 10:47	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
CM-11R	6/22/2020 12:27	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
CM-11R	9/21/2020 9:15	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
CM-11R	12/22/2020 8:45	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
CM-11R	2/17/2020 10:47	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
CM-11R	6/22/2020 12:27	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
CM-11R	9/21/2020 9:15	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
CM-11R	12/22/2020 8:45	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
CM-11R	2/17/2020 10:47	Bromoform	<1	ug/L	1	75-25-2	0.4
CM-11R	6/22/2020 12:27	Bromoform	<1	ug/L	1	75-25-2	0.4
CM-11R	9/21/2020 9:15	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
CM-11R	12/22/2020 8:45	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-11R	2/17/2020 10:47	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
CM-11R	6/22/2020 12:27	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
CM-11R	9/21/2020 9:15	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
CM-11R	12/22/2020 8:45	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
CM-11R	2/17/2020 10:47	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
CM-11R	6/22/2020 12:27	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
CM-11R	9/21/2020 9:15	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
CM-11R	12/22/2020 8:45	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
CM-11R	2/17/2020 10:47	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
CM-11R	6/22/2020 12:27	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
CM-11R	9/21/2020 9:15	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
CM-11R	12/22/2020 8:45	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
CM-11R	2/17/2020 10:47	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
CM-11R	6/22/2020 12:27	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
CM-11R	9/21/2020 9:15	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
CM-11R	12/22/2020 8:45	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
CM-11R	2/17/2020 10:47	Acetonitrile	<20	ug/L	20	75-05-8	10
CM-11R	6/22/2020 12:27	Acetonitrile	<20	ug/L	20	75-05-8	10
CM-11R	9/21/2020 9:15	Acetonitrile	<10	ug/L	10	75-05-8	2
CM-11R	12/22/2020 8:45	Acetonitrile	<10	ug/L	10	75-05-8	3.9
CM-11R	2/17/2020 10:47	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
CM-11R	6/22/2020 12:27	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
CM-11R	9/21/2020 9:15	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
CM-11R	12/22/2020 8:45	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
CM-11R	2/17/2020 10:47	Chloroethane	<1	ug/L	1	75-00-3	0.4
CM-11R	6/22/2020 12:27	Chloroethane	<1	ug/L	1	75-00-3	0.4
CM-11R	9/21/2020 9:15	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
CM-11R	12/22/2020 8:45	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
CM-11R	2/17/2020 10:47	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
CM-11R	6/22/2020 12:27	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
CM-11R	9/21/2020 9:15	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
CM-11R	12/22/2020 8:45	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
CM-11R	2/17/2020 10:47	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
CM-11R	6/22/2020 12:27	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
CM-11R	9/21/2020 9:15	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
CM-11R	12/22/2020 8:45	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
CM-11R	2/17/2020 10:47	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
CM-11R	6/22/2020 12:27	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
CM-11R	9/21/2020 9:15	Bromomethane	<2	ug/L	2	74-83-9	0.99
CM-11R	12/22/2020 8:45	Bromomethane	<1	ug/L	1	74-83-9	0.93
CM-11R	2/17/2020 10:47	Methyl Iodide	<2	ug/L	2	74-88-4	1
CM-11R	6/22/2020 12:27	Methyl Iodide	<2	ug/L	2	74-88-4	1
CM-11R	9/21/2020 9:15	Methyl Iodide	<25	ug/L	25	74-88-4	14
CM-11R	12/22/2020 8:45	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
CM-11R	2/17/2020 10:47	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
CM-11R	6/22/2020 12:27	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
CM-11R	9/21/2020 9:15	Chloromethane	<5	ug/L	5	74-87-3	2
CM-11R	12/22/2020 8:45	Chloromethane	<1	ug/L	1	74-87-3	0.29
CM-11R	2/17/2020 10:47	Benzene	<0.5	ug/L	0.5	71-43-2	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-11R	6/22/2020 12:27	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
CM-11R	9/21/2020 9:15	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
CM-11R	12/22/2020 8:45	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
CM-11R	2/17/2020 10:47	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
CM-11R	6/22/2020 12:27	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
CM-11R	9/21/2020 9:15	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
CM-11R	12/22/2020 8:45	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
CM-11R	2/17/2020 10:47	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
CM-11R	6/22/2020 12:27	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
CM-11R	9/21/2020 9:15	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
CM-11R	12/22/2020 8:45	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
CM-11R	2/17/2020 10:47	Acetone	<20	ug/L	20	67-64-1	10
CM-11R	6/22/2020 12:27	Acetone	<20	ug/L	20	67-64-1	10
CM-11R	9/21/2020 9:15	Acetone	<10	ug/L	10	67-64-1	4
CM-11R	12/22/2020 8:45	Acetone	<8	ug/L	8	67-64-1	4
CM-11R	2/17/2020 10:47	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
CM-11R	6/22/2020 12:27	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
CM-11R	9/21/2020 9:15	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
CM-11R	12/22/2020 8:45	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
CM-9R3	2/19/2020 10:43	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
CM-9R3	6/22/2020 10:47	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
CM-9R3	9/21/2020 10:20	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
CM-9R3	12/22/2020 9:13	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
CM-9R3	2/19/2020 10:43	Acetone	<20	ug/L	20	67-64-1	10
CM-9R3	6/22/2020 10:47	Acetone	<20	ug/L	20	67-64-1	10
CM-9R3	9/21/2020 10:20	Acetone	<10	ug/L	10	67-64-1	4
CM-9R3	12/22/2020 9:13	Acetone	<8	ug/L	8	67-64-1	4
CM-9R3	2/19/2020 10:43	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
CM-9R3	6/22/2020 10:47	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
CM-9R3	9/21/2020 10:20	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
CM-9R3	12/22/2020 9:13	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
CM-9R3	2/19/2020 10:43	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
CM-9R3	6/22/2020 10:47	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
CM-9R3	9/21/2020 10:20	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
CM-9R3	12/22/2020 9:13	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
CM-9R3	2/19/2020 10:43	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
CM-9R3	6/22/2020 10:47	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
CM-9R3	9/21/2020 10:20	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
CM-9R3	12/22/2020 9:13	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
CM-9R3	2/19/2020 10:43	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
CM-9R3	6/22/2020 10:47	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
CM-9R3	9/21/2020 10:20	Chloromethane	<5	ug/L	5	74-87-3	2
CM-9R3	12/22/2020 9:13	Chloromethane	<1	ug/L	1	74-87-3	0.29
CM-9R3	2/19/2020 10:43	Methyl Iodide	<2	ug/L	2	74-88-4	1
CM-9R3	6/22/2020 10:47	Methyl Iodide	<2	ug/L	2	74-88-4	1
CM-9R3	9/21/2020 10:20	Methyl Iodide	<25	ug/L	25	74-88-4	14
CM-9R3	12/22/2020 9:13	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
CM-9R3	2/19/2020 10:43	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
CM-9R3	6/22/2020 10:47	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-9R3	9/21/2020 10:20	Bromomethane	<2	ug/L	2	74-83-9	0.99
CM-9R3	12/22/2020 9:13	Bromomethane	<1	ug/L	1	74-83-9	0.93
CM-9R3	2/19/2020 10:43	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
CM-9R3	6/22/2020 10:47	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
CM-9R3	9/21/2020 10:20	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
CM-9R3	12/22/2020 9:13	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
CM-9R3	2/19/2020 10:43	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
CM-9R3	6/22/2020 10:47	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
CM-9R3	9/21/2020 10:20	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
CM-9R3	12/22/2020 9:13	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
CM-9R3	2/19/2020 10:43	Chloroethane	<1	ug/L	1	75-00-3	0.4
CM-9R3	6/22/2020 10:47	Chloroethane	<1	ug/L	1	75-00-3	0.4
CM-9R3	9/21/2020 10:20	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
CM-9R3	12/22/2020 9:13	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
CM-9R3	2/19/2020 10:43	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
CM-9R3	6/22/2020 10:47	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
CM-9R3	9/21/2020 10:20	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
CM-9R3	12/22/2020 9:13	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
CM-9R3	2/19/2020 10:43	Acetonitrile	<20	ug/L	20	75-05-8	10
CM-9R3	6/22/2020 10:47	Acetonitrile	<20	ug/L	20	75-05-8	10
CM-9R3	9/21/2020 10:20	Acetonitrile	<10	ug/L	10	75-05-8	2
CM-9R3	12/22/2020 9:13	Acetonitrile	<10	ug/L	10	75-05-8	3.9
CM-9R3	2/19/2020 10:43	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
CM-9R3	6/22/2020 10:47	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
CM-9R3	9/21/2020 10:20	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
CM-9R3	12/22/2020 9:13	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
CM-9R3	2/19/2020 10:43	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
CM-9R3	6/22/2020 10:47	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
CM-9R3	9/21/2020 10:20	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
CM-9R3	12/22/2020 9:13	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
CM-9R3	2/19/2020 10:43	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
CM-9R3	6/22/2020 10:47	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
CM-9R3	9/21/2020 10:20	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
CM-9R3	12/22/2020 9:13	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
CM-9R3	2/19/2020 10:43	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
CM-9R3	6/22/2020 10:47	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
CM-9R3	9/21/2020 10:20	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
CM-9R3	12/22/2020 9:13	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
CM-9R3	2/19/2020 10:43	Bromoform	<1	ug/L	1	75-25-2	0.4
CM-9R3	6/22/2020 10:47	Bromoform	<1	ug/L	1	75-25-2	0.4
CM-9R3	9/21/2020 10:20	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
CM-9R3	12/22/2020 9:13	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
CM-9R3	2/19/2020 10:43	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
CM-9R3	6/22/2020 10:47	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
CM-9R3	9/21/2020 10:20	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
CM-9R3	12/22/2020 9:13	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
CM-9R3	2/19/2020 10:43	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
CM-9R3	6/22/2020 10:47	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
CM-9R3	9/21/2020 10:20	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-9R3	12/22/2020 9:13	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
CM-9R3	2/19/2020 10:43	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
CM-9R3	6/22/2020 10:47	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
CM-9R3	9/21/2020 10:20	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
CM-9R3	12/22/2020 9:13	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
CM-9R3	2/19/2020 10:43	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
CM-9R3	6/22/2020 10:47	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
CM-9R3	9/21/2020 10:20	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
CM-9R3	12/22/2020 9:13	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
CM-9R3	2/19/2020 10:43	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
CM-9R3	6/22/2020 10:47	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
CM-9R3	9/21/2020 10:20	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
CM-9R3	12/22/2020 9:13	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
CM-9R3	2/19/2020 10:43	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
CM-9R3	6/22/2020 10:47	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
CM-9R3	9/21/2020 10:20	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
CM-9R3	12/22/2020 9:13	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
CM-9R3	2/19/2020 10:43	2-Butanone	<5	ug/L	5	78-93-3	2.5
CM-9R3	6/22/2020 10:47	2-Butanone	<5	ug/L	5	78-93-3	2.5
CM-9R3	9/21/2020 10:20	2-Butanone	<5	ug/L	5	78-93-3	0.46
CM-9R3	12/22/2020 9:13	2-Butanone	<5	ug/L	5	78-93-3	3
CM-9R3	2/19/2020 10:43	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
CM-9R3	6/22/2020 10:47	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
CM-9R3	9/21/2020 10:20	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
CM-9R3	12/22/2020 9:13	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
CM-9R3	2/19/2020 10:43	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
CM-9R3	6/22/2020 10:47	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
CM-9R3	9/21/2020 10:20	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
CM-9R3	12/22/2020 9:13	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
CM-9R3	2/19/2020 10:43	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
CM-9R3	6/22/2020 10:47	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
CM-9R3	9/21/2020 10:20	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
CM-9R3	12/22/2020 9:13	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
CM-9R3	2/19/2020 10:43	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
CM-9R3	6/22/2020 10:47	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
CM-9R3	9/21/2020 10:20	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
CM-9R3	12/22/2020 9:13	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
CM-9R3	2/19/2020 10:43	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
CM-9R3	6/22/2020 10:47	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
CM-9R3	9/21/2020 10:20	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
CM-9R3	12/22/2020 9:13	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
CM-9R3	2/19/2020 10:43	Naphthalene	<1	ug/L	1	91-20-3	0.4
CM-9R3	6/22/2020 10:47	Naphthalene	<1	ug/L	1	91-20-3	0.4
CM-9R3	9/21/2020 10:20	Naphthalene	<1	ug/L	1	91-20-3	0.097
CM-9R3	12/22/2020 9:13	Naphthalene	<1	ug/L	1	91-20-3	0.32
CM-9R3	2/19/2020 10:43	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
CM-9R3	6/22/2020 10:47	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
CM-9R3	9/21/2020 10:20	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
CM-9R3	12/22/2020 9:13	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-9R3	2/19/2020 10:43	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
CM-9R3	6/22/2020 10:47	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
CM-9R3	9/21/2020 10:20	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
CM-9R3	12/22/2020 9:13	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
CM-9R3	2/19/2020 10:43	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
CM-9R3	6/22/2020 10:47	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
CM-9R3	9/21/2020 10:20	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
CM-9R3	12/22/2020 9:13	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
CM-9R3	2/19/2020 10:43	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
CM-9R3	6/22/2020 10:47	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
CM-9R3	9/21/2020 10:20	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
CM-9R3	12/22/2020 9:13	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
CM-9R3	2/19/2020 10:43	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
CM-9R3	6/22/2020 10:47	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
CM-9R3	9/21/2020 10:20	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
CM-9R3	12/22/2020 9:13	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
CM-9R3	2/19/2020 10:43	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
CM-9R3	6/22/2020 10:47	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
CM-9R3	9/21/2020 10:20	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
CM-9R3	12/22/2020 9:13	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
CM-9R3	2/19/2020 10:43	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
CM-9R3	6/22/2020 10:47	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
CM-9R3	9/21/2020 10:20	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
CM-9R3	12/22/2020 9:13	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
CM-9R3	2/19/2020 10:43	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
CM-9R3	6/22/2020 10:47	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
CM-9R3	9/21/2020 10:20	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
CM-9R3	12/22/2020 9:13	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
CM-9R3	2/19/2020 10:43	Acrolein	<50	ug/L	50	107-02-8	2.5
CM-9R3	6/22/2020 10:47	Acrolein	<5	ug/L	5	107-02-8	2.5
CM-9R3	9/21/2020 10:20	Acrolein	<10	ug/L	10	107-02-8	0.59
CM-9R3	12/22/2020 9:13	Acrolein	<4	ug/L	4	107-02-8	2.2
CM-9R3	2/19/2020 10:43	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
CM-9R3	6/22/2020 10:47	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
CM-9R3	9/21/2020 10:20	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
CM-9R3	12/22/2020 9:13	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
CM-9R3	2/19/2020 10:43	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
CM-9R3	6/22/2020 10:47	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
CM-9R3	9/21/2020 10:20	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
CM-9R3	12/22/2020 9:13	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
CM-9R3	2/19/2020 10:43	Acrylonitrile	<50	ug/L	50	107-13-1	1
CM-9R3	6/22/2020 10:47	Acrylonitrile	<2	ug/L	2	107-13-1	1
CM-9R3	9/21/2020 10:20	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
CM-9R3	12/22/2020 9:13	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
CM-9R3	2/19/2020 10:43	Propionitrile	<20	ug/L	20	107-12-0	10
CM-9R3	6/22/2020 10:47	Propionitrile	<20	ug/L	20	107-12-0	10
CM-9R3	9/21/2020 10:20	Propionitrile	<5	ug/L	5	107-12-0	1
CM-9R3	12/22/2020 9:13	Propionitrile	<5	ug/L	5	107-12-0	3.7
CM-9R3	2/19/2020 10:43	Vinyl acetate	<4	ug/L	4	108-05-4	2

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-9R3	6/22/2020 10:47	Vinyl acetate	<4	ug/L	4	108-05-4	2
CM-9R3	9/21/2020 10:20	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
CM-9R3	12/22/2020 9:13	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
CM-9R3	2/19/2020 10:43	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
CM-9R3	6/22/2020 10:47	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
CM-9R3	9/21/2020 10:20	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
CM-9R3	12/22/2020 9:13	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
CM-9R3	2/19/2020 10:43	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
CM-9R3	6/22/2020 10:47	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
CM-9R3	9/21/2020 10:20	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
CM-9R3	12/22/2020 9:13	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
CM-9R3	2/19/2020 10:43	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
CM-9R3	6/22/2020 10:47	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
CM-9R3	9/21/2020 10:20	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
CM-9R3	12/22/2020 9:13	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
CM-9R3	2/19/2020 10:43	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
CM-9R3	6/22/2020 10:47	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
CM-9R3	9/21/2020 10:20	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
CM-9R3	12/22/2020 9:13	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
CM-9R3	2/19/2020 10:43	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
CM-9R3	6/22/2020 10:47	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
CM-9R3	9/21/2020 10:20	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
CM-9R3	12/22/2020 9:13	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
CM-9R3	2/19/2020 10:43	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
CM-9R3	6/22/2020 10:47	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
CM-9R3	9/21/2020 10:20	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
CM-9R3	12/22/2020 9:13	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
CM-9R3	2/19/2020 10:43	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
CM-9R3	6/22/2020 10:47	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
CM-9R3	9/21/2020 10:20	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
CM-9R3	12/22/2020 9:13	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
CM-9R3	2/19/2020 10:43	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
CM-9R3	6/22/2020 10:47	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
CM-9R3	9/21/2020 10:20	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
CM-9R3	12/22/2020 9:13	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
CM-9R3	2/19/2020 10:43	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
CM-9R3	6/22/2020 10:47	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
CM-9R3	9/21/2020 10:20	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
CM-9R3	12/22/2020 9:13	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
CM-9R3	2/19/2020 10:43	1,4-Dioxane	<0.97	ug/L	0.97	123-91-1	0.24
CM-9R3	6/22/2020 10:47	1,4-Dioxane	<0.99	ug/L	0.99	123-91-1	0.25
CM-9R3	9/21/2020 10:20	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
CM-9R3	12/22/2020 9:13	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
CM-9R3	2/19/2020 10:43	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
CM-9R3	6/22/2020 10:47	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
CM-9R3	9/21/2020 10:20	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
CM-9R3	12/22/2020 9:13	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
CM-9R3	2/19/2020 10:43	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
CM-9R3	6/22/2020 10:47	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-9R3	9/21/2020 10:20	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
CM-9R3	12/22/2020 9:13	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
CM-9R3	2/19/2020 10:43	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
CM-9R3	6/22/2020 10:47	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
CM-9R3	9/21/2020 10:20	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
CM-9R3	12/22/2020 9:13	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
CM-9R3	2/19/2020 10:43	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
CM-9R3	6/22/2020 10:47	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
CM-9R3	9/21/2020 10:20	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
CM-9R3	12/22/2020 9:13	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
CM-9R3	2/19/2020 10:43	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
CM-9R3	6/22/2020 10:47	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
CM-9R3	9/21/2020 10:20	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
CM-9R3	12/22/2020 9:13	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
CM-9R3	2/19/2020 10:43	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
CM-9R3	6/22/2020 10:47	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
CM-9R3	9/21/2020 10:20	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
CM-9R3	12/22/2020 9:13	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
CM-9R3	2/19/2020 10:43	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
CM-9R3	6/22/2020 10:47	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
CM-9R3	9/21/2020 10:20	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
CM-9R3	12/22/2020 9:13	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
CM-9R3	2/19/2020 10:43	2-Hexanone	<5	ug/L	5	591-78-6	2.5
CM-9R3	6/22/2020 10:47	2-Hexanone	<5	ug/L	5	591-78-6	2.5
CM-9R3	9/21/2020 10:20	2-Hexanone	<10	ug/L	10	591-78-6	0.5
CM-9R3	12/22/2020 9:13	2-Hexanone	<6	ug/L	6	591-78-6	4.3
CM-9R3	2/19/2020 10:43	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
CM-9R3	6/22/2020 10:47	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
CM-9R3	9/21/2020 10:20	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
CM-9R3	12/22/2020 9:13	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
CM-9R3	2/19/2020 10:43	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
CM-9R3	6/22/2020 10:47	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
CM-9R3	9/21/2020 10:20	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
CM-9R3	12/22/2020 9:13	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
CM-9R3	2/19/2020 10:43	Ammonia	8.2	mg/L	0.2	7664-41-7	0.1
CM-9R3	6/22/2020 10:47	Ammonia	<1	mg/L	1	7664-41-7	0.5
CM-9R3	9/21/2020 10:20	Ammonia	6.3	mg/L	0.2	7664-41-7	0.1
CM-9R3	12/22/2020 9:13	Ammonia	5.7	mg/L	2.5	7664-41-7	0.5
CM-9R3	2/19/2020 10:43	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
CM-9R3	6/22/2020 10:47	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
CM-9R3	9/21/2020 10:20	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
CM-9R3	12/22/2020 9:13	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
CM-9R3	2/19/2020 10:43	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
CM-9R3	6/22/2020 10:47	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
CM-9R3	9/21/2020 10:20	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
CM-9R3	12/22/2020 9:13	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
CM-9R3	2/19/2020 10:43	Alkalinity	220	mg/L	4	ALK	0
CM-9R3	6/22/2020 10:47	Alkalinity	220	mg/L	4	ALK	0
CM-9R3	9/21/2020 10:20	Alkalinity	250	mg/L	4	ALK	0

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-9R3	12/22/2020 9:13	Alkalinity	230	mg/L	4	ALK	0
CM-9R3	6/22/2020 10:47	Boron, Total Recoverable	1.7	mg/L	0.05	7440-42-8	0.025
CM-9R3	12/22/2020 9:13	Boron, Total Recoverable	1.7	mg/L	0.05	7440-42-8	0.025
CM-9R3	6/22/2020 10:47	Calcium, Total Recoverable	360	mg/L	0.1	7440-70-2	0.05
CM-9R3	12/22/2020 9:13	Calcium, Total Recoverable	380	mg/L	0.1	7440-70-2	0.05
CM-9R3	6/22/2020 10:47	Bromide	<1	mg/L	1	24959-67-9	0.5
CM-9R3	12/22/2020 9:13	Bromide	<1	mg/L	1	24959-67-9	0.5
CM-9R3	2/19/2020 10:43	Chloride	18	mg/L	0.5	16887-00-6	0.25
CM-9R3	6/22/2020 10:47	Chloride	14	mg/L	1	16887-00-6	0.5
CM-9R3	9/21/2020 10:20	Chloride	14	mg/L	5	16887-00-6	2.5
CM-9R3	12/22/2020 9:13	Chloride	14	mg/L	1	16887-00-6	0.5
CM-9R3	2/19/2020 10:43	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-9R3	6/22/2020 10:47	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-9R3	9/21/2020 10:20	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-9R3	12/22/2020 9:13	Chemical Oxygen Demand	<20	mg/L	20	COD	10
CM-9R3	6/22/2020 10:47	Carbon Dioxide, Free	70	mg/L	2	124-38-9	0
CM-9R3	12/22/2020 9:13	Carbon Dioxide, Free	53	mg/L	2	124-38-9	0
CM-9R3	6/22/2020 10:47	Iron, Total Recoverable	15	mg/L	0.1	7439-89-6	0.05
CM-9R3	12/22/2020 9:13	Iron, Total Recoverable	22	mg/L	0.1	7439-89-6	0.05
CM-9R3	6/22/2020 10:47	Fluoride, Total	2.2	mg/L	1	16984-48-8	0.5
CM-9R3	12/22/2020 9:13	Fluoride, Total	2.3	mg/L	1	16984-48-8	0.5
CM-9R3	2/19/2020 10:43	Potassium, Total Recoverable	12	mg/L	0.5	9/7/7440	0.25
CM-9R3	6/22/2020 10:47	Potassium, Total Recoverable	14	mg/L	0.5	9/7/7440	0.25
CM-9R3	9/21/2020 10:20	Potassium, Total Recoverable	12	mg/L	0.5	9/7/7440	0.25
CM-9R3	12/22/2020 9:13	Potassium, Total Recoverable	13	mg/L	0.5	9/7/7440	0.25
CM-9R3	6/22/2020 10:47	Bicarbonate	220	mg/L	4	HCO3	0
CM-9R3	12/22/2020 9:13	Bicarbonate	230	mg/L	4	HCO3	0
CM-9R3	6/22/2020 10:47	Magnesium, Total Recoverable	230	mg/L	0.02	7439-95-4	0.01
CM-9R3	12/22/2020 9:13	Magnesium, Total Recoverable	240	mg/L	0.02	7439-95-4	0.01
CM-9R3	6/22/2020 10:47	Manganese, Total Recoverable	2.6	mg/L	0.02	7439-96-5	0.015
CM-9R3	12/22/2020 9:13	Manganese, Total Recoverable	2.6	mg/L	0.02	7439-96-5	0.015
CM-9R3	6/22/2020 10:47	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
CM-9R3	12/22/2020 9:13	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
CM-9R3	2/19/2020 10:43	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
CM-9R3	6/22/2020 10:47	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
CM-9R3	9/21/2020 10:20	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
CM-9R3	12/22/2020 9:13	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
CM-9R3	6/22/2020 10:47	Sodium, Total Recoverable	400	mg/L	0.5	7440-23-5	0.26
CM-9R3	12/22/2020 9:13	Sodium, Total Recoverable	410	mg/L	0.5	7440-23-5	0.26
CM-9R3	12/22/2020 9:13	Sulfate	2900	mg/L	50	14808-79-8	25
CM-9R3	6/22/2020 10:47	Sulfate	2800	mg/L	50	14808-79-8	25
CM-9R3	12/22/2020 9:13	Sulfate	3800	mg/L	1	14808-79-8	0.5
CM-9R3	6/22/2020 10:47	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
CM-9R3	12/22/2020 9:13	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
CM-9R3	2/19/2020 10:43	Solids, Total Dissolved	4200	mg/L	50	TDS	25
CM-9R3	6/22/2020 10:47	Solids, Total Dissolved	3800	mg/L	20	TDS	10
CM-9R3	9/21/2020 10:20	Solids, Total Dissolved	4000	mg/L	20	TDS	10
CM-9R3	12/22/2020 9:13	Solids, Total Dissolved	4000	mg/L	20	TDS	10
CM-9R3	2/19/2020 10:43	Total Organic Carbon	5.6	mg/L	0.1	TOC	0.05

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
CM-9R3	6/22/2020 10:47	Total Organic Carbon	7	mg/L	0.1	TOC	0.05
CM-9R3	9/21/2020 10:20	Total Organic Carbon	7.1	mg/L	0.1	TOC	0.05
CM-9R3	12/22/2020 9:13	Total Organic Carbon	7.3	mg/L	0.1	TOC	0.05
MB SUB DR	2/17/2020 12:55	Total Organic Carbon	29	mg/L	0.5	TOC	0.25
MB SUB DR	6/23/2020 10:50	Total Organic Carbon	29	mg/L	1	TOC	0.5
MB SUB DR	9/21/2020 9:40	Total Organic Carbon	28	mg/L	0.5	TOC	0.25
MB SUB DR	12/21/2020 11:40	Total Organic Carbon	28	mg/L	1	TOC	0.5
MB SUB DR	2/17/2020 12:55	Solids, Total Dissolved	3200	mg/L	20	TDS	10
MB SUB DR	6/23/2020 10:50	Solids, Total Dissolved	3500	mg/L	20	TDS	10
MB SUB DR	9/21/2020 9:40	Solids, Total Dissolved	3300	mg/L	20	TDS	10
MB SUB DR	12/21/2020 11:40	Solids, Total Dissolved	2500	mg/L	20	TDS	10
MB SUB DR	6/23/2020 10:50	Sulfide, Total	0.076	mg/L	0.05	18496-25-8	0.027
MB SUB DR	12/21/2020 11:40	Sulfide, Total	0.3	mg/L	0.05	18496-25-8	0.027
MB SUB DR	6/23/2020 10:50	Sulfate	1600	mg/L	50	14808-79-8	25
MB SUB DR	12/21/2020 11:40	Sulfate	1800	mg/L	25	14808-79-8	13
MB SUB DR	12/21/2020 11:40	Oil & Grease	2.8	mg/L	2.5	O_AND_G	2
MB SUB DR	6/23/2020 10:50	Sodium, Total Recoverable	280	mg/L	0.5	7440-23-5	0.26
MB SUB DR	12/21/2020 11:40	Sodium, Total Recoverable	220	mg/L	0.5	7440-23-5	0.26
MB SUB DR	6/23/2020 10:50	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
MB SUB DR	12/21/2020 11:40	Nitrogen, Nitrate	1.2	mg/L	0.11	14797-55-8	0.055
MB SUB DR	6/23/2020 10:50	Manganese, Total Recoverable	7.2	mg/L	0.02	7439-96-5	0.015
MB SUB DR	12/21/2020 11:40	Manganese, Total Recoverable	3.1	mg/L	0.02	7439-96-5	0.015
MB SUB DR	2/17/2020 12:55	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MB SUB DR	6/23/2020 10:50	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MB SUB DR	9/21/2020 9:40	m,p-Xylene	0.3	ug/L	1	108-38-3_106-42-3	0.15
MB SUB DR	12/21/2020 11:40	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
MB SUB DR	6/23/2020 10:50	Magnesium, Total Recoverable	200	mg/L	0.02	7439-95-4	0.01
MB SUB DR	12/21/2020 11:40	Magnesium, Total Recoverable	250	mg/L	0.02	7439-95-4	0.01
MB SUB DR	6/23/2020 10:50	Bicarbonate	590	mg/L	4	HCO3	0
MB SUB DR	12/21/2020 11:40	Bicarbonate	450	mg/L	4	HCO3	0
MB SUB DR	2/17/2020 12:55	Potassium, Total Recoverable	13	mg/L	0.5	9/7/7440	0.25
MB SUB DR	6/23/2020 10:50	Potassium, Total Recoverable	14	mg/L	0.5	9/7/7440	0.25
MB SUB DR	9/21/2020 9:40	Potassium, Total Recoverable	17	mg/L	0.5	9/7/7440	0.25
MB SUB DR	12/21/2020 11:40	Potassium, Total Recoverable	18	mg/L	0.5	9/7/7440	0.25
MB SUB DR	6/23/2020 10:50	Fluoride, Total	1.1	mg/L	1	16984-48-8	0.5
MB SUB DR	12/21/2020 11:40	Fluoride, Total	1	mg/L	0.5	16984-48-8	0.25
MB SUB DR	6/23/2020 10:50	Iron, Total Recoverable	29	mg/L	0.1	7439-89-6	0.05
MB SUB DR	12/21/2020 11:40	Iron, Total Recoverable	5.2	mg/L	0.1	7439-89-6	0.05
MB SUB DR	6/23/2020 10:50	Carbon Dioxide, Free	150	mg/L	2	124-38-9	0
MB SUB DR	12/21/2020 11:40	Carbon Dioxide, Free	63	mg/L	2	124-38-9	0
MB SUB DR	2/17/2020 12:55	Chemical Oxygen Demand	44	mg/L	20	COD	10
MB SUB DR	6/23/2020 10:50	Chemical Oxygen Demand	40	mg/L	20	COD	10
MB SUB DR	9/21/2020 9:40	Chemical Oxygen Demand	18	mg/L	20	COD	10
MB SUB DR	12/21/2020 11:40	Chemical Oxygen Demand	56	mg/L	20	COD	10
MB SUB DR	2/17/2020 12:55	Chloride	77	mg/L	25	16887-00-6	13
MB SUB DR	6/23/2020 10:50	Chloride	190	mg/L	50	16887-00-6	25
MB SUB DR	9/21/2020 9:40	Chloride	170	mg/L	25	16887-00-6	13
MB SUB DR	12/21/2020 11:40	Chloride	210	mg/L	25	16887-00-6	13
MB SUB DR	6/23/2020 10:50	Bromide	2.3	mg/L	1	24959-67-9	0.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
1B SUB DR	12/21/2020 11:40	Bromide	2.1	mg/L	0.5	24959-67-9	0.25
1B SUB DR	6/23/2020 10:50	Calcium, Total Recoverable	390	mg/L	0.1	7440-70-2	0.05
1B SUB DR	12/21/2020 11:40	Calcium, Total Recoverable	350	mg/L	0.1	7440-70-2	0.05
1B SUB DR	6/23/2020 10:50	Boron, Total Recoverable	1.1	mg/L	0.05	7440-42-8	0.025
1B SUB DR	12/21/2020 11:40	Boron, Total Recoverable	0.84	mg/L	0.05	7440-42-8	0.025
1B SUB DR	2/17/2020 12:55	Alkalinity	710	mg/L	4	ALK	0
1B SUB DR	6/23/2020 10:50	Alkalinity	590	mg/L	4	ALK	0
1B SUB DR	9/21/2020 9:40	Alkalinity	460	mg/L	4	ALK	0
1B SUB DR	12/21/2020 11:40	Alkalinity	450	mg/L	4	ALK	0
1B SUB DR	2/17/2020 12:55	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
1B SUB DR	6/23/2020 10:50	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
1B SUB DR	9/21/2020 9:40	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
1B SUB DR	12/21/2020 11:40	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
1B SUB DR	2/17/2020 12:55	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
1B SUB DR	6/23/2020 10:50	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
1B SUB DR	9/21/2020 9:40	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
1B SUB DR	12/21/2020 11:40	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
1B SUB DR	2/17/2020 12:55	Ammonia	5.3	mg/L	0.2	7664-41-7	0.1
1B SUB DR	6/23/2020 10:50	Ammonia	4.8	mg/L	0.2	7664-41-7	0.1
1B SUB DR	9/21/2020 9:40	Ammonia	8.4	mg/L	0.2	7664-41-7	0.1
1B SUB DR	12/21/2020 11:40	Ammonia	8.9	mg/L	2.5	7664-41-7	0.5
1B SUB DR	2/17/2020 12:55	MTBE	1.1	ug/L	0.5	1634-04-4	0.25
1B SUB DR	6/23/2020 10:50	MTBE	0.81	ug/L	0.5	1634-04-4	0.25
1B SUB DR	9/21/2020 9:40	MTBE	0.074	ug/L	0.5	1634-04-4	0.067
1B SUB DR	12/21/2020 11:40	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
1B SUB DR	2/17/2020 12:55	2-Hexanone	<5	ug/L	5	591-78-6	2.5
1B SUB DR	6/23/2020 10:50	2-Hexanone	<5	ug/L	5	591-78-6	2.5
1B SUB DR	9/21/2020 9:40	2-Hexanone	<10	ug/L	10	591-78-6	0.5
1B SUB DR	12/21/2020 11:40	2-Hexanone	<6	ug/L	6	591-78-6	4.3
1B SUB DR	2/17/2020 12:55	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
1B SUB DR	6/23/2020 10:50	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
1B SUB DR	9/21/2020 9:40	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
1B SUB DR	12/21/2020 11:40	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
1B SUB DR	2/17/2020 12:55	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
1B SUB DR	6/23/2020 10:50	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
1B SUB DR	9/21/2020 9:40	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
1B SUB DR	12/21/2020 11:40	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
1B SUB DR	2/17/2020 12:55	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
1B SUB DR	6/23/2020 10:50	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
1B SUB DR	9/21/2020 9:40	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
1B SUB DR	12/21/2020 11:40	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
1B SUB DR	2/17/2020 12:55	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
1B SUB DR	6/23/2020 10:50	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
1B SUB DR	9/21/2020 9:40	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
1B SUB DR	12/21/2020 11:40	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
1B SUB DR	2/17/2020 12:55	cis-1,2-Dichloroethene	1.1	ug/L	0.5	156-59-2	0.25
1B SUB DR	6/23/2020 10:50	cis-1,2-Dichloroethene	2.7	ug/L	0.5	156-59-2	0.25
1B SUB DR	9/21/2020 9:40	cis-1,2-Dichloroethene	2.3	ug/L	0.5	156-59-2	0.11
1B SUB DR	12/21/2020 11:40	cis-1,2-Dichloroethene	1.3	ug/L	0.5	156-59-2	0.3

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MB SUB DR/	2/17/2020 12:55	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MB SUB DR/	6/23/2020 10:50	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MB SUB DR/	9/21/2020 9:40	trans-1,2-Dichloroethene	0.32	ug/L	0.5	156-60-5	0.082
MB SUB DR/	12/21/2020 11:40	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
MB SUB DR/	2/17/2020 12:55	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MB SUB DR/	6/23/2020 10:50	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MB SUB DR/	9/21/2020 9:40	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
MB SUB DR/	12/21/2020 11:40	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
MB SUB DR/	2/17/2020 12:55	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MB SUB DR/	6/23/2020 10:50	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MB SUB DR/	9/21/2020 9:40	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
MB SUB DR/	12/21/2020 11:40	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
MB SUB DR/	2/17/2020 12:55	1,4-Dioxane	7.9	ug/L	1	123-91-1	0.26
MB SUB DR/	6/23/2020 10:50	1,4-Dioxane	6.4	ug/L	1	123-91-1	0.25
MB SUB DR/	9/21/2020 9:40	1,4-Dioxane	26	ug/L	0.5	123-91-1	0.18
MB SUB DR/	12/21/2020 11:40	1,4-Dioxane	27	ug/L	0.5	123-91-1	0.34
MB SUB DR/	2/17/2020 12:55	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MB SUB DR/	6/23/2020 10:50	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MB SUB DR/	9/21/2020 9:40	Tetrachloroethene	0.38	ug/L	0.5	127-18-4	0.24
MB SUB DR/	12/21/2020 11:40	Tetrachloroethene	0.37	ug/L	0.5	127-18-4	0.29
MB SUB DR/	2/17/2020 12:55	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MB SUB DR/	6/23/2020 10:50	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MB SUB DR/	9/21/2020 9:40	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
MB SUB DR/	12/21/2020 11:40	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
MB SUB DR/	2/17/2020 12:55	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MB SUB DR/	6/23/2020 10:50	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MB SUB DR/	9/21/2020 9:40	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
MB SUB DR/	12/21/2020 11:40	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
MB SUB DR/	2/17/2020 12:55	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MB SUB DR/	6/23/2020 10:50	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MB SUB DR/	9/21/2020 9:40	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
MB SUB DR/	12/21/2020 11:40	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
MB SUB DR/	2/17/2020 12:55	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MB SUB DR/	6/23/2020 10:50	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MB SUB DR/	9/21/2020 9:40	Tetrahydrofuran	2.7	ug/L	2	109-99-9	0.57
MB SUB DR/	12/21/2020 11:40	Tetrahydrofuran	2.9	ug/L	2	109-99-9	1.1
MB SUB DR/	2/17/2020 12:55	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MB SUB DR/	6/23/2020 10:50	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MB SUB DR/	9/21/2020 9:40	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
MB SUB DR/	12/21/2020 11:40	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
MB SUB DR/	2/17/2020 12:55	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MB SUB DR/	6/23/2020 10:50	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MB SUB DR/	9/21/2020 9:40	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
MB SUB DR/	12/21/2020 11:40	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
MB SUB DR/	2/17/2020 12:55	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MB SUB DR/	6/23/2020 10:50	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MB SUB DR/	9/21/2020 9:40	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
MB SUB DR/	12/21/2020 11:40	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
MB SUB DR/	2/17/2020 12:55	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
1B SUB DR	6/23/2020 10:50	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
1B SUB DR	9/21/2020 9:40	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
1B SUB DR	12/21/2020 11:40	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
1B SUB DR	2/17/2020 12:55	Vinyl acetate	<4	ug/L	4	108-05-4	2
1B SUB DR	6/23/2020 10:50	Vinyl acetate	<4	ug/L	4	108-05-4	2
1B SUB DR	9/21/2020 9:40	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
1B SUB DR	12/21/2020 11:40	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
1B SUB DR	2/17/2020 12:55	Propionitrile	<20	ug/L	20	107-12-0	10
1B SUB DR	6/23/2020 10:50	Propionitrile	<20	ug/L	20	107-12-0	10
1B SUB DR	9/21/2020 9:40	Propionitrile	<5	ug/L	5	107-12-0	1
1B SUB DR	12/21/2020 11:40	Propionitrile	<5	ug/L	5	107-12-0	3.7
1B SUB DR	2/17/2020 12:55	Acrylonitrile	<50	ug/L	50	107-13-1	1
1B SUB DR	2/17/2020 12:55	Acrylonitrile	<2	ug/L	2	107-13-1	1
1B SUB DR	6/23/2020 10:50	Acrylonitrile	<50	ug/L	50	107-13-1	1
1B SUB DR	9/21/2020 9:40	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
1B SUB DR	12/21/2020 11:40	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
1B SUB DR	2/17/2020 12:55	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
1B SUB DR	6/23/2020 10:50	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
1B SUB DR	9/21/2020 9:40	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
1B SUB DR	12/21/2020 11:40	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
1B SUB DR	2/17/2020 12:55	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
1B SUB DR	6/23/2020 10:50	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
1B SUB DR	9/21/2020 9:40	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
1B SUB DR	12/21/2020 11:40	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
1B SUB DR	2/17/2020 12:55	Acrolein	<50	ug/L	50	107-02-8	2.5
1B SUB DR	2/17/2020 12:55	Acrolein	<5	ug/L	5	107-02-8	2.5
1B SUB DR	6/23/2020 10:50	Acrolein	<50	ug/L	50	107-02-8	2.5
1B SUB DR	9/21/2020 9:40	Acrolein	<10	ug/L	10	107-02-8	0.59
1B SUB DR	12/21/2020 11:40	Acrolein	<4	ug/L	4	107-02-8	2.2
1B SUB DR	2/17/2020 12:55	1,4-Dichlorobenzene	3.8	ug/L	0.5	106-46-7	0.25
1B SUB DR	6/23/2020 10:50	1,4-Dichlorobenzene	3.1	ug/L	0.5	106-46-7	0.25
1B SUB DR	9/21/2020 9:40	1,4-Dichlorobenzene	1.1	ug/L	0.5	106-46-7	0.073
1B SUB DR	12/21/2020 11:40	1,4-Dichlorobenzene	1.7	ug/L	0.5	106-46-7	0.22
1B SUB DR	2/17/2020 12:55	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
1B SUB DR	6/23/2020 10:50	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
1B SUB DR	9/21/2020 9:40	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
1B SUB DR	12/21/2020 11:40	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
1B SUB DR	2/17/2020 12:55	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
1B SUB DR	6/23/2020 10:50	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
1B SUB DR	9/21/2020 9:40	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
1B SUB DR	12/21/2020 11:40	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
1B SUB DR	2/17/2020 12:55	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
1B SUB DR	6/23/2020 10:50	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
1B SUB DR	9/21/2020 9:40	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
1B SUB DR	12/21/2020 11:40	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
1B SUB DR	2/17/2020 12:55	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
1B SUB DR	6/23/2020 10:50	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
1B SUB DR	9/21/2020 9:40	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
1B SUB DR	12/21/2020 11:40	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
1B SUB DR	2/17/2020 12:55	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
1B SUB DR	6/23/2020 10:50	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
1B SUB DR	9/21/2020 9:40	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
1B SUB DR	12/21/2020 11:40	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
1B SUB DR	2/17/2020 12:55	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
1B SUB DR	6/23/2020 10:50	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
1B SUB DR	9/21/2020 9:40	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
1B SUB DR	12/21/2020 11:40	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
1B SUB DR	2/17/2020 12:55	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
1B SUB DR	6/23/2020 10:50	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
1B SUB DR	9/21/2020 9:40	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
1B SUB DR	12/21/2020 11:40	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
1B SUB DR	2/17/2020 12:55	Naphthalene	<1	ug/L	1	91-20-3	0.4
1B SUB DR	6/23/2020 10:50	Naphthalene	<1	ug/L	1	91-20-3	0.4
1B SUB DR	9/21/2020 9:40	Naphthalene	0.54	ug/L	1	91-20-3	0.097
1B SUB DR	12/21/2020 11:40	Naphthalene	0.52	ug/L	1	91-20-3	0.32
1B SUB DR	2/17/2020 12:55	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
1B SUB DR	6/23/2020 10:50	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
1B SUB DR	9/21/2020 9:40	o-Xylene	0.16	ug/L	0.5	95-47-6	0.086
1B SUB DR	12/21/2020 11:40	o-Xylene	0.38	ug/L	0.5	95-47-6	0.35
1B SUB DR	2/17/2020 12:55	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
1B SUB DR	6/23/2020 10:50	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
1B SUB DR	9/21/2020 9:40	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
1B SUB DR	12/21/2020 11:40	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
1B SUB DR	2/17/2020 12:55	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
1B SUB DR	6/23/2020 10:50	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
1B SUB DR	9/21/2020 9:40	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
1B SUB DR	12/21/2020 11:40	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
1B SUB DR	2/17/2020 12:55	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
1B SUB DR	6/23/2020 10:50	Trichloroethene	0.3	ug/L	0.5	79-01-6	0.25
1B SUB DR	9/21/2020 9:40	Trichloroethene	0.52	ug/L	0.5	79-01-6	0.1
1B SUB DR	12/21/2020 11:40	Trichloroethene	0.39	ug/L	0.5	79-01-6	0.29
1B SUB DR	2/17/2020 12:55	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
1B SUB DR	6/23/2020 10:50	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
1B SUB DR	9/21/2020 9:40	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
1B SUB DR	12/21/2020 11:40	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
1B SUB DR	2/17/2020 12:55	2-Butanone	<5	ug/L	5	78-93-3	2.5
1B SUB DR	6/23/2020 10:50	2-Butanone	<5	ug/L	5	78-93-3	2.5
1B SUB DR	9/21/2020 9:40	2-Butanone	<5	ug/L	5	78-93-3	0.46
1B SUB DR	12/21/2020 11:40	2-Butanone	3.9	ug/L	5	78-93-3	3
1B SUB DR	2/17/2020 12:55	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
1B SUB DR	6/23/2020 10:50	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
1B SUB DR	9/21/2020 9:40	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
1B SUB DR	12/21/2020 11:40	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
1B SUB DR	2/17/2020 12:55	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
1B SUB DR	6/23/2020 10:50	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
1B SUB DR	9/21/2020 9:40	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
1B SUB DR	12/21/2020 11:40	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
1B SUB DR	2/17/2020 12:55	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
1B SUB DR	6/23/2020 10:50	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
1B SUB DR	9/21/2020 9:40	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
1B SUB DR	12/21/2020 11:40	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
1B SUB DR	2/17/2020 12:55	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
1B SUB DR	6/23/2020 10:50	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
1B SUB DR	9/21/2020 9:40	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
1B SUB DR	12/21/2020 11:40	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
1B SUB DR	2/17/2020 12:55	1,1-Dimethylethanol	12	ug/L	10	75-65-0	5
1B SUB DR	6/23/2020 10:50	1,1-Dimethylethanol	28	ug/L	10	75-65-0	5
1B SUB DR	9/21/2020 9:40	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
1B SUB DR	12/21/2020 11:40	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
1B SUB DR	2/17/2020 12:55	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
1B SUB DR	6/23/2020 10:50	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
1B SUB DR	9/21/2020 9:40	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
1B SUB DR	12/21/2020 11:40	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
1B SUB DR	2/17/2020 12:55	Bromoform	<1	ug/L	1	75-25-2	0.4
1B SUB DR	6/23/2020 10:50	Bromoform	<1	ug/L	1	75-25-2	0.4
1B SUB DR	9/21/2020 9:40	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
1B SUB DR	12/21/2020 11:40	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
1B SUB DR	2/17/2020 12:55	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
1B SUB DR	6/23/2020 10:50	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
1B SUB DR	9/21/2020 9:40	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
1B SUB DR	12/21/2020 11:40	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
1B SUB DR	2/17/2020 12:55	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
1B SUB DR	6/23/2020 10:50	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
1B SUB DR	9/21/2020 9:40	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
1B SUB DR	12/21/2020 11:40	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
1B SUB DR	2/17/2020 12:55	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
1B SUB DR	6/23/2020 10:50	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
1B SUB DR	9/21/2020 9:40	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
1B SUB DR	12/21/2020 11:40	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
1B SUB DR	2/17/2020 12:55	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
1B SUB DR	6/23/2020 10:50	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
1B SUB DR	9/21/2020 9:40	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
1B SUB DR	12/21/2020 11:40	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
1B SUB DR	2/17/2020 12:55	Acetonitrile	<20	ug/L	20	75-05-8	10
1B SUB DR	6/23/2020 10:50	Acetonitrile	<20	ug/L	20	75-05-8	10
1B SUB DR	9/21/2020 9:40	Acetonitrile	<10	ug/L	10	75-05-8	2
1B SUB DR	12/21/2020 11:40	Acetonitrile	<10	ug/L	10	75-05-8	3.9
1B SUB DR	2/17/2020 12:55	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
1B SUB DR	6/23/2020 10:50	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
1B SUB DR	9/21/2020 9:40	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
1B SUB DR	12/21/2020 11:40	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
1B SUB DR	2/17/2020 12:55	Chloroethane	<1	ug/L	1	75-00-3	0.4
1B SUB DR	6/23/2020 10:50	Chloroethane	<1	ug/L	1	75-00-3	0.4
1B SUB DR	9/21/2020 9:40	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
1B SUB DR	12/21/2020 11:40	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
1B SUB DR	2/17/2020 12:55	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
1B SUB DR	6/23/2020 10:50	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MB SUB DR	9/21/2020 9:40	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
MB SUB DR	12/21/2020 11:40	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
MB SUB DR	2/17/2020 12:55	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MB SUB DR	6/23/2020 10:50	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MB SUB DR	9/21/2020 9:40	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
MB SUB DR	12/21/2020 11:40	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
MB SUB DR	2/17/2020 12:55	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MB SUB DR	6/23/2020 10:50	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MB SUB DR	9/21/2020 9:40	Bromomethane	<2	ug/L	2	74-83-9	0.99
MB SUB DR	12/21/2020 11:40	Bromomethane	<1	ug/L	1	74-83-9	0.93
MB SUB DR	2/17/2020 12:55	Methyl Iodide	<2	ug/L	2	74-88-4	1
MB SUB DR	6/23/2020 10:50	Methyl Iodide	<2	ug/L	2	74-88-4	1
MB SUB DR	9/21/2020 9:40	Methyl Iodide	<25	ug/L	25	74-88-4	14
MB SUB DR	12/21/2020 11:40	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
MB SUB DR	2/17/2020 12:55	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MB SUB DR	6/23/2020 10:50	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MB SUB DR	9/21/2020 9:40	Chloromethane	<5	ug/L	5	74-87-3	2
MB SUB DR	12/21/2020 11:40	Chloromethane	<1	ug/L	1	74-87-3	0.29
MB SUB DR	2/17/2020 12:55	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MB SUB DR	6/23/2020 10:50	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MB SUB DR	9/21/2020 9:40	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
MB SUB DR	12/21/2020 11:40	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
MB SUB DR	2/17/2020 12:55	Benzene	0.55	ug/L	0.5	71-43-2	0.25
MB SUB DR	6/23/2020 10:50	Benzene	0.37	ug/L	0.5	71-43-2	0.25
MB SUB DR	9/21/2020 9:40	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
MB SUB DR	12/21/2020 11:40	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
MB SUB DR	2/17/2020 12:55	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MB SUB DR	6/23/2020 10:50	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MB SUB DR	9/21/2020 9:40	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
MB SUB DR	12/21/2020 11:40	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
MB SUB DR	2/17/2020 12:55	Acetone	<20	ug/L	20	67-64-1	10
MB SUB DR	6/23/2020 10:50	Acetone	<20	ug/L	20	67-64-1	10
MB SUB DR	9/21/2020 9:40	Acetone	23	ug/L	10	67-64-1	4
MB SUB DR	12/21/2020 11:40	Acetone	58	ug/L	8	67-64-1	4
MB SUB DR	2/17/2020 12:55	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MB SUB DR	6/23/2020 10:50	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MB SUB DR	9/21/2020 9:40	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
MB SUB DR	12/21/2020 11:40	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
DW-1	2/18/2020 11:40	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
DW-1	6/24/2020 9:00	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
DW-1	9/21/2020 11:15	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
DW-1	12/22/2020 9:40	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
DW-1	2/18/2020 11:40	Acetone	<20	ug/L	20	67-64-1	10
DW-1	6/24/2020 9:00	Acetone	<20	ug/L	20	67-64-1	10
DW-1	9/21/2020 11:15	Acetone	<10	ug/L	10	67-64-1	4
DW-1	12/22/2020 9:40	Acetone	<8	ug/L	8	67-64-1	4
DW-1	2/18/2020 11:40	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
DW-1	6/24/2020 9:00	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
DW-1	9/21/2020 11:15	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-1	12/22/2020 9:40	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
DW-1	2/18/2020 11:40	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
DW-1	6/24/2020 9:00	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
DW-1	9/21/2020 11:15	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
DW-1	12/22/2020 9:40	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
DW-1	2/18/2020 11:40	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
DW-1	6/24/2020 9:00	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
DW-1	9/21/2020 11:15	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
DW-1	12/22/2020 9:40	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
DW-1	2/18/2020 11:40	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
DW-1	6/24/2020 9:00	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
DW-1	9/21/2020 11:15	Chloromethane	<5	ug/L	5	74-87-3	2
DW-1	12/22/2020 9:40	Chloromethane	<1	ug/L	1	74-87-3	0.29
DW-1	2/18/2020 11:40	Methyl Iodide	<2	ug/L	2	74-88-4	1
DW-1	6/24/2020 9:00	Methyl Iodide	<2	ug/L	2	74-88-4	1
DW-1	9/21/2020 11:15	Methyl Iodide	<25	ug/L	25	74-88-4	14
DW-1	12/22/2020 9:40	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
DW-1	2/18/2020 11:40	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
DW-1	6/24/2020 9:00	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
DW-1	9/21/2020 11:15	Bromomethane	<2	ug/L	2	74-83-9	0.99
DW-1	12/22/2020 9:40	Bromomethane	<1	ug/L	1	74-83-9	0.93
DW-1	2/18/2020 11:40	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
DW-1	6/24/2020 9:00	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
DW-1	9/21/2020 11:15	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
DW-1	12/22/2020 9:40	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
DW-1	2/18/2020 11:40	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
DW-1	6/24/2020 9:00	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
DW-1	9/21/2020 11:15	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
DW-1	12/22/2020 9:40	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
DW-1	2/18/2020 11:40	Chloroethane	<1	ug/L	1	75-00-3	0.4
DW-1	6/24/2020 9:00	Chloroethane	<1	ug/L	1	75-00-3	0.4
DW-1	9/21/2020 11:15	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
DW-1	12/22/2020 9:40	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
DW-1	2/18/2020 11:40	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
DW-1	6/24/2020 9:00	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
DW-1	9/21/2020 11:15	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
DW-1	12/22/2020 9:40	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
DW-1	2/18/2020 11:40	Acetonitrile	<20	ug/L	20	75-05-8	10
DW-1	6/24/2020 9:00	Acetonitrile	<20	ug/L	20	75-05-8	10
DW-1	9/21/2020 11:15	Acetonitrile	<10	ug/L	10	75-05-8	2
DW-1	12/22/2020 9:40	Acetonitrile	<10	ug/L	10	75-05-8	3.9
DW-1	2/18/2020 11:40	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
DW-1	6/24/2020 9:00	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
DW-1	9/21/2020 11:15	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
DW-1	12/22/2020 9:40	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
DW-1	2/18/2020 11:40	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
DW-1	6/24/2020 9:00	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
DW-1	9/21/2020 11:15	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
DW-1	12/22/2020 9:40	Methylene Chloride	<1	ug/L	1	75-09-2	0.48

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-1	2/18/2020 11:40	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
DW-1	6/24/2020 9:00	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
DW-1	9/21/2020 11:15	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
DW-1	12/22/2020 9:40	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
DW-1	2/18/2020 11:40	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
DW-1	6/24/2020 9:00	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
DW-1	9/21/2020 11:15	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
DW-1	12/22/2020 9:40	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
DW-1	2/18/2020 11:40	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
DW-1	6/24/2020 9:00	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
DW-1	9/21/2020 11:15	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
DW-1	12/22/2020 9:40	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
DW-1	2/18/2020 11:40	Bromoform	<1	ug/L	1	75-25-2	0.4
DW-1	6/24/2020 9:00	Bromoform	<1	ug/L	1	75-25-2	0.4
DW-1	9/21/2020 11:15	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
DW-1	12/22/2020 9:40	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
DW-1	2/18/2020 11:40	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
DW-1	6/24/2020 9:00	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
DW-1	9/21/2020 11:15	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
DW-1	12/22/2020 9:40	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
DW-1	2/18/2020 11:40	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
DW-1	6/24/2020 9:00	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
DW-1	9/21/2020 11:15	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
DW-1	12/22/2020 9:40	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
DW-1	2/18/2020 11:40	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
DW-1	6/24/2020 9:00	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
DW-1	9/21/2020 11:15	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
DW-1	12/22/2020 9:40	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
DW-1	2/18/2020 11:40	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
DW-1	6/24/2020 9:00	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
DW-1	9/21/2020 11:15	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
DW-1	12/22/2020 9:40	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
DW-1	2/18/2020 11:40	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
DW-1	6/24/2020 9:00	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
DW-1	9/21/2020 11:15	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
DW-1	12/22/2020 9:40	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
DW-1	2/18/2020 11:40	2-Butanone	<5	ug/L	5	78-93-3	2.5
DW-1	6/24/2020 9:00	2-Butanone	<5	ug/L	5	78-93-3	2.5
DW-1	9/21/2020 11:15	2-Butanone	<5	ug/L	5	78-93-3	0.46
DW-1	12/22/2020 9:40	2-Butanone	<5	ug/L	5	78-93-3	3
DW-1	2/18/2020 11:40	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
DW-1	6/24/2020 9:00	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
DW-1	9/21/2020 11:15	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
DW-1	12/22/2020 9:40	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
DW-1	2/18/2020 11:40	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
DW-1	6/24/2020 9:00	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
DW-1	9/21/2020 11:15	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
DW-1	12/22/2020 9:40	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
DW-1	2/18/2020 11:40	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-1	6/24/2020 9:00	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
DW-1	9/21/2020 11:15	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
DW-1	12/22/2020 9:40	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
DW-1	2/18/2020 11:40	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
DW-1	6/24/2020 9:00	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
DW-1	9/21/2020 11:15	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
DW-1	12/22/2020 9:40	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
DW-1	2/18/2020 11:40	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
DW-1	6/24/2020 9:00	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
DW-1	9/21/2020 11:15	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
DW-1	12/22/2020 9:40	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
DW-1	2/18/2020 11:40	Naphthalene	<1	ug/L	1	91-20-3	0.4
DW-1	6/24/2020 9:00	Naphthalene	<1	ug/L	1	91-20-3	0.4
DW-1	9/21/2020 11:15	Naphthalene	<1	ug/L	1	91-20-3	0.097
DW-1	12/22/2020 9:40	Naphthalene	<1	ug/L	1	91-20-3	0.32
DW-1	2/18/2020 11:40	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
DW-1	6/24/2020 9:00	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
DW-1	9/21/2020 11:15	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
DW-1	12/22/2020 9:40	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
DW-1	2/18/2020 11:40	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
DW-1	6/24/2020 9:00	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
DW-1	9/21/2020 11:15	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
DW-1	12/22/2020 9:40	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
DW-1	2/18/2020 11:40	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
DW-1	6/24/2020 9:00	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
DW-1	9/21/2020 11:15	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
DW-1	12/22/2020 9:40	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
DW-1	2/18/2020 11:40	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
DW-1	6/24/2020 9:00	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
DW-1	9/21/2020 11:15	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
DW-1	12/22/2020 9:40	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
DW-1	2/18/2020 11:40	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
DW-1	6/24/2020 9:00	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
DW-1	9/21/2020 11:15	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
DW-1	12/22/2020 9:40	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
DW-1	2/18/2020 11:40	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
DW-1	6/24/2020 9:00	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
DW-1	9/21/2020 11:15	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
DW-1	12/22/2020 9:40	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
DW-1	2/18/2020 11:40	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
DW-1	6/24/2020 9:00	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
DW-1	9/21/2020 11:15	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
DW-1	12/22/2020 9:40	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
DW-1	2/18/2020 11:40	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
DW-1	6/24/2020 9:00	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
DW-1	9/21/2020 11:15	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
DW-1	12/22/2020 9:40	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
DW-1	2/18/2020 11:40	Acrolein	<50	ug/L	50	107-02-8	2.5
DW-1	2/18/2020 11:40	Acrolein	<5	ug/L	5	107-02-8	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-1	6/24/2020 9:00	Acrolein	<50	ug/L	50	107-02-8	2.5
DW-1	9/21/2020 11:15	Acrolein	<10	ug/L	10	107-02-8	0.59
DW-1	12/22/2020 9:40	Acrolein	<4	ug/L	4	107-02-8	2.2
DW-1	2/18/2020 11:40	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
DW-1	6/24/2020 9:00	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
DW-1	9/21/2020 11:15	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
DW-1	12/22/2020 9:40	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
DW-1	2/18/2020 11:40	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
DW-1	6/24/2020 9:00	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
DW-1	9/21/2020 11:15	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
DW-1	12/22/2020 9:40	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
DW-1	2/18/2020 11:40	Acrylonitrile	<50	ug/L	50	107-13-1	1
DW-1	2/18/2020 11:40	Acrylonitrile	<2	ug/L	2	107-13-1	1
DW-1	6/24/2020 9:00	Acrylonitrile	<50	ug/L	50	107-13-1	1
DW-1	9/21/2020 11:15	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
DW-1	12/22/2020 9:40	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
DW-1	2/18/2020 11:40	Propionitrile	<20	ug/L	20	107-12-0	10
DW-1	6/24/2020 9:00	Propionitrile	<20	ug/L	20	107-12-0	10
DW-1	9/21/2020 11:15	Propionitrile	<5	ug/L	5	107-12-0	1
DW-1	12/22/2020 9:40	Propionitrile	<5	ug/L	5	107-12-0	3.7
DW-1	2/18/2020 11:40	Vinyl acetate	<4	ug/L	4	108-05-4	2
DW-1	6/24/2020 9:00	Vinyl acetate	<4	ug/L	4	108-05-4	2
DW-1	9/21/2020 11:15	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
DW-1	12/22/2020 9:40	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
DW-1	2/18/2020 11:40	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
DW-1	6/24/2020 9:00	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
DW-1	9/21/2020 11:15	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
DW-1	12/22/2020 9:40	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
DW-1	2/18/2020 11:40	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
DW-1	6/24/2020 9:00	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
DW-1	9/21/2020 11:15	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
DW-1	12/22/2020 9:40	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
DW-1	2/18/2020 11:40	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
DW-1	6/24/2020 9:00	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
DW-1	9/21/2020 11:15	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
DW-1	12/22/2020 9:40	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
DW-1	2/18/2020 11:40	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
DW-1	6/24/2020 9:00	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
DW-1	9/21/2020 11:15	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
DW-1	12/22/2020 9:40	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
DW-1	2/18/2020 11:40	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
DW-1	6/24/2020 9:00	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
DW-1	9/21/2020 11:15	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
DW-1	12/22/2020 9:40	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
DW-1	2/18/2020 11:40	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
DW-1	6/24/2020 9:00	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
DW-1	9/21/2020 11:15	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
DW-1	12/22/2020 9:40	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
DW-1	2/18/2020 11:40	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-1	6/24/2020 9:00	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
DW-1	9/21/2020 11:15	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
DW-1	12/22/2020 9:40	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
DW-1	2/18/2020 11:40	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
DW-1	6/24/2020 9:00	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
DW-1	9/21/2020 11:15	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
DW-1	12/22/2020 9:40	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
DW-1	2/18/2020 11:40	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
DW-1	6/24/2020 9:00	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
DW-1	9/21/2020 11:15	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
DW-1	12/22/2020 9:40	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
DW-1	2/18/2020 11:40	1,4-Dioxane	<1.1	ug/L	1.1	123-91-1	0.26
DW-1	6/24/2020 9:00	1,4-Dioxane	<1	ug/L	1	123-91-1	0.25
DW-1	9/21/2020 11:15	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
DW-1	12/22/2020 9:40	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
DW-1	2/18/2020 11:40	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
DW-1	6/24/2020 9:00	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
DW-1	9/21/2020 11:15	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
DW-1	12/22/2020 9:40	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
DW-1	2/18/2020 11:40	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
DW-1	6/24/2020 9:00	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
DW-1	9/21/2020 11:15	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
DW-1	12/22/2020 9:40	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
DW-1	2/18/2020 11:40	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
DW-1	6/24/2020 9:00	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
DW-1	9/21/2020 11:15	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
DW-1	12/22/2020 9:40	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
DW-1	2/18/2020 11:40	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
DW-1	6/24/2020 9:00	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
DW-1	9/21/2020 11:15	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
DW-1	12/22/2020 9:40	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
DW-1	2/18/2020 11:40	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
DW-1	6/24/2020 9:00	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
DW-1	9/21/2020 11:15	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
DW-1	12/22/2020 9:40	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
DW-1	2/18/2020 11:40	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
DW-1	6/24/2020 9:00	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
DW-1	9/21/2020 11:15	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
DW-1	12/22/2020 9:40	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
DW-1	2/18/2020 11:40	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
DW-1	6/24/2020 9:00	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
DW-1	9/21/2020 11:15	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
DW-1	12/22/2020 9:40	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
DW-1	2/18/2020 11:40	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
DW-1	6/24/2020 9:00	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
DW-1	9/21/2020 11:15	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
DW-1	12/22/2020 9:40	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
DW-1	2/18/2020 11:40	2-Hexanone	<5	ug/L	5	591-78-6	2.5
DW-1	6/24/2020 9:00	2-Hexanone	<5	ug/L	5	591-78-6	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-1	9/21/2020 11:15	2-Hexanone	<10	ug/L	10	591-78-6	0.5
DW-1	12/22/2020 9:40	2-Hexanone	<6	ug/L	6	591-78-6	4.3
DW-1	2/18/2020 11:40	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
DW-1	6/24/2020 9:00	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
DW-1	9/21/2020 11:15	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
DW-1	12/22/2020 9:40	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
DW-1	2/18/2020 11:40	Ammonia	2.1	mg/L	0.2	7664-41-7	0.1
DW-1	6/24/2020 9:00	Ammonia	1.9	mg/L	0.2	7664-41-7	0.1
DW-1	9/21/2020 11:15	Ammonia	2	mg/L	0.2	7664-41-7	0.1
DW-1	12/22/2020 9:40	Ammonia	1.7	mg/L	0.5	7664-41-7	0.1
DW-1	2/18/2020 11:40	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
DW-1	6/24/2020 9:00	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
DW-1	9/21/2020 11:15	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
DW-1	12/22/2020 9:40	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
DW-1	2/18/2020 11:40	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
DW-1	6/24/2020 9:00	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
DW-1	9/21/2020 11:15	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
DW-1	12/22/2020 9:40	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
DW-1	2/18/2020 11:40	Alkalinity	530	mg/L	4	ALK	0
DW-1	6/24/2020 9:00	Alkalinity	530	mg/L	4	ALK	0
DW-1	9/21/2020 11:15	Alkalinity	530	mg/L	4	ALK	0
DW-1	12/22/2020 9:40	Alkalinity	550	mg/L	4	ALK	0
DW-1	6/24/2020 9:00	Boron, Total Recoverable	2.2	mg/L	0.25	7440-42-8	0.13
DW-1	12/22/2020 9:40	Boron, Total Recoverable	2.1	mg/L	0.05	7440-42-8	0.025
DW-1	6/24/2020 9:00	Calcium, Total Recoverable	3.4	mg/L	0.5	7440-70-2	0.25
DW-1	12/22/2020 9:40	Calcium, Total Recoverable	2.8	mg/L	0.1	7440-70-2	0.05
DW-1	6/24/2020 9:00	Bromide	<5	mg/L	5	24959-67-9	2.5
DW-1	12/22/2020 9:40	Bromide	<2.5	mg/L	2.5	24959-67-9	1.3
DW-1	2/18/2020 11:40	Chloride	14	mg/L	5	16887-00-6	2.5
DW-1	6/24/2020 9:00	Chloride	14	mg/L	5	16887-00-6	2.5
DW-1	9/21/2020 11:15	Chloride	14	mg/L	5	16887-00-6	2.5
DW-1	12/22/2020 9:40	Chloride	14	mg/L	2.5	16887-00-6	1.3
DW-1	2/18/2020 11:40	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-1	6/24/2020 9:00	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-1	9/21/2020 11:15	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-1	12/22/2020 9:40	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-1	6/24/2020 9:00	Carbon Dioxide, Free	<2	mg/L	2	124-38-9	0
DW-1	12/22/2020 9:40	Carbon Dioxide, Free	<2	mg/L	2	124-38-9	0
DW-1	6/24/2020 9:00	Iron, Total Recoverable	<0.5	mg/L	0.5	7439-89-6	0.25
DW-1	12/22/2020 9:40	Iron, Total Recoverable	<0.1	mg/L	0.1	7439-89-6	0.05
DW-1	6/24/2020 9:00	Fluoride, Total	3.3	mg/L	5	16984-48-8	2.5
DW-1	12/22/2020 9:40	Fluoride, Total	2.3	mg/L	2.5	16984-48-8	1.3
DW-1	2/18/2020 11:40	Potassium, Total Recoverable	2.4	mg/L	0.5	9/7/7440	0.25
DW-1	6/24/2020 9:00	Potassium, Total Recoverable	1.7	mg/L	2.5	9/7/7440	1.3
DW-1	9/21/2020 11:15	Potassium, Total Recoverable	1.6	mg/L	0.5	9/7/7440	0.25
DW-1	12/22/2020 9:40	Potassium, Total Recoverable	1.5	mg/L	0.5	9/7/7440	0.25
DW-1	12/22/2020 9:40	Bicarbonate	450	mg/L	4	HCO3	0
DW-1	6/24/2020 9:00	Magnesium, Total Recoverable	2.1	mg/L	0.1	7439-95-4	0.05
DW-1	12/22/2020 9:40	Magnesium, Total Recoverable	1.7	mg/L	0.02	7439-95-4	0.01

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-1	2/18/2020 11:40	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
DW-1	6/24/2020 9:00	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
DW-1	9/21/2020 11:15	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
DW-1	12/22/2020 9:40	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
DW-1	6/24/2020 9:00	Manganese, Total Recoverable	<0.1	mg/L	0.1	7439-96-5	0.075
DW-1	12/22/2020 9:40	Manganese, Total Recoverable	<0.02	mg/L	0.02	7439-96-5	0.015
DW-1	6/24/2020 9:00	Nitrogen, Nitrate	<1.1	mg/L	1.1	14797-55-8	0.55
DW-1	12/22/2020 9:40	Nitrogen, Nitrate	<0.55	mg/L	0.55	14797-55-8	0.28
DW-1	6/24/2020 9:00	Sodium, Total Recoverable	1100	mg/L	2.5	7440-23-5	1.3
DW-1	12/22/2020 9:40	Sodium, Total Recoverable	1100	mg/L	2.5	7440-23-5	1.3
DW-1	6/24/2020 9:00	Sulfate	1800	mg/L	100	14808-79-8	50
DW-1	6/24/2020 9:00	Sulfide, Total	0.56	mg/L	0.05	18496-25-8	0.027
DW-1	12/22/2020 9:40	Sulfide, Total	0.46	mg/L	0.05	18496-25-8	0.027
DW-1	6/24/2020 9:00	Sulfate	2300	mg/L	5	14808-79-8	2.5
DW-1	12/22/2020 9:40	Sulfate	1900	mg/L	100	14808-79-8	50
DW-1	2/18/2020 11:40	Solids, Total Dissolved	3200	mg/L	100	TDS	50
DW-1	6/24/2020 9:00	Solids, Total Dissolved	4300	mg/L	50	TDS	25
DW-1	8/24/2020 9:20	Solids, Total Dissolved	3200	mg/L	50	TDS	25
DW-1	8/24/2020 9:25	Solids, Total Dissolved	3000	mg/L	50	TDS	25
DW-1	9/21/2020 11:15	Solids, Total Dissolved	3200	mg/L	50	TDS	25
DW-1	12/22/2020 9:40	Solids, Total Dissolved	8300	mg/L	50	TDS	25
DW-1	2/18/2020 11:40	Total Organic Carbon	3.1	mg/L	0.1	TOC	0.05
DW-1	6/24/2020 9:00	Total Organic Carbon	3.5	mg/L	0.1	TOC	0.05
DW-1	9/21/2020 11:15	Total Organic Carbon	3.8	mg/L	0.1	TOC	0.05
DW-1	12/22/2020 9:40	Total Organic Carbon	3.2	mg/L	0.1	TOC	0.05
DW-2	2/19/2020 8:10	Total Organic Carbon	1.7	mg/L	0.1	TOC	0.05
DW-2	6/23/2020 9:55	Total Organic Carbon	1.7	mg/L	0.1	TOC	0.05
DW-2	9/22/2020 8:15	Total Organic Carbon	2	mg/L	0.1	TOC	0.05
DW-2	12/28/2020 10:51	Total Organic Carbon	1.6	mg/L	0.1	TOC	0.05
DW-2	2/19/2020 8:10	Solids, Total Dissolved	1900	mg/L	20	TDS	10
DW-2	6/23/2020 9:55	Solids, Total Dissolved	1900	mg/L	20	TDS	10
DW-2	9/22/2020 8:15	Solids, Total Dissolved	1900	mg/L	20	TDS	10
DW-2	12/28/2020 10:51	Solids, Total Dissolved	2000	mg/L	20	TDS	10
DW-2	6/23/2020 9:55	Sulfate	1000	mg/L	50	14808-79-8	25
DW-2	12/28/2020 10:51	Sulfate	1200	mg/L	25	14808-79-8	13
DW-2	6/23/2020 9:55	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
DW-2	12/28/2020 10:51	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
DW-2	6/23/2020 9:55	Sodium, Total Recoverable	440	mg/L	0.5	7440-23-5	0.26
DW-2	12/28/2020 10:51	Sodium, Total Recoverable	400	mg/L	0.5	7440-23-5	0.26
DW-2	6/23/2020 9:55	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
DW-2	12/28/2020 10:51	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
DW-2	6/23/2020 9:55	Manganese, Total Recoverable	0.1	mg/L	0.02	7439-96-5	0.015
DW-2	12/28/2020 10:51	Manganese, Total Recoverable	0.14	mg/L	0.02	7439-96-5	0.015
DW-2	2/19/2020 8:10	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
DW-2	6/23/2020 9:55	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
DW-2	9/22/2020 8:15	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
DW-2	12/28/2020 10:51	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
DW-2	6/23/2020 9:55	Magnesium, Total Recoverable	50	mg/L	0.02	7439-95-4	0.01
DW-2	12/28/2020 10:51	Magnesium, Total Recoverable	69	mg/L	0.02	7439-95-4	0.01

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-2	6/23/2020 9:55	Bicarbonate	380	mg/L	4	HCO3	0
DW-2	12/28/2020 10:51	Bicarbonate	380	mg/L	4	HCO3	0
DW-2	2/19/2020 8:10	Potassium, Total Recoverable	4	mg/L	1	9/7/7440	0.5
DW-2	6/23/2020 9:55	Potassium, Total Recoverable	3.9	mg/L	0.5	9/7/7440	0.25
DW-2	9/22/2020 8:15	Potassium, Total Recoverable	4.6	mg/L	0.5	9/7/7440	0.25
DW-2	12/28/2020 10:51	Potassium, Total Recoverable	4	mg/L	0.5	9/7/7440	0.25
DW-2	6/23/2020 9:55	Fluoride, Total	0.5	mg/L	1	16984-48-8	0.5
DW-2	12/28/2020 10:51	Fluoride, Total	<0.5	mg/L	0.5	16984-48-8	0.25
DW-2	6/23/2020 9:55	Iron, Total Recoverable	0.92	mg/L	0.1	7439-89-6	0.05
DW-2	12/28/2020 10:51	Iron, Total Recoverable	1.6	mg/L	0.1	7439-89-6	0.05
DW-2	6/23/2020 9:55	Carbon Dioxide, Free	14	mg/L	2	124-38-9	0
DW-2	12/28/2020 10:51	Carbon Dioxide, Free	8.8	mg/L	2	124-38-9	0
DW-2	2/19/2020 8:10	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-2	6/23/2020 9:55	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-2	9/22/2020 8:15	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-2	12/28/2020 10:51	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-2	2/19/2020 8:10	Chloride	12	mg/L	0.5	16887-00-6	0.25
DW-2	6/23/2020 9:55	Chloride	11	mg/L	1	16887-00-6	0.5
DW-2	9/22/2020 8:15	Chloride	9.8	mg/L	2.5	16887-00-6	1.3
DW-2	12/28/2020 10:51	Chloride	12	mg/L	0.5	16887-00-6	0.25
DW-2	6/23/2020 9:55	Bromide	<1	mg/L	1	24959-67-9	0.5
DW-2	12/28/2020 10:51	Bromide	<0.5	mg/L	0.5	24959-67-9	0.25
DW-2	6/23/2020 9:55	Calcium, Total Recoverable	74	mg/L	0.1	7440-70-2	0.05
DW-2	12/28/2020 10:51	Calcium, Total Recoverable	100	mg/L	0.1	7440-70-2	0.05
DW-2	6/23/2020 9:55	Boron, Total Recoverable	0.62	mg/L	0.05	7440-42-8	0.025
DW-2	12/28/2020 10:51	Boron, Total Recoverable	0.55	mg/L	0.05	7440-42-8	0.025
DW-2	2/19/2020 8:10	Alkalinity	360	mg/L	4	ALK	0
DW-2	6/23/2020 9:55	Alkalinity	380	mg/L	4	ALK	0
DW-2	9/22/2020 8:15	Alkalinity	360	mg/L	4	ALK	0
DW-2	12/28/2020 10:51	Alkalinity	380	mg/L	4	ALK	0
DW-2	2/19/2020 8:10	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
DW-2	6/23/2020 9:55	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
DW-2	9/22/2020 8:15	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
DW-2	12/28/2020 10:51	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
DW-2	2/19/2020 8:10	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
DW-2	6/23/2020 9:55	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
DW-2	9/22/2020 8:15	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
DW-2	12/28/2020 10:51	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
DW-2	2/19/2020 8:10	Ammonia	3.4	mg/L	0.2	7664-41-7	0.1
DW-2	6/23/2020 9:55	Ammonia	3	mg/L	0.2	7664-41-7	0.1
DW-2	9/22/2020 8:15	Ammonia	3.2	mg/L	0.2	7664-41-7	0.1
DW-2	12/28/2020 10:51	Ammonia	3.1	mg/L	0.5	7664-41-7	0.1
DW-2	2/19/2020 8:10	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
DW-2	6/23/2020 9:55	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
DW-2	9/22/2020 8:15	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
DW-2	12/28/2020 10:51	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
DW-2	2/19/2020 8:10	2-Hexanone	<5	ug/L	5	591-78-6	2.5
DW-2	6/23/2020 9:55	2-Hexanone	<5	ug/L	5	591-78-6	2.5
DW-2	9/22/2020 8:15	2-Hexanone	<10	ug/L	10	591-78-6	0.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-2	12/28/2020 10:51	2-Hexanone	<6	ug/L	6	591-78-6	4.3
DW-2	2/19/2020 8:10	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
DW-2	6/23/2020 9:55	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
DW-2	9/22/2020 8:15	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
DW-2	12/28/2020 10:51	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
DW-2	2/19/2020 8:10	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
DW-2	6/23/2020 9:55	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
DW-2	9/22/2020 8:15	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
DW-2	12/28/2020 10:51	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
DW-2	2/19/2020 8:10	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
DW-2	6/23/2020 9:55	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
DW-2	9/22/2020 8:15	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
DW-2	12/28/2020 10:51	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
DW-2	2/19/2020 8:10	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
DW-2	6/23/2020 9:55	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
DW-2	9/22/2020 8:15	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
DW-2	12/28/2020 10:51	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
DW-2	2/19/2020 8:10	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
DW-2	6/23/2020 9:55	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
DW-2	9/22/2020 8:15	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
DW-2	12/28/2020 10:51	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
DW-2	2/19/2020 8:10	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
DW-2	6/23/2020 9:55	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
DW-2	9/22/2020 8:15	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
DW-2	12/28/2020 10:51	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
DW-2	2/19/2020 8:10	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
DW-2	6/23/2020 9:55	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
DW-2	9/22/2020 8:15	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
DW-2	12/28/2020 10:51	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
DW-2	2/19/2020 8:10	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
DW-2	6/23/2020 9:55	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
DW-2	9/22/2020 8:15	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
DW-2	12/28/2020 10:51	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
DW-2	2/19/2020 8:10	1,4-Dioxane	<0.97	ug/L	0.97	123-91-1	0.24
DW-2	6/23/2020 9:55	1,4-Dioxane	<1	ug/L	1	123-91-1	0.25
DW-2	9/22/2020 8:15	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
DW-2	12/28/2020 10:51	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
DW-2	2/19/2020 8:10	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
DW-2	6/23/2020 9:55	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
DW-2	9/22/2020 8:15	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
DW-2	12/28/2020 10:51	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
DW-2	2/19/2020 8:10	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
DW-2	6/23/2020 9:55	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
DW-2	9/22/2020 8:15	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
DW-2	12/28/2020 10:51	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
DW-2	2/19/2020 8:10	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
DW-2	6/23/2020 9:55	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
DW-2	9/22/2020 8:15	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
DW-2	12/28/2020 10:51	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-2	2/19/2020 8:10	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
DW-2	6/23/2020 9:55	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
DW-2	9/22/2020 8:15	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
DW-2	12/28/2020 10:51	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
DW-2	2/19/2020 8:10	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
DW-2	6/23/2020 9:55	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
DW-2	9/22/2020 8:15	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
DW-2	12/28/2020 10:51	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
DW-2	2/19/2020 8:10	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
DW-2	6/23/2020 9:55	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
DW-2	9/22/2020 8:15	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
DW-2	12/28/2020 10:51	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
DW-2	2/19/2020 8:10	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
DW-2	6/23/2020 9:55	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
DW-2	9/22/2020 8:15	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
DW-2	12/28/2020 10:51	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
DW-2	2/19/2020 8:10	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
DW-2	6/23/2020 9:55	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
DW-2	9/22/2020 8:15	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
DW-2	12/28/2020 10:51	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
DW-2	2/19/2020 8:10	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
DW-2	6/23/2020 9:55	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
DW-2	9/22/2020 8:15	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
DW-2	12/28/2020 10:51	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
DW-2	2/19/2020 8:10	Vinyl acetate	<4	ug/L	4	108-05-4	2
DW-2	6/23/2020 9:55	Vinyl acetate	<4	ug/L	4	108-05-4	2
DW-2	9/22/2020 8:15	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
DW-2	12/28/2020 10:51	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
DW-2	2/19/2020 8:10	Propionitrile	<20	ug/L	20	107-12-0	10
DW-2	6/23/2020 9:55	Propionitrile	<20	ug/L	20	107-12-0	10
DW-2	9/22/2020 8:15	Propionitrile	<5	ug/L	5	107-12-0	1
DW-2	12/28/2020 10:51	Propionitrile	<5	ug/L	5	107-12-0	3.7
DW-2	2/19/2020 8:10	Acrylonitrile	<50	ug/L	50	107-13-1	1
DW-2	6/23/2020 9:55	Acrylonitrile	<50	ug/L	50	107-13-1	1
DW-2	9/22/2020 8:15	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
DW-2	12/28/2020 10:51	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
DW-2	2/19/2020 8:10	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
DW-2	6/23/2020 9:55	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
DW-2	9/22/2020 8:15	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
DW-2	12/28/2020 10:51	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
DW-2	2/19/2020 8:10	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
DW-2	6/23/2020 9:55	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
DW-2	9/22/2020 8:15	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
DW-2	12/28/2020 10:51	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
DW-2	2/19/2020 8:10	Acrolein	<50	ug/L	50	107-02-8	2.5
DW-2	6/23/2020 9:55	Acrolein	<50	ug/L	50	107-02-8	2.5
DW-2	9/22/2020 8:15	Acrolein	<10	ug/L	10	107-02-8	0.59
DW-2	12/28/2020 10:51	Acrolein	<4	ug/L	4	107-02-8	2.2
DW-2	2/19/2020 8:10	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-2	6/23/2020 9:55	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
DW-2	9/22/2020 8:15	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
DW-2	12/28/2020 10:51	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
DW-2	2/19/2020 8:10	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
DW-2	6/23/2020 9:55	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
DW-2	9/22/2020 8:15	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
DW-2	12/28/2020 10:51	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
DW-2	2/19/2020 8:10	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
DW-2	6/23/2020 9:55	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
DW-2	9/22/2020 8:15	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
DW-2	12/28/2020 10:51	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
DW-2	2/19/2020 8:10	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
DW-2	6/23/2020 9:55	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
DW-2	9/22/2020 8:15	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
DW-2	12/28/2020 10:51	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
DW-2	2/19/2020 8:10	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
DW-2	6/23/2020 9:55	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
DW-2	9/22/2020 8:15	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
DW-2	12/28/2020 10:51	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
DW-2	2/19/2020 8:10	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
DW-2	6/23/2020 9:55	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
DW-2	9/22/2020 8:15	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
DW-2	12/28/2020 10:51	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
DW-2	2/19/2020 8:10	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
DW-2	6/23/2020 9:55	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
DW-2	9/22/2020 8:15	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
DW-2	12/28/2020 10:51	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
DW-2	2/19/2020 8:10	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
DW-2	6/23/2020 9:55	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
DW-2	9/22/2020 8:15	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
DW-2	12/28/2020 10:51	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
DW-2	2/19/2020 8:10	Naphthalene	<1	ug/L	1	91-20-3	0.4
DW-2	6/23/2020 9:55	Naphthalene	<1	ug/L	1	91-20-3	0.4
DW-2	9/22/2020 8:15	Naphthalene	<1	ug/L	1	91-20-3	0.097
DW-2	12/28/2020 10:51	Naphthalene	<1	ug/L	1	91-20-3	0.32
DW-2	2/19/2020 8:10	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
DW-2	6/23/2020 9:55	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
DW-2	9/22/2020 8:15	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
DW-2	12/28/2020 10:51	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
DW-2	2/19/2020 8:10	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
DW-2	6/23/2020 9:55	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
DW-2	9/22/2020 8:15	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
DW-2	12/28/2020 10:51	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
DW-2	2/19/2020 8:10	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
DW-2	6/23/2020 9:55	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
DW-2	9/22/2020 8:15	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
DW-2	12/28/2020 10:51	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
DW-2	2/19/2020 8:10	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
DW-2	6/23/2020 9:55	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-2	9/22/2020 8:15	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
DW-2	12/28/2020 10:51	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
DW-2	2/19/2020 8:10	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
DW-2	6/23/2020 9:55	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
DW-2	9/22/2020 8:15	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
DW-2	12/28/2020 10:51	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
DW-2	2/19/2020 8:10	2-Butanone	<5	ug/L	5	78-93-3	2.5
DW-2	6/23/2020 9:55	2-Butanone	<5	ug/L	5	78-93-3	2.5
DW-2	9/22/2020 8:15	2-Butanone	<5	ug/L	5	78-93-3	0.46
DW-2	12/28/2020 10:51	2-Butanone	<5	ug/L	5	78-93-3	3
DW-2	2/19/2020 8:10	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
DW-2	6/23/2020 9:55	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
DW-2	9/22/2020 8:15	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
DW-2	12/28/2020 10:51	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
DW-2	2/19/2020 8:10	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
DW-2	6/23/2020 9:55	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
DW-2	9/22/2020 8:15	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
DW-2	12/28/2020 10:51	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
DW-2	2/19/2020 8:10	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
DW-2	6/23/2020 9:55	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
DW-2	9/22/2020 8:15	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
DW-2	12/28/2020 10:51	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
DW-2	2/19/2020 8:10	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
DW-2	6/23/2020 9:55	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
DW-2	9/22/2020 8:15	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
DW-2	12/28/2020 10:51	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
DW-2	2/19/2020 8:10	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
DW-2	6/23/2020 9:55	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
DW-2	9/22/2020 8:15	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
DW-2	12/28/2020 10:51	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
DW-2	2/19/2020 8:10	Bromoform	<1	ug/L	1	75-25-2	0.4
DW-2	6/23/2020 9:55	Bromoform	<1	ug/L	1	75-25-2	0.4
DW-2	9/22/2020 8:15	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
DW-2	12/28/2020 10:51	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
DW-2	2/19/2020 8:10	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
DW-2	6/23/2020 9:55	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
DW-2	9/22/2020 8:15	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
DW-2	12/28/2020 10:51	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
DW-2	2/19/2020 8:10	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
DW-2	6/23/2020 9:55	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
DW-2	9/22/2020 8:15	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
DW-2	12/28/2020 10:51	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
DW-2	2/19/2020 8:10	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
DW-2	6/23/2020 9:55	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
DW-2	9/22/2020 8:15	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
DW-2	12/28/2020 10:51	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
DW-2	2/19/2020 8:10	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
DW-2	6/23/2020 9:55	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
DW-2	9/22/2020 8:15	Methylene Chloride	<1	ug/L	1	75-09-2	0.043

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-2	12/28/2020 10:51	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
DW-2	2/19/2020 8:10	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
DW-2	6/23/2020 9:55	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
DW-2	9/22/2020 8:15	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
DW-2	12/28/2020 10:51	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
DW-2	2/19/2020 8:10	Acetonitrile	<20	ug/L	20	75-05-8	10
DW-2	6/23/2020 9:55	Acetonitrile	<20	ug/L	20	75-05-8	10
DW-2	9/22/2020 8:15	Acetonitrile	<10	ug/L	10	75-05-8	2
DW-2	12/28/2020 10:51	Acetonitrile	<10	ug/L	10	75-05-8	3.9
DW-2	2/19/2020 8:10	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
DW-2	6/23/2020 9:55	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
DW-2	9/22/2020 8:15	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
DW-2	12/28/2020 10:51	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
DW-2	2/19/2020 8:10	Chloroethane	<1	ug/L	1	75-00-3	0.4
DW-2	6/23/2020 9:55	Chloroethane	<1	ug/L	1	75-00-3	0.4
DW-2	9/22/2020 8:15	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
DW-2	12/28/2020 10:51	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
DW-2	2/19/2020 8:10	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
DW-2	6/23/2020 9:55	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
DW-2	9/22/2020 8:15	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
DW-2	12/28/2020 10:51	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
DW-2	2/19/2020 8:10	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
DW-2	6/23/2020 9:55	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
DW-2	9/22/2020 8:15	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
DW-2	12/28/2020 10:51	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
DW-2	2/19/2020 8:10	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
DW-2	6/23/2020 9:55	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
DW-2	9/22/2020 8:15	Bromomethane	<2	ug/L	2	74-83-9	0.99
DW-2	12/28/2020 10:51	Bromomethane	<1	ug/L	1	74-83-9	0.93
DW-2	2/19/2020 8:10	Methyl Iodide	<2	ug/L	2	74-88-4	1
DW-2	6/23/2020 9:55	Methyl Iodide	<2	ug/L	2	74-88-4	1
DW-2	9/22/2020 8:15	Methyl Iodide	<25	ug/L	25	74-88-4	14
DW-2	12/28/2020 10:51	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
DW-2	2/19/2020 8:10	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
DW-2	6/23/2020 9:55	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
DW-2	9/22/2020 8:15	Chloromethane	<5	ug/L	5	74-87-3	2
DW-2	12/28/2020 10:51	Chloromethane	<1	ug/L	1	74-87-3	0.29
DW-2	2/19/2020 8:10	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
DW-2	6/23/2020 9:55	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
DW-2	9/22/2020 8:15	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
DW-2	12/28/2020 10:51	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
DW-2	2/19/2020 8:10	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
DW-2	6/23/2020 9:55	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
DW-2	9/22/2020 8:15	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
DW-2	12/28/2020 10:51	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
DW-2	2/19/2020 8:10	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
DW-2	6/23/2020 9:55	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
DW-2	9/22/2020 8:15	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
DW-2	12/28/2020 10:51	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-2	2/19/2020 8:10	Acetone	<20	ug/L	20	67-64-1	10
DW-2	6/23/2020 9:55	Acetone	<20	ug/L	20	67-64-1	10
DW-2	9/22/2020 8:15	Acetone	<10	ug/L	10	67-64-1	4
DW-2	12/28/2020 10:51	Acetone	<8	ug/L	8	67-64-1	4
DW-2	2/19/2020 8:10	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
DW-2	6/23/2020 9:55	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
DW-2	9/22/2020 8:15	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
DW-2	12/28/2020 10:51	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
DW-3	2/19/2020 9:40	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
DW-3	6/23/2020 11:20	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
DW-3	9/22/2020 9:25	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
DW-3	12/29/2020 7:55	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
DW-3	2/19/2020 9:40	Acetone	<20	ug/L	20	67-64-1	10
DW-3	6/23/2020 11:20	Acetone	<20	ug/L	20	67-64-1	10
DW-3	9/22/2020 9:25	Acetone	<10	ug/L	10	67-64-1	4
DW-3	12/29/2020 7:55	Acetone	<8	ug/L	8	67-64-1	4
DW-3	2/19/2020 9:40	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
DW-3	6/23/2020 11:20	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
DW-3	9/22/2020 9:25	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
DW-3	12/29/2020 7:55	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
DW-3	2/19/2020 9:40	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
DW-3	6/23/2020 11:20	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
DW-3	9/22/2020 9:25	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
DW-3	12/29/2020 7:55	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
DW-3	2/19/2020 9:40	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
DW-3	6/23/2020 11:20	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
DW-3	9/22/2020 9:25	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
DW-3	12/29/2020 7:55	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
DW-3	2/19/2020 9:40	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
DW-3	6/23/2020 11:20	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
DW-3	9/22/2020 9:25	Chloromethane	<5	ug/L	5	74-87-3	2
DW-3	12/29/2020 7:55	Chloromethane	<1	ug/L	1	74-87-3	0.29
DW-3	2/19/2020 9:40	Methyl Iodide	<2	ug/L	2	74-88-4	1
DW-3	6/23/2020 11:20	Methyl Iodide	<2	ug/L	2	74-88-4	1
DW-3	9/22/2020 9:25	Methyl Iodide	<25	ug/L	25	74-88-4	14
DW-3	12/29/2020 7:55	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
DW-3	2/19/2020 9:40	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
DW-3	6/23/2020 11:20	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
DW-3	9/22/2020 9:25	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
DW-3	12/29/2020 7:55	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
DW-3	2/19/2020 9:40	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
DW-3	6/23/2020 11:20	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
DW-3	9/22/2020 9:25	Bromomethane	<2	ug/L	2	74-83-9	0.99
DW-3	12/29/2020 7:55	Bromomethane	<1	ug/L	1	74-83-9	0.93
DW-3	2/19/2020 9:40	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
DW-3	6/23/2020 11:20	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
DW-3	9/22/2020 9:25	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
DW-3	12/29/2020 7:55	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
DW-3	2/19/2020 9:40	Chloroethane	<1	ug/L	1	75-00-3	0.4

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-3	6/23/2020 11:20	Chloroethane	<1	ug/L	1	75-00-3	0.4
DW-3	9/22/2020 9:25	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
DW-3	12/29/2020 7:55	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
DW-3	2/19/2020 9:40	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
DW-3	6/23/2020 11:20	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
DW-3	9/22/2020 9:25	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
DW-3	12/29/2020 7:55	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
DW-3	2/19/2020 9:40	Acetonitrile	<20	ug/L	20	75-05-8	10
DW-3	6/23/2020 11:20	Acetonitrile	<20	ug/L	20	75-05-8	10
DW-3	9/22/2020 9:25	Acetonitrile	<10	ug/L	10	75-05-8	2
DW-3	12/29/2020 7:55	Acetonitrile	<10	ug/L	10	75-05-8	3.9
DW-3	2/19/2020 9:40	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
DW-3	6/23/2020 11:20	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
DW-3	9/22/2020 9:25	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
DW-3	12/29/2020 7:55	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
DW-3	2/19/2020 9:40	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
DW-3	6/23/2020 11:20	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
DW-3	9/22/2020 9:25	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
DW-3	12/29/2020 7:55	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
DW-3	2/19/2020 9:40	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
DW-3	6/23/2020 11:20	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
DW-3	9/22/2020 9:25	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
DW-3	12/29/2020 7:55	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
DW-3	2/19/2020 9:40	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
DW-3	6/23/2020 11:20	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
DW-3	9/22/2020 9:25	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
DW-3	12/29/2020 7:55	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
DW-3	2/19/2020 9:40	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
DW-3	6/23/2020 11:20	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
DW-3	9/22/2020 9:25	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
DW-3	12/29/2020 7:55	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
DW-3	2/19/2020 9:40	Bromoform	<1	ug/L	1	75-25-2	0.4
DW-3	6/23/2020 11:20	Bromoform	<1	ug/L	1	75-25-2	0.4
DW-3	9/22/2020 9:25	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
DW-3	12/29/2020 7:55	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
DW-3	2/19/2020 9:40	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
DW-3	6/23/2020 11:20	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
DW-3	9/22/2020 9:25	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
DW-3	12/29/2020 7:55	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
DW-3	2/19/2020 9:40	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
DW-3	6/23/2020 11:20	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
DW-3	9/22/2020 9:25	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
DW-3	12/29/2020 7:55	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
DW-3	2/19/2020 9:40	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
DW-3	6/23/2020 11:20	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
DW-3	9/22/2020 9:25	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
DW-3	12/29/2020 7:55	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
DW-3	2/19/2020 9:40	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
DW-3	6/23/2020 11:20	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-3	9/22/2020 9:25	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
DW-3	12/29/2020 7:55	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
DW-3	2/19/2020 9:40	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
DW-3	6/23/2020 11:20	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
DW-3	9/22/2020 9:25	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
DW-3	12/29/2020 7:55	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
DW-3	2/19/2020 9:40	2-Butanone	<5	ug/L	5	78-93-3	2.5
DW-3	6/23/2020 11:20	2-Butanone	<5	ug/L	5	78-93-3	2.5
DW-3	9/22/2020 9:25	2-Butanone	<5	ug/L	5	78-93-3	0.46
DW-3	12/29/2020 7:55	2-Butanone	<5	ug/L	5	78-93-3	3
DW-3	2/19/2020 9:40	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
DW-3	6/23/2020 11:20	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
DW-3	9/22/2020 9:25	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
DW-3	12/29/2020 7:55	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
DW-3	2/19/2020 9:40	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
DW-3	6/23/2020 11:20	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
DW-3	9/22/2020 9:25	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
DW-3	12/29/2020 7:55	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
DW-3	2/19/2020 9:40	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
DW-3	6/23/2020 11:20	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
DW-3	9/22/2020 9:25	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
DW-3	12/29/2020 7:55	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
DW-3	2/19/2020 9:40	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
DW-3	6/23/2020 11:20	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
DW-3	9/22/2020 9:25	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
DW-3	12/29/2020 7:55	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
DW-3	2/19/2020 9:40	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
DW-3	6/23/2020 11:20	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
DW-3	9/22/2020 9:25	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
DW-3	12/29/2020 7:55	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
DW-3	2/19/2020 9:40	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
DW-3	6/23/2020 11:20	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
DW-3	9/22/2020 9:25	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
DW-3	12/29/2020 7:55	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
DW-3	2/19/2020 9:40	Naphthalene	<1	ug/L	1	91-20-3	0.4
DW-3	6/23/2020 11:20	Naphthalene	<1	ug/L	1	91-20-3	0.4
DW-3	9/22/2020 9:25	Naphthalene	<1	ug/L	1	91-20-3	0.097
DW-3	12/29/2020 7:55	Naphthalene	<1	ug/L	1	91-20-3	0.32
DW-3	2/19/2020 9:40	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
DW-3	6/23/2020 11:20	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
DW-3	9/22/2020 9:25	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
DW-3	12/29/2020 7:55	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
DW-3	2/19/2020 9:40	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
DW-3	6/23/2020 11:20	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
DW-3	9/22/2020 9:25	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
DW-3	12/29/2020 7:55	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
DW-3	2/19/2020 9:40	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
DW-3	6/23/2020 11:20	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
DW-3	9/22/2020 9:25	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-3	12/29/2020 7:55	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
DW-3	2/19/2020 9:40	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
DW-3	6/23/2020 11:20	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
DW-3	9/22/2020 9:25	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
DW-3	12/29/2020 7:55	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
DW-3	2/19/2020 9:40	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
DW-3	6/23/2020 11:20	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
DW-3	9/22/2020 9:25	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
DW-3	12/29/2020 7:55	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
DW-3	2/19/2020 9:40	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
DW-3	6/23/2020 11:20	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
DW-3	9/22/2020 9:25	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
DW-3	12/29/2020 7:55	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
DW-3	2/19/2020 9:40	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
DW-3	6/23/2020 11:20	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
DW-3	9/22/2020 9:25	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
DW-3	12/29/2020 7:55	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
DW-3	2/19/2020 9:40	Acrolein	<50	ug/L	50	107-02-8	2.5
DW-3	6/23/2020 11:20	Acrolein	<50	ug/L	50	107-02-8	2.5
DW-3	9/22/2020 9:25	Acrolein	<10	ug/L	10	107-02-8	0.59
DW-3	12/29/2020 7:55	Acrolein	<4	ug/L	4	107-02-8	2.2
DW-3	2/19/2020 9:40	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
DW-3	6/23/2020 11:20	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
DW-3	9/22/2020 9:25	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
DW-3	12/29/2020 7:55	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
DW-3	2/19/2020 9:40	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
DW-3	6/23/2020 11:20	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
DW-3	9/22/2020 9:25	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
DW-3	12/29/2020 7:55	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
DW-3	2/19/2020 9:40	Acrylonitrile	<50	ug/L	50	107-13-1	1
DW-3	6/23/2020 11:20	Acrylonitrile	<50	ug/L	50	107-13-1	1
DW-3	9/22/2020 9:25	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
DW-3	12/29/2020 7:55	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
DW-3	2/19/2020 9:40	Propionitrile	<20	ug/L	20	107-12-0	10
DW-3	6/23/2020 11:20	Propionitrile	<20	ug/L	20	107-12-0	10
DW-3	9/22/2020 9:25	Propionitrile	<5	ug/L	5	107-12-0	1
DW-3	12/29/2020 7:55	Propionitrile	<5	ug/L	5	107-12-0	3.7
DW-3	2/19/2020 9:40	Vinyl acetate	<4	ug/L	4	108-05-4	2
DW-3	6/23/2020 11:20	Vinyl acetate	<4	ug/L	4	108-05-4	2
DW-3	9/22/2020 9:25	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
DW-3	12/29/2020 7:55	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
DW-3	2/19/2020 9:40	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
DW-3	6/23/2020 11:20	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
DW-3	9/22/2020 9:25	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
DW-3	12/29/2020 7:55	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
DW-3	2/19/2020 9:40	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
DW-3	6/23/2020 11:20	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
DW-3	9/22/2020 9:25	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
DW-3	12/29/2020 7:55	Toluene	<0.5	ug/L	0.5	108-88-3	0.33

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-3	2/19/2020 9:40	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
DW-3	6/23/2020 11:20	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
DW-3	9/22/2020 9:25	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
DW-3	12/29/2020 7:55	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
DW-3	2/19/2020 9:40	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
DW-3	6/23/2020 11:20	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
DW-3	9/22/2020 9:25	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
DW-3	12/29/2020 7:55	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
DW-3	2/19/2020 9:40	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
DW-3	6/23/2020 11:20	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
DW-3	9/22/2020 9:25	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
DW-3	12/29/2020 7:55	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
DW-3	2/19/2020 9:40	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
DW-3	6/23/2020 11:20	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
DW-3	9/22/2020 9:25	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
DW-3	12/29/2020 7:55	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
DW-3	2/19/2020 9:40	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
DW-3	6/23/2020 11:20	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
DW-3	9/22/2020 9:25	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
DW-3	12/29/2020 7:55	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
DW-3	2/19/2020 9:40	1,4-Dioxane	<0.98	ug/L	0.98	123-91-1	0.25
DW-3	6/23/2020 11:20	1,4-Dioxane	<1	ug/L	1	123-91-1	0.25
DW-3	9/22/2020 9:25	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
DW-3	12/29/2020 7:55	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
DW-3	2/19/2020 9:40	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
DW-3	6/23/2020 11:20	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
DW-3	9/22/2020 9:25	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
DW-3	12/29/2020 7:55	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
DW-3	2/19/2020 9:40	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
DW-3	6/23/2020 11:20	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
DW-3	9/22/2020 9:25	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
DW-3	12/29/2020 7:55	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
DW-3	2/19/2020 9:40	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
DW-3	6/23/2020 11:20	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
DW-3	9/22/2020 9:25	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
DW-3	12/29/2020 7:55	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
DW-3	2/19/2020 9:40	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
DW-3	6/23/2020 11:20	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
DW-3	9/22/2020 9:25	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
DW-3	12/29/2020 7:55	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
DW-3	2/19/2020 9:40	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
DW-3	6/23/2020 11:20	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
DW-3	9/22/2020 9:25	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
DW-3	12/29/2020 7:55	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
DW-3	2/19/2020 9:40	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
DW-3	6/23/2020 11:20	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
DW-3	9/22/2020 9:25	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
DW-3	12/29/2020 7:55	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
DW-3	2/19/2020 9:40	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-3	6/23/2020 11:20	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
DW-3	9/22/2020 9:25	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
DW-3	12/29/2020 7:55	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
DW-3	2/19/2020 9:40	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
DW-3	6/23/2020 11:20	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
DW-3	9/22/2020 9:25	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
DW-3	12/29/2020 7:55	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
DW-3	2/19/2020 9:40	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
DW-3	6/23/2020 11:20	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
DW-3	9/22/2020 9:25	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
DW-3	12/29/2020 7:55	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
DW-3	2/19/2020 9:40	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
DW-3	6/23/2020 11:20	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
DW-3	9/22/2020 9:25	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
DW-3	12/29/2020 7:55	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
DW-3	2/19/2020 9:40	2-Hexanone	<5	ug/L	5	591-78-6	2.5
DW-3	6/23/2020 11:20	2-Hexanone	<5	ug/L	5	591-78-6	2.5
DW-3	9/22/2020 9:25	2-Hexanone	<10	ug/L	10	591-78-6	0.5
DW-3	12/29/2020 7:55	2-Hexanone	<6	ug/L	6	591-78-6	4.3
DW-3	2/19/2020 9:40	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
DW-3	6/23/2020 11:20	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
DW-3	9/22/2020 9:25	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
DW-3	12/29/2020 7:55	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
DW-3	2/19/2020 9:40	Ammonia	0.62	mg/L	0.2	7664-41-7	0.1
DW-3	6/23/2020 11:20	Ammonia	0.57	mg/L	0.2	7664-41-7	0.1
DW-3	9/22/2020 9:25	Ammonia	0.55	mg/L	0.2	7664-41-7	0.1
DW-3	12/29/2020 7:55	Ammonia	0.58	mg/L	0.5	7664-41-7	0.1
DW-3	2/19/2020 9:40	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
DW-3	6/23/2020 11:20	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
DW-3	9/22/2020 9:25	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
DW-3	12/29/2020 7:55	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
DW-3	2/19/2020 9:40	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
DW-3	6/23/2020 11:20	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
DW-3	9/22/2020 9:25	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
DW-3	12/29/2020 7:55	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
DW-3	2/19/2020 9:40	Alkalinity	150	mg/L	4	ALK	0
DW-3	6/23/2020 11:20	Alkalinity	160	mg/L	4	ALK	0
DW-3	9/22/2020 9:25	Alkalinity	150	mg/L	4	ALK	0
DW-3	12/29/2020 7:55	Alkalinity	150	mg/L	4	ALK	0
DW-3	6/23/2020 11:20	Boron, Total Recoverable	0.062	mg/L	0.05	7440-42-8	0.025
DW-3	12/29/2020 7:55	Boron, Total Recoverable	0.047	mg/L	0.05	7440-42-8	0.025
DW-3	6/23/2020 11:20	Calcium, Total Recoverable	290	mg/L	0.1	7440-70-2	0.05
DW-3	12/29/2020 7:55	Calcium, Total Recoverable	290	mg/L	0.1	7440-70-2	0.05
DW-3	6/23/2020 11:20	Bromide	<0.5	mg/L	0.5	24959-67-9	0.25
DW-3	12/29/2020 7:55	Bromide	<0.5	mg/L	0.5	24959-67-9	0.25
DW-3	2/19/2020 9:40	Chloride	13	mg/L	25	16887-00-6	13
DW-3	6/23/2020 11:20	Chloride	15	mg/L	0.5	16887-00-6	0.25
DW-3	9/22/2020 9:25	Chloride	13	mg/L	2.5	16887-00-6	1.3
DW-3	12/29/2020 7:55	Chloride	16	mg/L	0.5	16887-00-6	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-3	2/19/2020 9:40	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-3	6/23/2020 11:20	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-3	9/22/2020 9:25	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-3	12/29/2020 7:55	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-3	2/19/2020 9:40	Chloride	15	mg/L	0.5	16887-00-6	0.25
DW-3	6/23/2020 11:20	Carbon Dioxide, Free	14	mg/L	2	124-38-9	0
DW-3	12/29/2020 7:55	Carbon Dioxide, Free	11	mg/L	2	124-38-9	0
DW-3	6/23/2020 11:20	Iron, Total Recoverable	1.4	mg/L	0.1	7439-89-6	0.05
DW-3	12/29/2020 7:55	Iron, Total Recoverable	0.57	mg/L	0.1	7439-89-6	0.05
DW-3	6/23/2020 11:20	Fluoride, Total	0.33	mg/L	0.5	16984-48-8	0.25
DW-3	12/29/2020 7:55	Fluoride, Total	<0.5	mg/L	0.5	16984-48-8	0.25
DW-3	2/19/2020 9:40	Potassium, Total Recoverable	8.8	mg/L	0.5	9/7/7440	0.25
DW-3	6/23/2020 11:20	Potassium, Total Recoverable	8.8	mg/L	0.5	9/7/7440	0.25
DW-3	9/22/2020 9:25	Potassium, Total Recoverable	8.3	mg/L	0.5	9/7/7440	0.25
DW-3	12/29/2020 7:55	Potassium, Total Recoverable	7.9	mg/L	0.5	9/7/7440	0.25
DW-3	6/23/2020 11:20	Bicarbonate	160	mg/L	4	HCO3	0
DW-3	12/29/2020 7:55	Bicarbonate	150	mg/L	4	HCO3	0
DW-3	6/23/2020 11:20	Magnesium, Total Recoverable	96	mg/L	0.02	7439-95-4	0.01
DW-3	12/29/2020 7:55	Magnesium, Total Recoverable	98	mg/L	0.02	7439-95-4	0.01
DW-3	2/19/2020 9:40	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
DW-3	6/23/2020 11:20	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
DW-3	9/22/2020 9:25	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
DW-3	12/29/2020 7:55	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
DW-3	6/23/2020 11:20	Manganese, Total Recoverable	0.065	mg/L	0.02	7439-96-5	0.015
DW-3	12/29/2020 7:55	Manganese, Total Recoverable	0.058	mg/L	0.02	7439-96-5	0.015
DW-3	6/23/2020 11:20	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
DW-3	12/29/2020 7:55	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
DW-3	6/23/2020 11:20	Sodium, Total Recoverable	66	mg/L	0.5	7440-23-5	0.26
DW-3	12/29/2020 7:55	Sodium, Total Recoverable	63	mg/L	0.5	7440-23-5	0.26
DW-3	6/23/2020 11:20	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
DW-3	12/29/2020 7:55	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
DW-3	6/23/2020 11:20	Sulfate	1200	mg/L	25	14808-79-8	13
DW-3	12/29/2020 7:55	Sulfate	1200	mg/L	25	14808-79-8	13
DW-3	2/19/2020 9:40	Solids, Total Dissolved	1800	mg/L	10	TDS	5
DW-3	6/23/2020 11:20	Solids, Total Dissolved	1900	mg/L	10	TDS	5
DW-3	9/22/2020 9:25	Solids, Total Dissolved	1900	mg/L	10	TDS	5
DW-3	12/29/2020 7:55	Solids, Total Dissolved	1900	mg/L	10	TDS	5
DW-3	2/19/2020 9:40	Total Organic Carbon	0.52	mg/L	0.1	TOC	0.05
DW-3	6/23/2020 11:20	Total Organic Carbon	0.65	mg/L	0.1	TOC	0.05
DW-3	9/22/2020 9:25	Total Organic Carbon	0.71	mg/L	0.1	TOC	0.05
DW-3	12/29/2020 7:55	Total Organic Carbon	0.51	mg/L	0.1	TOC	0.05
DW-4	2/18/2020 10:25	Total Organic Carbon	1.9	mg/L	0.1	TOC	0.05
DW-4	6/24/2020 10:05	Total Organic Carbon	2.1	mg/L	0.1	TOC	0.05
DW-4	9/23/2020 10:50	Total Organic Carbon	2.3	mg/L	0.1	TOC	0.05
DW-4	12/28/2020 11:38	Total Organic Carbon	1.9	mg/L	0.1	TOC	0.05
DW-4	2/18/2020 10:25	Solids, Total Dissolved	2900	mg/L	50	TDS	25
DW-4	6/24/2020 10:05	Solids, Total Dissolved	3000	mg/L	20	TDS	10
DW-4	9/23/2020 10:50	Solids, Total Dissolved	3000	mg/L	20	TDS	10
DW-4	12/28/2020 11:38	Solids, Total Dissolved	5400	mg/L	50	TDS	25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-4	6/24/2020 10:05	Sulfate	1800	mg/L	50	14808-79-8	25
DW-4	12/28/2020 11:38	Sulfate	1900	mg/L	50	14808-79-8	25
DW-4	6/24/2020 10:05	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
DW-4	12/28/2020 11:38	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
DW-4	6/24/2020 10:05	Sodium, Total Recoverable	490	mg/L	1	7440-23-5	0.52
DW-4	12/28/2020 11:38	Sodium, Total Recoverable	490	mg/L	0.5	7440-23-5	0.26
DW-4	6/24/2020 10:05	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
DW-4	12/28/2020 11:38	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
DW-4	6/24/2020 10:05	Manganese, Total Recoverable	0.12	mg/L	0.04	7439-96-5	0.03
DW-4	12/28/2020 11:38	Manganese, Total Recoverable	0.11	mg/L	0.02	7439-96-5	0.015
DW-4	2/18/2020 10:25	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
DW-4	6/24/2020 10:05	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
DW-4	9/23/2020 10:50	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
DW-4	12/28/2020 11:38	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
DW-4	6/24/2020 10:05	Magnesium, Total Recoverable	130	mg/L	0.04	7439-95-4	0.02
DW-4	12/28/2020 11:38	Magnesium, Total Recoverable	120	mg/L	0.02	7439-95-4	0.01
DW-4	12/28/2020 11:38	Bicarbonate	340	mg/L	4	HCO3	0
DW-4	2/18/2020 10:25	Potassium, Total Recoverable	4.8	mg/L	0.5	9/7/7440	0.25
DW-4	6/24/2020 10:05	Potassium, Total Recoverable	4.3	mg/L	1	9/7/7440	0.5
DW-4	9/23/2020 10:50	Potassium, Total Recoverable	4.5	mg/L	0.5	9/7/7440	0.25
DW-4	12/28/2020 11:38	Potassium, Total Recoverable	3.9	mg/L	0.5	9/7/7440	0.25
DW-4	6/24/2020 10:05	Fluoride, Total	<1	mg/L	1	16984-48-8	0.5
DW-4	12/28/2020 11:38	Fluoride, Total	<1	mg/L	1	16984-48-8	0.5
DW-4	6/24/2020 10:05	Iron, Total Recoverable	2	mg/L	0.2	7439-89-6	0.1
DW-4	12/28/2020 11:38	Iron, Total Recoverable	1.5	mg/L	0.1	7439-89-6	0.05
DW-4	6/24/2020 10:05	Carbon Dioxide, Free	19	mg/L	2	124-38-9	0
DW-4	12/28/2020 11:38	Carbon Dioxide, Free	21	mg/L	2	124-38-9	0
DW-4	9/23/2020 10:50	Chloride	13	mg/L	2.5	16887-00-6	1.3
DW-4	2/18/2020 10:25	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-4	6/24/2020 10:05	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-4	9/23/2020 10:50	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-4	12/28/2020 11:38	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-4	2/18/2020 10:25	Chloride	12	mg/L	2.5	16887-00-6	1.3
DW-4	6/24/2020 10:05	Chloride	13	mg/L	1	16887-00-6	0.5
DW-4	9/23/2020 10:50	Chloride	<100	mg/L	100	16887-00-6	50
DW-4	12/28/2020 11:38	Chloride	14	mg/L	1	16887-00-6	0.5
DW-4	6/24/2020 10:05	Bromide	0.5	mg/L	1	24959-67-9	0.5
DW-4	12/28/2020 11:38	Bromide	<1	mg/L	1	24959-67-9	0.5
DW-4	6/24/2020 10:05	Calcium, Total Recoverable	190	mg/L	0.2	7440-70-2	0.1
DW-4	12/28/2020 11:38	Calcium, Total Recoverable	170	mg/L	0.1	7440-70-2	0.05
DW-4	6/24/2020 10:05	Boron, Total Recoverable	0.64	mg/L	0.1	7440-42-8	0.05
DW-4	12/28/2020 11:38	Boron, Total Recoverable	0.6	mg/L	0.05	7440-42-8	0.025
DW-4	2/18/2020 10:25	Alkalinity	340	mg/L	4	ALK	0
DW-4	6/24/2020 10:05	Alkalinity	350	mg/L	4	ALK	0
DW-4	9/23/2020 10:50	Alkalinity	350	mg/L	4	ALK	0
DW-4	12/28/2020 11:38	Alkalinity	340	mg/L	4	ALK	0
DW-4	2/18/2020 10:25	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
DW-4	6/24/2020 10:05	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
DW-4	9/23/2020 10:50	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-4	12/28/2020 11:38	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
DW-4	2/18/2020 10:25	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
DW-4	6/24/2020 10:05	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
DW-4	9/23/2020 10:50	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
DW-4	12/28/2020 11:38	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
DW-4	2/18/2020 10:25	Ammonia	5	mg/L	0.2	7664-41-7	0.1
DW-4	6/24/2020 10:05	Ammonia	4.1	mg/L	0.2	7664-41-7	0.1
DW-4	9/23/2020 10:50	Ammonia	4.1	mg/L	0.5	7664-41-7	0.1
DW-4	12/28/2020 11:38	Ammonia	4.3	mg/L	0.5	7664-41-7	0.1
DW-4	2/18/2020 10:25	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
DW-4	6/24/2020 10:05	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
DW-4	9/23/2020 10:50	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
DW-4	12/28/2020 11:38	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
DW-4	2/18/2020 10:25	2-Hexanone	<5	ug/L	5	591-78-6	2.5
DW-4	6/24/2020 10:05	2-Hexanone	<5	ug/L	5	591-78-6	2.5
DW-4	9/23/2020 10:50	2-Hexanone	<10	ug/L	10	591-78-6	0.5
DW-4	12/28/2020 11:38	2-Hexanone	<6	ug/L	6	591-78-6	4.3
DW-4	2/18/2020 10:25	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
DW-4	6/24/2020 10:05	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
DW-4	9/23/2020 10:50	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
DW-4	12/28/2020 11:38	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
DW-4	2/18/2020 10:25	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
DW-4	6/24/2020 10:05	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
DW-4	9/23/2020 10:50	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
DW-4	12/28/2020 11:38	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
DW-4	2/18/2020 10:25	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
DW-4	6/24/2020 10:05	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
DW-4	9/23/2020 10:50	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
DW-4	12/28/2020 11:38	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
DW-4	2/18/2020 10:25	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
DW-4	6/24/2020 10:05	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
DW-4	9/23/2020 10:50	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
DW-4	12/28/2020 11:38	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
DW-4	2/18/2020 10:25	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
DW-4	6/24/2020 10:05	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
DW-4	9/23/2020 10:50	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
DW-4	12/28/2020 11:38	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
DW-4	2/18/2020 10:25	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
DW-4	6/24/2020 10:05	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
DW-4	9/23/2020 10:50	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
DW-4	12/28/2020 11:38	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
DW-4	2/18/2020 10:25	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
DW-4	6/24/2020 10:05	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
DW-4	9/23/2020 10:50	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
DW-4	12/28/2020 11:38	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
DW-4	2/18/2020 10:25	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
DW-4	6/24/2020 10:05	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
DW-4	9/23/2020 10:50	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
DW-4	12/28/2020 11:38	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-4	2/18/2020 10:25	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
DW-4	6/24/2020 10:05	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
DW-4	9/23/2020 10:50	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
DW-4	12/28/2020 11:38	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
DW-4	2/18/2020 10:25	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
DW-4	6/24/2020 10:05	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
DW-4	9/23/2020 10:50	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
DW-4	12/28/2020 11:38	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
DW-4	2/18/2020 10:25	1,4-Dioxane	<0.96	ug/L	0.96	123-91-1	0.24
DW-4	6/24/2020 10:05	1,4-Dioxane	<0.99	ug/L	0.99	123-91-1	0.25
DW-4	9/23/2020 10:50	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
DW-4	12/28/2020 11:38	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
DW-4	2/18/2020 10:25	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
DW-4	6/24/2020 10:05	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
DW-4	9/23/2020 10:50	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
DW-4	12/28/2020 11:38	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
DW-4	2/18/2020 10:25	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
DW-4	6/24/2020 10:05	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
DW-4	9/23/2020 10:50	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
DW-4	12/28/2020 11:38	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
DW-4	2/18/2020 10:25	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
DW-4	6/24/2020 10:05	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
DW-4	9/23/2020 10:50	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
DW-4	12/28/2020 11:38	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
DW-4	2/18/2020 10:25	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
DW-4	6/24/2020 10:05	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
DW-4	9/23/2020 10:50	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
DW-4	12/28/2020 11:38	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
DW-4	2/18/2020 10:25	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
DW-4	6/24/2020 10:05	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
DW-4	9/23/2020 10:50	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
DW-4	12/28/2020 11:38	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
DW-4	2/18/2020 10:25	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
DW-4	6/24/2020 10:05	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
DW-4	9/23/2020 10:50	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
DW-4	12/28/2020 11:38	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
DW-4	2/18/2020 10:25	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
DW-4	6/24/2020 10:05	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
DW-4	9/23/2020 10:50	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
DW-4	12/28/2020 11:38	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
DW-4	2/18/2020 10:25	Vinyl acetate	<4	ug/L	4	108-05-4	2
DW-4	6/24/2020 10:05	Vinyl acetate	<4	ug/L	4	108-05-4	2
DW-4	9/23/2020 10:50	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
DW-4	12/28/2020 11:38	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
DW-4	2/18/2020 10:25	Propionitrile	<20	ug/L	20	107-12-0	10
DW-4	6/24/2020 10:05	Propionitrile	<20	ug/L	20	107-12-0	10
DW-4	9/23/2020 10:50	Propionitrile	<5	ug/L	5	107-12-0	1
DW-4	12/28/2020 11:38	Propionitrile	<5	ug/L	5	107-12-0	3.7
DW-4	2/18/2020 10:25	Acrylonitrile	<50	ug/L	50	107-13-1	1

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-4	2/18/2020 10:25	Acrylonitrile	<2	ug/L	2	107-13-1	1
DW-4	6/24/2020 10:05	Acrylonitrile	<50	ug/L	50	107-13-1	1
DW-4	9/23/2020 10:50	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
DW-4	12/28/2020 11:38	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
DW-4	2/18/2020 10:25	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
DW-4	6/24/2020 10:05	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
DW-4	9/23/2020 10:50	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
DW-4	12/28/2020 11:38	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
DW-4	2/18/2020 10:25	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
DW-4	6/24/2020 10:05	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
DW-4	9/23/2020 10:50	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
DW-4	12/28/2020 11:38	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
DW-4	2/18/2020 10:25	Acrolein	<50	ug/L	50	107-02-8	2.5
DW-4	2/18/2020 10:25	Acrolein	<5	ug/L	5	107-02-8	2.5
DW-4	6/24/2020 10:05	Acrolein	<50	ug/L	50	107-02-8	2.5
DW-4	9/23/2020 10:50	Acrolein	<10	ug/L	10	107-02-8	0.59
DW-4	12/28/2020 11:38	Acrolein	<4	ug/L	4	107-02-8	2.2
DW-4	2/18/2020 10:25	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
DW-4	6/24/2020 10:05	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
DW-4	9/23/2020 10:50	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
DW-4	12/28/2020 11:38	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
DW-4	2/18/2020 10:25	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
DW-4	6/24/2020 10:05	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
DW-4	9/23/2020 10:50	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
DW-4	12/28/2020 11:38	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
DW-4	2/18/2020 10:25	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
DW-4	6/24/2020 10:05	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
DW-4	9/23/2020 10:50	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
DW-4	12/28/2020 11:38	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
DW-4	2/18/2020 10:25	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
DW-4	6/24/2020 10:05	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
DW-4	9/23/2020 10:50	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
DW-4	12/28/2020 11:38	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
DW-4	2/18/2020 10:25	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
DW-4	6/24/2020 10:05	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
DW-4	9/23/2020 10:50	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
DW-4	12/28/2020 11:38	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
DW-4	2/18/2020 10:25	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
DW-4	6/24/2020 10:05	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
DW-4	9/23/2020 10:50	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
DW-4	12/28/2020 11:38	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
DW-4	2/18/2020 10:25	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
DW-4	6/24/2020 10:05	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
DW-4	9/23/2020 10:50	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
DW-4	12/28/2020 11:38	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
DW-4	2/18/2020 10:25	Naphthalene	<1	ug/L	1	91-20-3	0.4
DW-4	6/24/2020 10:05	Naphthalene	<1	ug/L	1	91-20-3	0.4
DW-4	9/23/2020 10:50	Naphthalene	<1	ug/L	1	91-20-3	0.097
DW-4	12/28/2020 11:38	Naphthalene	<1	ug/L	1	91-20-3	0.32

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-4	2/18/2020 10:25	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
DW-4	6/24/2020 10:05	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
DW-4	9/23/2020 10:50	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
DW-4	12/28/2020 11:38	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
DW-4	2/18/2020 10:25	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
DW-4	6/24/2020 10:05	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
DW-4	9/23/2020 10:50	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
DW-4	12/28/2020 11:38	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
DW-4	2/18/2020 10:25	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
DW-4	6/24/2020 10:05	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
DW-4	9/23/2020 10:50	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
DW-4	12/28/2020 11:38	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
DW-4	2/18/2020 10:25	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
DW-4	6/24/2020 10:05	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
DW-4	9/23/2020 10:50	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
DW-4	12/28/2020 11:38	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
DW-4	2/18/2020 10:25	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
DW-4	6/24/2020 10:05	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
DW-4	9/23/2020 10:50	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
DW-4	12/28/2020 11:38	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
DW-4	2/18/2020 10:25	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
DW-4	6/24/2020 10:05	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
DW-4	9/23/2020 10:50	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
DW-4	12/28/2020 11:38	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
DW-4	2/18/2020 10:25	2-Butanone	<5	ug/L	5	78-93-3	2.5
DW-4	6/24/2020 10:05	2-Butanone	<5	ug/L	5	78-93-3	2.5
DW-4	9/23/2020 10:50	2-Butanone	<5	ug/L	5	78-93-3	0.46
DW-4	12/28/2020 11:38	2-Butanone	<5	ug/L	5	78-93-3	3
DW-4	2/18/2020 10:25	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
DW-4	6/24/2020 10:05	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
DW-4	9/23/2020 10:50	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
DW-4	12/28/2020 11:38	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
DW-4	2/18/2020 10:25	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
DW-4	6/24/2020 10:05	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
DW-4	9/23/2020 10:50	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
DW-4	12/28/2020 11:38	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
DW-4	2/18/2020 10:25	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
DW-4	6/24/2020 10:05	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
DW-4	9/23/2020 10:50	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
DW-4	12/28/2020 11:38	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
DW-4	2/18/2020 10:25	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
DW-4	6/24/2020 10:05	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
DW-4	9/23/2020 10:50	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
DW-4	12/28/2020 11:38	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
DW-4	2/18/2020 10:25	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
DW-4	6/24/2020 10:05	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
DW-4	9/23/2020 10:50	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
DW-4	12/28/2020 11:38	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
DW-4	2/18/2020 10:25	Bromoform	<1	ug/L	1	75-25-2	0.4

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-4	6/24/2020 10:05	Bromoform	<1	ug/L	1	75-25-2	0.4
DW-4	9/23/2020 10:50	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
DW-4	12/28/2020 11:38	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
DW-4	2/18/2020 10:25	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
DW-4	6/24/2020 10:05	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
DW-4	9/23/2020 10:50	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
DW-4	12/28/2020 11:38	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
DW-4	2/18/2020 10:25	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
DW-4	6/24/2020 10:05	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
DW-4	9/23/2020 10:50	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
DW-4	12/28/2020 11:38	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
DW-4	2/18/2020 10:25	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
DW-4	6/24/2020 10:05	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
DW-4	9/23/2020 10:50	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
DW-4	12/28/2020 11:38	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
DW-4	2/18/2020 10:25	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
DW-4	6/24/2020 10:05	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
DW-4	9/23/2020 10:50	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
DW-4	12/28/2020 11:38	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
DW-4	2/18/2020 10:25	Carbon Disulfide	1.4	ug/L	1	75-15-0	0.5
DW-4	6/24/2020 10:05	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
DW-4	9/23/2020 10:50	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
DW-4	12/28/2020 11:38	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
DW-4	2/18/2020 10:25	Acetonitrile	<20	ug/L	20	75-05-8	10
DW-4	6/24/2020 10:05	Acetonitrile	<20	ug/L	20	75-05-8	10
DW-4	9/23/2020 10:50	Acetonitrile	<10	ug/L	10	75-05-8	2
DW-4	12/28/2020 11:38	Acetonitrile	<10	ug/L	10	75-05-8	3.9
DW-4	2/18/2020 10:25	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
DW-4	6/24/2020 10:05	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
DW-4	9/23/2020 10:50	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
DW-4	12/28/2020 11:38	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
DW-4	2/18/2020 10:25	Chloroethane	<1	ug/L	1	75-00-3	0.4
DW-4	6/24/2020 10:05	Chloroethane	<1	ug/L	1	75-00-3	0.4
DW-4	9/23/2020 10:50	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
DW-4	12/28/2020 11:38	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
DW-4	2/18/2020 10:25	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
DW-4	6/24/2020 10:05	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
DW-4	9/23/2020 10:50	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
DW-4	12/28/2020 11:38	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
DW-4	2/18/2020 10:25	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
DW-4	6/24/2020 10:05	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
DW-4	9/23/2020 10:50	Bromomethane	<2	ug/L	2	74-83-9	0.99
DW-4	12/28/2020 11:38	Bromomethane	<1	ug/L	1	74-83-9	0.93
DW-4	2/18/2020 10:25	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
DW-4	6/24/2020 10:05	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
DW-4	9/23/2020 10:50	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
DW-4	12/28/2020 11:38	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
DW-4	2/18/2020 10:25	Methyl Iodide	<2	ug/L	2	74-88-4	1
DW-4	6/24/2020 10:05	Methyl Iodide	<2	ug/L	2	74-88-4	1

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-4	9/23/2020 10:50	Methyl iodide	<25	ug/L	25	74-88-4	14
DW-4	12/28/2020 11:38	Methyl iodide	<25	ug/L	25	74-88-4	5.9
DW-4	2/18/2020 10:25	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
DW-4	6/24/2020 10:05	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
DW-4	9/23/2020 10:50	Chloromethane	<5	ug/L	5	74-87-3	2
DW-4	12/28/2020 11:38	Chloromethane	<1	ug/L	1	74-87-3	0.29
DW-4	2/18/2020 10:25	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
DW-4	6/24/2020 10:05	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
DW-4	9/23/2020 10:50	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
DW-4	12/28/2020 11:38	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
DW-4	2/18/2020 10:25	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
DW-4	6/24/2020 10:05	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
DW-4	9/23/2020 10:50	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
DW-4	12/28/2020 11:38	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
DW-4	2/18/2020 10:25	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
DW-4	6/24/2020 10:05	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
DW-4	9/23/2020 10:50	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
DW-4	12/28/2020 11:38	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
DW-4	2/18/2020 10:25	Acetone	<20	ug/L	20	67-64-1	10
DW-4	6/24/2020 10:05	Acetone	<20	ug/L	20	67-64-1	10
DW-4	9/23/2020 10:50	Acetone	<10	ug/L	10	67-64-1	4
DW-4	12/28/2020 11:38	Acetone	<8	ug/L	8	67-64-1	4
DW-4	2/18/2020 10:25	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
DW-4	6/24/2020 10:05	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
DW-4	9/23/2020 10:50	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
DW-4	12/28/2020 11:38	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
DW-5	2/18/2020 11:27	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
DW-5	6/23/2020 12:59	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
DW-5	9/22/2020 11:44	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
DW-5	12/29/2020 10:05	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
DW-5	11/19/2020 8:39	Acetone	<16	ug/L	16	67-64-1	8
DW-5	2/18/2020 11:27	Acetone	<20	ug/L	20	67-64-1	10
DW-5	6/23/2020 12:59	Acetone	<20	ug/L	20	67-64-1	10
DW-5	9/22/2020 11:44	Acetone	5.1	ug/L	10	67-64-1	4
DW-5	11/19/2020 8:39	Acetone	<16	ug/L	16	67-64-1	8
DW-5	12/29/2020 10:05	Acetone	<8	ug/L	8	67-64-1	4
DW-5	2/18/2020 11:27	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
DW-5	6/23/2020 12:59	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
DW-5	9/22/2020 11:44	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
DW-5	12/29/2020 10:05	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
DW-5	2/18/2020 11:27	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
DW-5	6/23/2020 12:59	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
DW-5	9/22/2020 11:44	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
DW-5	12/29/2020 10:05	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
DW-5	2/18/2020 11:27	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
DW-5	6/23/2020 12:59	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
DW-5	9/22/2020 11:44	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
DW-5	12/29/2020 10:05	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
DW-5	2/18/2020 11:27	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-5	6/23/2020 12:59	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
DW-5	9/22/2020 11:44	Chloromethane	<5	ug/L	5	74-87-3	2
DW-5	12/29/2020 10:05	Chloromethane	<1	ug/L	1	74-87-3	0.29
DW-5	2/18/2020 11:27	Methyl Iodide	<2	ug/L	2	74-88-4	1
DW-5	6/23/2020 12:59	Methyl Iodide	<2	ug/L	2	74-88-4	1
DW-5	9/22/2020 11:44	Methyl Iodide	<25	ug/L	25	74-88-4	14
DW-5	12/29/2020 10:05	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
DW-5	2/18/2020 11:27	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
DW-5	6/23/2020 12:59	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
DW-5	9/22/2020 11:44	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
DW-5	12/29/2020 10:05	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
DW-5	2/18/2020 11:27	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
DW-5	6/23/2020 12:59	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
DW-5	9/22/2020 11:44	Bromomethane	<2	ug/L	2	74-83-9	0.99
DW-5	12/29/2020 10:05	Bromomethane	<1	ug/L	1	74-83-9	0.93
DW-5	2/18/2020 11:27	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
DW-5	6/23/2020 12:59	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
DW-5	9/22/2020 11:44	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
DW-5	12/29/2020 10:05	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
DW-5	2/18/2020 11:27	Chloroethane	<1	ug/L	1	75-00-3	0.4
DW-5	6/23/2020 12:59	Chloroethane	<1	ug/L	1	75-00-3	0.4
DW-5	9/22/2020 11:44	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
DW-5	12/29/2020 10:05	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
DW-5	11/19/2020 8:39	Vinyl Chloride	<1	ug/L	1	75-01-4	0.8
DW-5	2/18/2020 11:27	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
DW-5	6/23/2020 12:59	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
DW-5	9/22/2020 11:44	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
DW-5	11/19/2020 8:39	Vinyl Chloride	<1	ug/L	1	75-01-4	0.8
DW-5	12/29/2020 10:05	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
DW-5	2/18/2020 11:27	Acetonitrile	<20	ug/L	20	75-05-8	10
DW-5	6/23/2020 12:59	Acetonitrile	<20	ug/L	20	75-05-8	10
DW-5	9/22/2020 11:44	Acetonitrile	<10	ug/L	10	75-05-8	2
DW-5	12/29/2020 10:05	Acetonitrile	<10	ug/L	10	75-05-8	3.9
DW-5	2/18/2020 11:27	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
DW-5	6/23/2020 12:59	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
DW-5	9/22/2020 11:44	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
DW-5	12/29/2020 10:05	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
DW-5	2/18/2020 11:27	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
DW-5	6/23/2020 12:59	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
DW-5	9/22/2020 11:44	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
DW-5	12/29/2020 10:05	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
DW-5	2/18/2020 11:27	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
DW-5	6/23/2020 12:59	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
DW-5	9/22/2020 11:44	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
DW-5	12/29/2020 10:05	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
DW-5	2/18/2020 11:27	Bromoform	<1	ug/L	1	75-25-2	0.4
DW-5	6/23/2020 12:59	Bromoform	<1	ug/L	1	75-25-2	0.4
DW-5	9/22/2020 11:44	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
DW-5	12/29/2020 10:05	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-5	2/18/2020 11:27	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
DW-5	6/23/2020 12:59	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
DW-5	9/22/2020 11:44	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
DW-5	12/29/2020 10:05	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
DW-5	2/18/2020 11:27	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
DW-5	6/23/2020 12:59	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
DW-5	9/22/2020 11:44	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
DW-5	12/29/2020 10:05	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
DW-5	2/18/2020 11:27	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
DW-5	6/23/2020 12:59	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
DW-5	9/22/2020 11:44	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
DW-5	12/29/2020 10:05	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
DW-5	2/18/2020 11:27	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
DW-5	6/23/2020 12:59	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
DW-5	9/22/2020 11:44	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
DW-5	12/29/2020 10:05	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
DW-5	2/18/2020 11:27	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
DW-5	6/23/2020 12:59	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
DW-5	9/22/2020 11:44	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
DW-5	12/29/2020 10:05	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
DW-5	2/18/2020 11:27	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
DW-5	6/23/2020 12:59	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
DW-5	9/22/2020 11:44	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
DW-5	12/29/2020 10:05	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
DW-5	2/18/2020 11:27	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
DW-5	6/23/2020 12:59	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
DW-5	9/22/2020 11:44	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
DW-5	12/29/2020 10:05	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
DW-5	2/18/2020 11:27	2-Butanone	<5	ug/L	5	78-93-3	2.5
DW-5	6/23/2020 12:59	2-Butanone	<5	ug/L	5	78-93-3	2.5
DW-5	9/22/2020 11:44	2-Butanone	<5	ug/L	5	78-93-3	0.46
DW-5	12/29/2020 10:05	2-Butanone	<5	ug/L	5	78-93-3	3
DW-5	2/18/2020 11:27	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
DW-5	6/23/2020 12:59	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
DW-5	9/22/2020 11:44	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
DW-5	12/29/2020 10:05	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
DW-5	2/18/2020 11:27	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
DW-5	6/23/2020 12:59	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
DW-5	9/22/2020 11:44	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
DW-5	12/29/2020 10:05	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
DW-5	2/18/2020 11:27	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
DW-5	6/23/2020 12:59	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
DW-5	9/22/2020 11:44	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
DW-5	12/29/2020 10:05	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
DW-5	2/18/2020 11:27	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
DW-5	6/23/2020 12:59	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
DW-5	9/22/2020 11:44	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
DW-5	12/29/2020 10:05	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
DW-5	2/18/2020 11:27	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-5	6/23/2020 12:59	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
DW-5	9/22/2020 11:44	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
DW-5	12/29/2020 10:05	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
DW-5	2/18/2020 11:27	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
DW-5	6/23/2020 12:59	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
DW-5	9/22/2020 11:44	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
DW-5	12/29/2020 10:05	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
DW-5	11/19/2020 8:39	Naphthalene	<2	ug/L	2	91-20-3	0.64
DW-5	2/18/2020 11:27	Naphthalene	<1	ug/L	1	91-20-3	0.4
DW-5	6/23/2020 12:59	Naphthalene	<1	ug/L	1	91-20-3	0.4
DW-5	9/22/2020 11:44	Naphthalene	0.89	ug/L	1	91-20-3	0.097
DW-5	11/19/2020 8:39	Naphthalene	<2	ug/L	2	91-20-3	0.64
DW-5	12/29/2020 10:05	Naphthalene	<1	ug/L	1	91-20-3	0.32
DW-5	2/18/2020 11:27	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
DW-5	6/23/2020 12:59	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
DW-5	9/22/2020 11:44	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
DW-5	12/29/2020 10:05	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
DW-5	2/18/2020 11:27	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
DW-5	6/23/2020 12:59	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
DW-5	9/22/2020 11:44	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
DW-5	12/29/2020 10:05	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
DW-5	2/18/2020 11:27	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
DW-5	6/23/2020 12:59	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
DW-5	9/22/2020 11:44	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
DW-5	12/29/2020 10:05	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
DW-5	2/18/2020 11:27	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
DW-5	6/23/2020 12:59	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
DW-5	9/22/2020 11:44	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
DW-5	12/29/2020 10:05	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
DW-5	2/18/2020 11:27	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
DW-5	6/23/2020 12:59	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
DW-5	9/22/2020 11:44	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
DW-5	12/29/2020 10:05	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
DW-5	2/18/2020 11:27	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
DW-5	6/23/2020 12:59	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
DW-5	9/22/2020 11:44	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
DW-5	12/29/2020 10:05	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
DW-5	2/18/2020 11:27	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
DW-5	6/23/2020 12:59	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
DW-5	9/22/2020 11:44	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
DW-5	12/29/2020 10:05	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
DW-5	2/18/2020 11:27	Acrolein	<50	ug/L	50	107-02-8	2.5
DW-5	2/18/2020 11:27	Acrolein	<5	ug/L	5	107-02-8	2.5
DW-5	6/23/2020 12:59	Acrolein	<50	ug/L	50	107-02-8	2.5
DW-5	9/22/2020 11:44	Acrolein	<10	ug/L	10	107-02-8	0.59
DW-5	12/29/2020 10:05	Acrolein	<4	ug/L	4	107-02-8	2.2
DW-5	2/18/2020 11:27	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
DW-5	6/23/2020 12:59	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
DW-5	9/22/2020 11:44	Allyl Chloride	<2	ug/L	2	107-05-1	0.55

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-5	12/29/2020 10:05	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
DW-5	2/18/2020 11:27	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
DW-5	6/23/2020 12:59	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
DW-5	9/22/2020 11:44	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
DW-5	12/29/2020 10:05	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
DW-5	2/18/2020 11:27	Acrylonitrile	<50	ug/L	50	107-13-1	1
DW-5	2/18/2020 11:27	Acrylonitrile	<2	ug/L	2	107-13-1	1
DW-5	6/23/2020 12:59	Acrylonitrile	<50	ug/L	50	107-13-1	1
DW-5	9/22/2020 11:44	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
DW-5	12/29/2020 10:05	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
DW-5	2/18/2020 11:27	Propionitrile	<20	ug/L	20	107-12-0	10
DW-5	6/23/2020 12:59	Propionitrile	<20	ug/L	20	107-12-0	10
DW-5	9/22/2020 11:44	Propionitrile	<5	ug/L	5	107-12-0	1
DW-5	12/29/2020 10:05	Propionitrile	<5	ug/L	5	107-12-0	3.7
DW-5	2/18/2020 11:27	Vinyl acetate	<4	ug/L	4	108-05-4	2
DW-5	6/23/2020 12:59	Vinyl acetate	<4	ug/L	4	108-05-4	2
DW-5	9/22/2020 11:44	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
DW-5	12/29/2020 10:05	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
DW-5	2/18/2020 11:27	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
DW-5	6/23/2020 12:59	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
DW-5	9/22/2020 11:44	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
DW-5	12/29/2020 10:05	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
DW-5	2/18/2020 11:27	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
DW-5	6/23/2020 12:59	Toluene	0.35	ug/L	0.5	108-88-3	0.25
DW-5	9/22/2020 11:44	Toluene	0.67	ug/L	0.5	108-88-3	0.093
DW-5	11/19/2020 8:39	Toluene	<1	ug/L	1	108-88-3	0.66
DW-5	12/29/2020 10:05	Toluene	0.57	ug/L	0.5	108-88-3	0.33
DW-5	11/19/2020 8:39	Toluene	<1	ug/L	1	108-88-3	0.66
DW-5	2/18/2020 11:27	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
DW-5	6/23/2020 12:59	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
DW-5	9/22/2020 11:44	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
DW-5	12/29/2020 10:05	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
DW-5	2/18/2020 11:27	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
DW-5	6/23/2020 12:59	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
DW-5	9/22/2020 11:44	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
DW-5	12/29/2020 10:05	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
DW-5	2/18/2020 11:27	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
DW-5	6/23/2020 12:59	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
DW-5	9/22/2020 11:44	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
DW-5	12/29/2020 10:05	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
DW-5	2/18/2020 11:27	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
DW-5	6/23/2020 12:59	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
DW-5	9/22/2020 11:44	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
DW-5	12/29/2020 10:05	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
DW-5	2/18/2020 11:27	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
DW-5	6/23/2020 12:59	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
DW-5	9/22/2020 11:44	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
DW-5	12/29/2020 10:05	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
DW-5	2/18/2020 11:27	1,4-Dioxane	<0.97	ug/L	0.97	123-91-1	0.24

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-5	6/23/2020 12:59	1,4-Dioxane	<0.98	ug/L	0.98	123-91-1	0.25
DW-5	9/22/2020 11:44	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
DW-5	12/29/2020 10:05	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
DW-5	2/18/2020 11:27	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
DW-5	6/23/2020 12:59	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
DW-5	9/22/2020 11:44	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
DW-5	12/29/2020 10:05	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
DW-5	2/18/2020 11:27	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
DW-5	6/23/2020 12:59	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
DW-5	9/22/2020 11:44	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
DW-5	12/29/2020 10:05	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
DW-5	2/18/2020 11:27	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
DW-5	6/23/2020 12:59	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
DW-5	9/22/2020 11:44	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
DW-5	12/29/2020 10:05	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
DW-5	2/18/2020 11:27	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
DW-5	6/23/2020 12:59	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
DW-5	9/22/2020 11:44	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
DW-5	12/29/2020 10:05	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
DW-5	2/18/2020 11:27	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
DW-5	6/23/2020 12:59	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
DW-5	9/22/2020 11:44	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
DW-5	12/29/2020 10:05	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
DW-5	2/18/2020 11:27	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
DW-5	6/23/2020 12:59	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
DW-5	9/22/2020 11:44	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
DW-5	12/29/2020 10:05	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
DW-5	2/18/2020 11:27	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
DW-5	6/23/2020 12:59	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
DW-5	9/22/2020 11:44	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
DW-5	12/29/2020 10:05	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
DW-5	2/18/2020 11:27	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
DW-5	6/23/2020 12:59	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
DW-5	9/22/2020 11:44	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
DW-5	12/29/2020 10:05	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
DW-5	2/18/2020 11:27	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
DW-5	6/23/2020 12:59	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
DW-5	9/22/2020 11:44	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
DW-5	12/29/2020 10:05	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
DW-5	2/18/2020 11:27	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
DW-5	6/23/2020 12:59	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
DW-5	9/22/2020 11:44	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
DW-5	12/29/2020 10:05	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
DW-5	2/18/2020 11:27	2-Hexanone	<5	ug/L	5	591-78-6	2.5
DW-5	6/23/2020 12:59	2-Hexanone	<5	ug/L	5	591-78-6	2.5
DW-5	9/22/2020 11:44	2-Hexanone	<10	ug/L	10	591-78-6	0.5
DW-5	12/29/2020 10:05	2-Hexanone	<6	ug/L	6	591-78-6	4.3
DW-5	2/18/2020 11:27	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
DW-5	6/23/2020 12:59	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-5	9/22/2020 11:44	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
DW-5	12/29/2020 10:05	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
DW-5	2/18/2020 11:27	Ammonia	0.21	mg/L	0.2	7664-41-7	0.1
DW-5	6/23/2020 12:59	Ammonia	0.3	mg/L	0.2	7664-41-7	0.1
DW-5	9/22/2020 11:44	Ammonia	0.19	mg/L	0.2	7664-41-7	0.1
DW-5	12/29/2020 10:05	Ammonia	0.28	mg/L	0.5	7664-41-7	0.1
DW-5	2/18/2020 11:27	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
DW-5	6/23/2020 12:59	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
DW-5	9/22/2020 11:44	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
DW-5	12/29/2020 10:05	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
DW-5	2/18/2020 11:27	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
DW-5	6/23/2020 12:59	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
DW-5	9/22/2020 11:44	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
DW-5	12/29/2020 10:05	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
DW-5	2/18/2020 11:27	Alkalinity	940	mg/L	4	ALK	0
DW-5	6/23/2020 12:59	Alkalinity	960	mg/L	4	ALK	0
DW-5	9/22/2020 11:44	Alkalinity	950	mg/L	4	ALK	0
DW-5	12/29/2020 10:05	Alkalinity	960	mg/L	4	ALK	0
DW-5	6/23/2020 12:59	Boron, Total Recoverable	2.7	mg/L	0.05	7440-42-8	0.025
DW-5	12/29/2020 10:05	Boron, Total Recoverable	2.7	mg/L	0.05	7440-42-8	0.025
DW-5	6/23/2020 12:59	Calcium, Total Recoverable	5.8	mg/L	0.1	7440-70-2	0.05
DW-5	12/29/2020 10:05	Calcium, Total Recoverable	5.4	mg/L	0.1	7440-70-2	0.05
DW-5	6/23/2020 12:59	Bromide	0.46	mg/L	0.5	24959-67-9	0.25
DW-5	12/29/2020 10:05	Bromide	0.25	mg/L	0.5	24959-67-9	0.25
DW-5	2/18/2020 11:27	Chloride	18	mg/L	2.5	16887-00-6	1.3
DW-5	6/23/2020 12:59	Chloride	20	mg/L	5	16887-00-6	2.5
DW-5	9/22/2020 11:44	Chloride	18	mg/L	2.5	16887-00-6	1.3
DW-5	12/29/2020 10:05	Chloride	24	mg/L	0.5	16887-00-6	0.25
DW-5	2/18/2020 11:27	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-5	6/23/2020 12:59	Chemical Oxygen Demand	18	mg/L	20	COD	10
DW-5	9/22/2020 11:44	Chemical Oxygen Demand	<20	mg/L	20	COD	10
DW-5	12/29/2020 10:05	Chemical Oxygen Demand	13	mg/L	20	COD	10
DW-5	2/18/2020 11:27	Chloride	21	mg/L	25	16887-00-6	13
DW-5	12/29/2020 10:05	Chloride	21	mg/L	2.5	16887-00-6	1.3
DW-5	6/23/2020 12:59	Carbon Dioxide, Free	8.8	mg/L	2	124-38-9	0
DW-5	12/29/2020 10:05	Carbon Dioxide, Free	11	mg/L	2	124-38-9	0
DW-5	6/23/2020 12:59	Iron, Total Recoverable	0.24	mg/L	0.1	7439-89-6	0.05
DW-5	12/29/2020 10:05	Iron, Total Recoverable	0.11	mg/L	0.1	7439-89-6	0.05
DW-5	6/23/2020 12:59	Fluoride, Total	3.5	mg/L	0.5	16984-48-8	0.25
DW-5	12/29/2020 10:05	Fluoride, Total	3.1	mg/L	0.5	16984-48-8	0.25
DW-5	6/23/2020 12:59	Bicarbonate	920	mg/L	4	HCO3	0
DW-5	12/29/2020 10:05	Bicarbonate	960	mg/L	4	HCO3	0
DW-5	2/18/2020 11:27	Potassium, Total Recoverable	1.3	mg/L	0.5	9/7/7440	0.25
DW-5	6/23/2020 12:59	Potassium, Total Recoverable	1.2	mg/L	0.5	9/7/7440	0.25
DW-5	9/22/2020 11:44	Potassium, Total Recoverable	1.2	mg/L	0.5	9/7/7440	0.25
DW-5	12/29/2020 10:05	Potassium, Total Recoverable	0.63	mg/L	0.5	9/7/7440	0.25
DW-5	6/23/2020 12:59	Magnesium, Total Recoverable	1	mg/L	0.02	7439-95-4	0.01
DW-5	12/29/2020 10:05	Magnesium, Total Recoverable	0.92	mg/L	0.02	7439-95-4	0.01
DW-5	2/18/2020 11:27	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
DW-5	6/23/2020 12:59	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
DW-5	9/22/2020 11:44	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
DW-5	12/29/2020 10:05	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
DW-5	6/23/2020 12:59	Manganese, Total Recoverable	0.12	mg/L	0.02	7439-96-5	0.015
DW-5	12/29/2020 10:05	Manganese, Total Recoverable	0.1	mg/L	0.02	7439-96-5	0.015
DW-5	6/23/2020 12:59	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
DW-5	12/29/2020 10:05	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
DW-5	6/23/2020 12:59	Sodium, Total Recoverable	430	mg/L	0.5	7440-23-5	0.26
DW-5	12/29/2020 10:05	Sodium, Total Recoverable	430	mg/L	0.5	7440-23-5	0.26
DW-5	6/23/2020 12:59	Sulfate	<0.5	mg/L	0.5	14808-79-8	0.25
DW-5	12/29/2020 10:05	Sulfate	0.56	mg/L	0.5	14808-79-8	0.25
DW-5	6/23/2020 12:59	Sulfide, Total	0.07	mg/L	0.05	18496-25-8	0.027
DW-5	12/29/2020 10:05	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
DW-5	2/18/2020 11:27	Solids, Total Dissolved	1100	mg/L	10	TDS	5
DW-5	6/23/2020 12:59	Solids, Total Dissolved	1100	mg/L	10	TDS	5
DW-5	9/22/2020 11:44	Solids, Total Dissolved	1100	mg/L	10	TDS	5
DW-5	12/29/2020 10:05	Solids, Total Dissolved	1100	mg/L	20	TDS	10
DW-5	2/18/2020 11:27	Total Organic Carbon	7.9	mg/L	0.1	TOC	0.05
DW-5	6/23/2020 12:59	Total Organic Carbon	8.2	mg/L	0.1	TOC	0.05
DW-5	9/22/2020 11:44	Total Organic Carbon	7.9	mg/L	0.1	TOC	0.05
DW-5	12/29/2020 10:05	Total Organic Carbon	7	mg/L	0.5	TOC	0.25
MW-1	2/18/2020 9:50	Total Organic Carbon	7.2	mg/L	0.1	TOC	0.05
MW-1	6/23/2020 11:44	Total Organic Carbon	12	mg/L	1	TOC	0.5
MW-1	9/22/2020 12:45	Total Organic Carbon	7.3	mg/L	0.1	TOC	0.05
MW-1	12/29/2020 8:54	Total Organic Carbon	18	mg/L	0.5	TOC	0.25
MW-1	2/18/2020 9:50	Solids, Total Dissolved	1100	mg/L	10	TDS	5
MW-1	6/23/2020 11:44	Solids, Total Dissolved	1800	mg/L	10	TDS	5
MW-1	9/22/2020 12:45	Solids, Total Dissolved	1500	mg/L	10	TDS	5
MW-1	12/29/2020 8:54	Solids, Total Dissolved	2200	mg/L	20	TDS	10
MW-1	6/23/2020 11:44	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-1	12/29/2020 8:54	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-1	6/23/2020 11:44	Sulfate	1200	mg/L	0.5	14808-79-8	0.25
MW-1	12/29/2020 8:54	Sulfate	1100	mg/L	25	14808-79-8	13
MW-1	6/23/2020 11:44	Sodium, Total Recoverable	120	mg/L	0.5	7440-23-5	0.26
MW-1	12/29/2020 8:54	Sodium, Total Recoverable	140	mg/L	0.5	7440-23-5	0.26
MW-1	6/23/2020 11:44	Sulfate	820	mg/L	25	14808-79-8	13
MW-1	6/23/2020 11:44	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
MW-1	12/29/2020 8:54	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
MW-1	6/23/2020 11:44	Manganese, Total Recoverable	1.5	mg/L	0.02	7439-96-5	0.015
MW-1	12/29/2020 8:54	Manganese, Total Recoverable	1.6	mg/L	0.02	7439-96-5	0.015
MW-1	2/18/2020 9:50	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-1	6/23/2020 11:44	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-1	9/22/2020 12:45	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
MW-1	12/29/2020 8:54	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
MW-1	6/23/2020 11:44	Magnesium, Total Recoverable	110	mg/L	0.02	7439-95-4	0.01
MW-1	12/29/2020 8:54	Magnesium, Total Recoverable	130	mg/L	0.02	7439-95-4	0.01
MW-1	2/18/2020 9:50	Potassium, Total Recoverable	21	mg/L	0.5	9/7/7440	0.25
MW-1	6/23/2020 11:44	Potassium, Total Recoverable	25	mg/L	0.5	9/7/7440	0.25
MW-1	9/22/2020 12:45	Potassium, Total Recoverable	29	mg/L	0.5	9/7/7440	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-1	12/29/2020 8:54	Potassium, Total Recoverable	30	mg/L	0.5	9/7/7440	0.25
MW-1	6/23/2020 11:44	Bicarbonate	300	mg/L	4	HCO3	0
MW-1	12/29/2020 8:54	Bicarbonate	380	mg/L	4	HCO3	0
MW-1	6/23/2020 11:44	Fluoride, Total	2.7	mg/L	0.5	16984-48-8	0.25
MW-1	12/29/2020 8:54	Fluoride, Total	2.6	mg/L	0.5	16984-48-8	0.25
MW-1	6/23/2020 11:44	Iron, Total Recoverable	21	mg/L	0.1	7439-89-6	0.05
MW-1	12/29/2020 8:54	Iron, Total Recoverable	33	mg/L	0.1	7439-89-6	0.05
MW-1	6/23/2020 11:44	Carbon Dioxide, Free	42	mg/L	2	124-38-9	0
MW-1	12/29/2020 8:54	Carbon Dioxide, Free	46	mg/L	2	124-38-9	0
MW-1	6/23/2020 11:44	Chloride	160	mg/L	25	16887-00-6	13
MW-1	2/18/2020 9:50	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-1	6/23/2020 11:44	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-1	9/22/2020 12:45	Chemical Oxygen Demand	11	mg/L	20	COD	10
MW-1	12/29/2020 8:54	Chemical Oxygen Demand	60	mg/L	20	COD	10
MW-1	2/18/2020 9:50	Chloride	50	mg/L	10	16887-00-6	5
MW-1	6/23/2020 11:44	Chloride	230	mg/L	0.5	16887-00-6	0.25
MW-1	9/22/2020 12:45	Chloride	110	mg/L	25	16887-00-6	13
MW-1	12/29/2020 8:54	Chloride	140	mg/L	25	16887-00-6	13
MW-1	6/23/2020 11:44	Bromide	1.9	mg/L	0.5	24959-67-9	0.25
MW-1	12/29/2020 8:54	Bromide	1.8	mg/L	0.5	24959-67-9	0.25
MW-1	6/23/2020 11:44	Calcium, Total Recoverable	220	mg/L	0.1	7440-70-2	0.05
MW-1	12/29/2020 8:54	Calcium, Total Recoverable	290	mg/L	0.1	7440-70-2	0.05
MW-1	6/23/2020 11:44	Boron, Total Recoverable	0.59	mg/L	0.05	7440-42-8	0.025
MW-1	12/29/2020 8:54	Boron, Total Recoverable	0.67	mg/L	0.05	7440-42-8	0.025
MW-1	2/18/2020 9:50	Alkalinity	280	mg/L	4	ALK	0
MW-1	6/23/2020 11:44	Alkalinity	300	mg/L	4	ALK	0
MW-1	9/22/2020 12:45	Alkalinity	300	mg/L	4	ALK	0
MW-1	12/29/2020 8:54	Alkalinity	380	mg/L	4	ALK	0
MW-1	2/18/2020 9:50	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-1	6/23/2020 11:44	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-1	9/22/2020 12:45	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
MW-1	12/29/2020 8:54	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
MW-1	2/18/2020 9:50	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-1	6/23/2020 11:44	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-1	9/22/2020 12:45	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
MW-1	12/29/2020 8:54	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
MW-1	2/18/2020 9:50	Ammonia	3.9	mg/L	0.2	7664-41-7	0.1
MW-1	6/23/2020 11:44	Ammonia	4.2	mg/L	0.2	7664-41-7	0.1
MW-1	9/22/2020 12:45	Ammonia	4.9	mg/L	0.2	7664-41-7	0.1
MW-1	12/29/2020 8:54	Ammonia	4.6	mg/L	1	7664-41-7	0.2
MW-1	2/18/2020 9:50	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-1	6/23/2020 11:44	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-1	9/22/2020 12:45	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
MW-1	12/29/2020 8:54	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
MW-1	2/18/2020 9:50	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-1	6/23/2020 11:44	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-1	9/22/2020 12:45	2-Hexanone	<10	ug/L	10	591-78-6	0.5
MW-1	12/29/2020 8:54	2-Hexanone	<6	ug/L	6	591-78-6	4.3
MW-1	2/18/2020 9:50	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-1	6/23/2020 11:44	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-1	9/22/2020 12:45	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
MW-1	12/29/2020 8:54	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
MW-1	2/18/2020 9:50	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-1	6/23/2020 11:44	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-1	9/22/2020 12:45	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
MW-1	12/29/2020 8:54	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
MW-1	2/18/2020 9:50	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-1	6/23/2020 11:44	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-1	9/22/2020 12:45	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
MW-1	12/29/2020 8:54	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
MW-1	2/18/2020 9:50	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-1	6/23/2020 11:44	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-1	9/22/2020 12:45	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
MW-1	12/29/2020 8:54	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
MW-1	2/18/2020 9:50	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-1	6/23/2020 11:44	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-1	9/22/2020 12:45	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
MW-1	12/29/2020 8:54	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
MW-1	2/18/2020 9:50	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-1	6/23/2020 11:44	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-1	9/22/2020 12:45	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
MW-1	12/29/2020 8:54	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
MW-1	2/18/2020 9:50	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-1	6/23/2020 11:44	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-1	9/22/2020 12:45	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
MW-1	12/29/2020 8:54	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
MW-1	2/18/2020 9:50	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-1	6/23/2020 11:44	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-1	9/22/2020 12:45	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
MW-1	12/29/2020 8:54	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
MW-1	2/18/2020 9:50	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-1	6/23/2020 11:44	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-1	9/22/2020 12:45	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
MW-1	12/29/2020 8:54	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
MW-1	2/18/2020 9:50	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-1	6/23/2020 11:44	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-1	9/22/2020 12:45	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
MW-1	12/29/2020 8:54	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
MW-1	2/18/2020 9:50	1,4-Dioxane	0.85	ug/L	0.98	123-91-1	0.24
MW-1	6/23/2020 11:44	1,4-Dioxane	1.2	ug/L	0.99	123-91-1	0.25
MW-1	9/22/2020 12:45	1,4-Dioxane	1.8	ug/L	0.5	123-91-1	0.18
MW-1	12/29/2020 8:54	1,4-Dioxane	7	ug/L	0.5	123-91-1	0.34
MW-1	2/18/2020 9:50	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-1	6/23/2020 11:44	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-1	9/22/2020 12:45	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
MW-1	12/29/2020 8:54	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
MW-1	2/18/2020 9:50	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-1	6/23/2020 11:44	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-1	9/22/2020 12:45	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
MW-1	12/29/2020 8:54	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
MW-1	2/18/2020 9:50	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-1	6/23/2020 11:44	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-1	9/22/2020 12:45	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
MW-1	12/29/2020 8:54	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
MW-1	2/18/2020 9:50	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-1	6/23/2020 11:44	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-1	9/22/2020 12:45	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
MW-1	12/29/2020 8:54	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
MW-1	2/18/2020 9:50	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-1	6/23/2020 11:44	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-1	9/22/2020 12:45	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
MW-1	12/29/2020 8:54	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
MW-1	2/18/2020 9:50	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-1	6/23/2020 11:44	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-1	9/22/2020 12:45	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
MW-1	12/29/2020 8:54	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
MW-1	2/18/2020 9:50	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-1	6/23/2020 11:44	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-1	9/22/2020 12:45	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
MW-1	12/29/2020 8:54	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
MW-1	2/18/2020 9:50	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-1	6/23/2020 11:44	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-1	9/22/2020 12:45	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
MW-1	12/29/2020 8:54	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
MW-1	2/18/2020 9:50	Propionitrile	<20	ug/L	20	107-12-0	10
MW-1	6/23/2020 11:44	Propionitrile	<20	ug/L	20	107-12-0	10
MW-1	9/22/2020 12:45	Propionitrile	<5	ug/L	5	107-12-0	1
MW-1	12/29/2020 8:54	Propionitrile	<5	ug/L	5	107-12-0	3.7
MW-1	2/18/2020 9:50	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-1	2/18/2020 9:50	Acrylonitrile	<2	ug/L	2	107-13-1	1
MW-1	6/23/2020 11:44	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-1	9/22/2020 12:45	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
MW-1	12/29/2020 8:54	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
MW-1	2/18/2020 9:50	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-1	6/23/2020 11:44	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-1	9/22/2020 12:45	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
MW-1	12/29/2020 8:54	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
MW-1	2/18/2020 9:50	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-1	6/23/2020 11:44	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-1	9/22/2020 12:45	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
MW-1	12/29/2020 8:54	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
MW-1	2/18/2020 9:50	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-1	2/18/2020 9:50	Acrolein	<5	ug/L	5	107-02-8	2.5
MW-1	6/23/2020 11:44	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-1	9/22/2020 12:45	Acrolein	<10	ug/L	10	107-02-8	0.59
MW-1	12/29/2020 8:54	Acrolein	<4	ug/L	4	107-02-8	2.2
MW-1	2/18/2020 9:50	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-1	6/23/2020 11:44	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-1	9/22/2020 12:45	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
MW-1	12/29/2020 8:54	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
MW-1	2/18/2020 9:50	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-1	6/23/2020 11:44	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-1	9/22/2020 12:45	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
MW-1	12/29/2020 8:54	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
MW-1	2/18/2020 9:50	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-1	6/23/2020 11:44	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-1	9/22/2020 12:45	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
MW-1	12/29/2020 8:54	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
MW-1	2/18/2020 9:50	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-1	6/23/2020 11:44	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-1	9/22/2020 12:45	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
MW-1	12/29/2020 8:54	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
MW-1	2/18/2020 9:50	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-1	6/23/2020 11:44	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-1	9/22/2020 12:45	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
MW-1	12/29/2020 8:54	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
MW-1	2/18/2020 9:50	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-1	6/23/2020 11:44	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-1	9/22/2020 12:45	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
MW-1	12/29/2020 8:54	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
MW-1	2/18/2020 9:50	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-1	6/23/2020 11:44	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-1	9/22/2020 12:45	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
MW-1	12/29/2020 8:54	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
MW-1	2/18/2020 9:50	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-1	6/23/2020 11:44	Naphthalene	0.61	ug/L	1	91-20-3	0.4
MW-1	9/22/2020 12:45	Naphthalene	<1	ug/L	1	91-20-3	0.097
MW-1	12/29/2020 8:54	Naphthalene	<1	ug/L	1	91-20-3	0.32
MW-1	2/18/2020 9:50	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-1	6/23/2020 11:44	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-1	9/22/2020 12:45	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
MW-1	12/29/2020 8:54	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
MW-1	2/18/2020 9:50	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-1	6/23/2020 11:44	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-1	9/22/2020 12:45	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
MW-1	12/29/2020 8:54	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
MW-1	2/18/2020 9:50	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-1	6/23/2020 11:44	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-1	9/22/2020 12:45	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
MW-1	12/29/2020 8:54	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
MW-1	2/18/2020 9:50	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-1	6/23/2020 11:44	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-1	9/22/2020 12:45	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
MW-1	12/29/2020 8:54	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
MW-1	2/18/2020 9:50	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-1	6/23/2020 11:44	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-1	9/22/2020 12:45	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
MW-1	12/29/2020 8:54	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
MW-1	2/18/2020 9:50	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-1	6/23/2020 11:44	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-1	9/22/2020 12:45	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
MW-1	12/29/2020 8:54	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
MW-1	2/18/2020 9:50	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-1	6/23/2020 11:44	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-1	9/22/2020 12:45	2-Butanone	<5	ug/L	5	78-93-3	0.46
MW-1	12/29/2020 8:54	2-Butanone	<5	ug/L	5	78-93-3	3
MW-1	2/18/2020 9:50	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-1	6/23/2020 11:44	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-1	9/22/2020 12:45	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
MW-1	12/29/2020 8:54	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
MW-1	2/18/2020 9:50	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-1	6/23/2020 11:44	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-1	9/22/2020 12:45	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
MW-1	12/29/2020 8:54	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
MW-1	2/18/2020 9:50	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-1	6/23/2020 11:44	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-1	9/22/2020 12:45	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
MW-1	12/29/2020 8:54	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
MW-1	2/18/2020 9:50	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-1	6/23/2020 11:44	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-1	9/22/2020 12:45	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
MW-1	12/29/2020 8:54	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
MW-1	2/18/2020 9:50	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-1	6/23/2020 11:44	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-1	9/22/2020 12:45	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
MW-1	12/29/2020 8:54	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
MW-1	2/18/2020 9:50	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-1	6/23/2020 11:44	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-1	9/22/2020 12:45	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
MW-1	12/29/2020 8:54	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
MW-1	2/18/2020 9:50	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-1	6/23/2020 11:44	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-1	9/22/2020 12:45	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
MW-1	12/29/2020 8:54	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
MW-1	2/18/2020 9:50	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-1	6/23/2020 11:44	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-1	9/22/2020 12:45	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
MW-1	12/29/2020 8:54	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
MW-1	2/18/2020 9:50	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-1	6/23/2020 11:44	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-1	9/22/2020 12:45	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
MW-1	12/29/2020 8:54	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
MW-1	2/18/2020 9:50	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-1	6/23/2020 11:44	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-1	9/22/2020 12:45	Methylene Chloride	<1	ug/L	1	75-09-2	0.043

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-1	12/29/2020 8:54	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
MW-1	2/18/2020 9:50	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-1	6/23/2020 11:44	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-1	9/22/2020 12:45	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
MW-1	12/29/2020 8:54	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
MW-1	2/18/2020 9:50	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-1	6/23/2020 11:44	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-1	9/22/2020 12:45	Acetonitrile	<10	ug/L	10	75-05-8	2
MW-1	12/29/2020 8:54	Acetonitrile	<10	ug/L	10	75-05-8	3.9
MW-1	2/18/2020 9:50	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-1	6/23/2020 11:44	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-1	9/22/2020 12:45	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
MW-1	12/29/2020 8:54	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
MW-1	2/18/2020 9:50	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-1	6/23/2020 11:44	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-1	9/22/2020 12:45	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
MW-1	12/29/2020 8:54	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
MW-1	2/18/2020 9:50	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-1	6/23/2020 11:44	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-1	9/22/2020 12:45	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
MW-1	12/29/2020 8:54	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
MW-1	2/18/2020 9:50	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-1	6/23/2020 11:44	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-1	9/22/2020 12:45	Bromomethane	<2	ug/L	2	74-83-9	0.99
MW-1	12/29/2020 8:54	Bromomethane	<1	ug/L	1	74-83-9	0.93
MW-1	2/18/2020 9:50	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-1	6/23/2020 11:44	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-1	9/22/2020 12:45	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
MW-1	12/29/2020 8:54	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
MW-1	2/18/2020 9:50	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-1	6/23/2020 11:44	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-1	9/22/2020 12:45	Methyl Iodide	<25	ug/L	25	74-88-4	14
MW-1	12/29/2020 8:54	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
MW-1	2/18/2020 9:50	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-1	6/23/2020 11:44	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-1	9/22/2020 12:45	Chloromethane	<5	ug/L	5	74-87-3	2
MW-1	12/29/2020 8:54	Chloromethane	<1	ug/L	1	74-87-3	0.29
MW-1	2/18/2020 9:50	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-1	6/23/2020 11:44	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-1	9/22/2020 12:45	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
MW-1	12/29/2020 8:54	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
MW-1	2/18/2020 9:50	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-1	6/23/2020 11:44	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-1	9/22/2020 12:45	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
MW-1	12/29/2020 8:54	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
MW-1	2/18/2020 9:50	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-1	6/23/2020 11:44	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-1	9/22/2020 12:45	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
MW-1	12/29/2020 8:54	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-1	2/18/2020 9:50	Acetone	<20	ug/L	20	67-64-1	10
MW-1	6/23/2020 11:44	Acetone	<20	ug/L	20	67-64-1	10
MW-1	9/22/2020 12:45	Acetone	<10	ug/L	10	67-64-1	4
MW-1	12/29/2020 8:54	Acetone	<8	ug/L	8	67-64-1	4
MW-1	2/18/2020 9:50	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-1	6/23/2020 11:44	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-1	9/22/2020 12:45	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
MW-1	12/29/2020 8:54	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
MW-13R	2/18/2020 13:33	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-13R	6/23/2020 8:48	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-13R	9/21/2020 12:49	Carbon tetrachloride	<2	ug/L	2	56-23-5	0.23
MW-13R	12/21/2020 12:35	Carbon tetrachloride	<40	ug/L	40	56-23-5	22
MW-13R	1/22/2020 10:27	Acetone	<20	ug/L	20	67-64-1	10
MW-13R	1/22/2020 10:32	Acetone	<20	ug/L	20	67-64-1	10
MW-13R	2/18/2020 13:33	Acetone	<20	ug/L	20	67-64-1	10
MW-13R	6/23/2020 8:48	Acetone	<20	ug/L	20	67-64-1	10
MW-13R	9/21/2020 12:49	Acetone	<40	ug/L	40	67-64-1	16
MW-13R	12/21/2020 12:35	Acetone	<640	ug/L	640	67-64-1	320
MW-13R	2/18/2020 13:33	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-13R	6/23/2020 8:48	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-13R	9/21/2020 12:49	Chloroform	<2	ug/L	2	67-66-3	0.25
MW-13R	12/21/2020 12:35	Chloroform	<40	ug/L	40	67-66-3	23
MW-13R	2/18/2020 13:33	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-13R	6/23/2020 8:48	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-13R	9/21/2020 12:49	Benzene	<2	ug/L	2	71-43-2	0.29
MW-13R	12/21/2020 12:35	Benzene	<40	ug/L	40	71-43-2	21
MW-13R	2/18/2020 13:33	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-13R	6/23/2020 8:48	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-13R	9/21/2020 12:49	1,1,1-Trichloroethane	<2	ug/L	2	71-55-6	0.34
MW-13R	12/21/2020 12:35	1,1,1-Trichloroethane	<40	ug/L	40	71-55-6	21
MW-13R	2/18/2020 13:33	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-13R	6/23/2020 8:48	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-13R	9/21/2020 12:49	Chloromethane	<20	ug/L	20	74-87-3	7.8
MW-13R	12/21/2020 12:35	Chloromethane	<80	ug/L	80	74-87-3	24
MW-13R	2/18/2020 13:33	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-13R	6/23/2020 8:48	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-13R	9/21/2020 12:49	Bromomethane	<8	ug/L	8	74-83-9	4
MW-13R	12/21/2020 12:35	Bromomethane	<80	ug/L	80	74-83-9	75
MW-13R	2/18/2020 13:33	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-13R	6/23/2020 8:48	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-13R	9/21/2020 12:49	Methyl Iodide	<100	ug/L	100	74-88-4	57
MW-13R	12/21/2020 12:35	Methyl Iodide	<2000	ug/L	2000	74-88-4	470
MW-13R	2/18/2020 13:33	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-13R	6/23/2020 8:48	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-13R	9/21/2020 12:49	Bromochloromethane	<4	ug/L	4	74-97-5	0.33
MW-13R	12/21/2020 12:35	Bromochloromethane	<80	ug/L	80	74-97-5	28
MW-13R	2/18/2020 13:33	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-13R	6/23/2020 8:48	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-13R	9/21/2020 12:49	Dibromomethane	<2	ug/L	2	74-95-3	0.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-13R	12/21/2020 12:35	Dibromomethane	<40	ug/L	40	74-95-3	18
MW-13R	2/18/2020 13:33	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-13R	6/23/2020 8:48	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-13R	9/21/2020 12:49	Chloroethane	<2	ug/L	2	75-00-3	0.47
MW-13R	12/21/2020 12:35	Chloroethane	<40	ug/L	40	75-00-3	35
MW-13R	2/18/2020 13:33	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-13R	6/23/2020 8:48	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-13R	9/21/2020 12:49	Vinyl Chloride	<2	ug/L	2	75-01-4	0.31
MW-13R	12/21/2020 12:35	Vinyl Chloride	<40	ug/L	40	75-01-4	32
MW-13R	2/18/2020 13:33	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-13R	6/23/2020 8:48	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-13R	9/21/2020 12:49	Acetonitrile	<40	ug/L	40	75-05-8	8
MW-13R	12/21/2020 12:35	Acetonitrile	<800	ug/L	800	75-05-8	310
MW-13R	2/18/2020 13:33	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-13R	6/23/2020 8:48	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-13R	9/21/2020 12:49	Carbon Disulfide	<40	ug/L	40	75-15-0	1.5
MW-13R	12/21/2020 12:35	Carbon Disulfide	<80	ug/L	80	75-15-0	20
MW-13R	2/18/2020 13:33	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-13R	6/23/2020 8:48	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-13R	9/21/2020 12:49	Methylene Chloride	<4	ug/L	4	75-09-2	0.17
MW-13R	12/21/2020 12:35	Methylene Chloride	<80	ug/L	80	75-09-2	38
MW-13R	2/18/2020 13:33	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-13R	6/23/2020 8:48	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-13R	9/21/2020 12:49	Bromodichloromethane	<2	ug/L	2	75-27-4	0.21
MW-13R	12/21/2020 12:35	Bromodichloromethane	<40	ug/L	40	75-27-4	18
MW-13R	2/18/2020 13:33	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-13R	6/23/2020 8:48	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-13R	9/21/2020 12:49	Bromoform	<2	ug/L	2	75-25-2	0.39
MW-13R	12/21/2020 12:35	Bromoform	<40	ug/L	40	75-25-2	31
MW-13R	2/18/2020 13:33	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-13R	6/23/2020 8:48	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-13R	9/21/2020 12:49	1,1-Dichloroethane	<2	ug/L	2	75-34-3	0.24
MW-13R	12/21/2020 12:35	1,1-Dichloroethane	<40	ug/L	40	75-34-3	28
MW-13R	2/18/2020 13:33	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-13R	6/23/2020 8:48	1,1-Dimethylethanol	5.1	ug/L	10	75-65-0	5
MW-13R	9/21/2020 12:49	1,1-Dimethylethanol	<40	ug/L	40	75-65-0	16
MW-13R	12/21/2020 12:35	1,1-Dimethylethanol	<400	ug/L	400	75-65-0	320
MW-13R	2/18/2020 13:33	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-13R	6/23/2020 8:48	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-13R	9/21/2020 12:49	1,1-Dichloroethene	<2	ug/L	2	75-35-4	0.41
MW-13R	12/21/2020 12:35	1,1-Dichloroethene	<40	ug/L	40	75-35-4	31
MW-13R	2/18/2020 13:33	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-13R	6/23/2020 8:48	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-13R	9/21/2020 12:49	Trichlorofluoromethane	<2	ug/L	2	75-69-4	0.41
MW-13R	12/21/2020 12:35	Trichlorofluoromethane	<40	ug/L	40	75-69-4	24
MW-13R	2/18/2020 13:33	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-13R	6/23/2020 8:48	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-13R	9/21/2020 12:49	Dichlorodifluoromethane	<4	ug/L	4	75-71-8	0.4
MW-13R	12/21/2020 12:35	Dichlorodifluoromethane	<80	ug/L	80	75-71-8	54

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-13R	2/18/2020 13:33	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-13R	6/23/2020 8:48	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-13R	9/21/2020 12:49	Isobutyl Alcohol	<40	ug/L	40	78-83-1	7.5
MW-13R	12/21/2020 12:35	Isobutyl Alcohol	<800	ug/L	800	78-83-1	460
MW-13R	2/18/2020 13:33	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-13R	6/23/2020 8:48	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-13R	9/21/2020 12:49	1,2-Dichloropropane	<2	ug/L	2	78-87-5	0.39
MW-13R	12/21/2020 12:35	1,2-Dichloropropane	<40	ug/L	40	78-87-5	19
MW-13R	2/18/2020 13:33	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-13R	6/23/2020 8:48	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-13R	9/21/2020 12:49	2-Butanone	<20	ug/L	20	78-93-3	1.8
MW-13R	12/21/2020 12:35	2-Butanone	<400	ug/L	400	78-93-3	240
MW-13R	2/18/2020 13:33	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-13R	6/23/2020 8:48	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-13R	9/21/2020 12:49	1,1,2-Trichloroethane	<2	ug/L	2	79-00-5	0.28
MW-13R	12/21/2020 12:35	1,1,2-Trichloroethane	<40	ug/L	40	79-00-5	6.8
MW-13R	2/18/2020 13:33	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-13R	6/23/2020 8:48	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-13R	9/21/2020 12:49	1,1,2,2-Tetrachloroethane	<2	ug/L	2	79-34-5	0.35
MW-13R	12/21/2020 12:35	1,1,2,2-Tetrachloroethane	<40	ug/L	40	79-34-5	16
MW-13R	2/18/2020 13:33	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-13R	6/23/2020 8:48	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-13R	9/21/2020 12:49	Trichloroethene	<2	ug/L	2	79-01-6	0.41
MW-13R	12/21/2020 12:35	Trichloroethene	<40	ug/L	40	79-01-6	23
MW-13R	2/18/2020 13:33	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-13R	6/23/2020 8:48	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-13R	9/21/2020 12:49	Methyl Methacrylate	<8	ug/L	8	80-62-6	1.9
MW-13R	12/21/2020 12:35	Methyl Methacrylate	<160	ug/L	160	80-62-6	87
MW-13R	2/18/2020 13:33	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-13R	6/23/2020 8:48	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-13R	9/21/2020 12:49	o-Xylene	<2	ug/L	2	95-47-6	0.34
MW-13R	12/21/2020 12:35	o-Xylene	<40	ug/L	40	95-47-6	28
MW-13R	2/18/2020 13:33	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-13R	6/23/2020 8:48	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-13R	9/21/2020 12:49	1,2-Dichlorobenzene	<2	ug/L	2	95-50-1	0.33
MW-13R	12/21/2020 12:35	1,2-Dichlorobenzene	<40	ug/L	40	95-50-1	18
MW-13R	2/18/2020 13:33	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-13R	6/23/2020 8:48	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-13R	9/21/2020 12:49	Naphthalene	<4	ug/L	4	91-20-3	0.39
MW-13R	12/21/2020 12:35	Naphthalene	<80	ug/L	80	91-20-3	25
MW-13R	2/18/2020 13:33	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-13R	6/23/2020 8:48	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-13R	9/21/2020 12:49	1,2-Dibromo-3-Chloropropane	<20	ug/L	20	96-12-8	2.1
MW-13R	12/21/2020 12:35	1,2-Dibromo-3-Chloropropane	<80	ug/L	80	96-12-8	51
MW-13R	2/18/2020 13:33	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-13R	6/23/2020 8:48	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-13R	9/21/2020 12:49	1,2,3-Trichloropropane	<4	ug/L	4	96-18-4	0.31
MW-13R	12/21/2020 12:35	1,2,3-Trichloropropane	<40	ug/L	40	96-18-4	26
MW-13R	2/18/2020 13:33	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-13R	6/23/2020 8:48	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-13R	9/21/2020 12:49	Ethyl Methacrylate	<8	ug/L	8	97-63-2	0.22
MW-13R	12/21/2020 12:35	Ethyl Methacrylate	<160	ug/L	160	97-63-2	95
MW-13R	2/18/2020 13:33	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-13R	6/23/2020 8:48	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-13R	9/21/2020 12:49	1,4-Dichlorobenzene	<2	ug/L	2	106-46-7	0.29
MW-13R	12/21/2020 12:35	1,4-Dichlorobenzene	<40	ug/L	40	106-46-7	18
MW-13R	2/18/2020 13:33	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-13R	6/23/2020 8:48	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-13R	9/21/2020 12:49	Ethylbenzene	<2	ug/L	2	100-41-4	0.35
MW-13R	12/21/2020 12:35	Ethylbenzene	<40	ug/L	40	100-41-4	28
MW-13R	2/18/2020 13:33	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-13R	6/23/2020 8:48	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-13R	9/21/2020 12:49	Styrene	<2	ug/L	2	100-42-5	0.23
MW-13R	12/21/2020 12:35	Styrene	<40	ug/L	40	100-42-5	22
MW-13R	2/18/2020 13:33	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-13R	6/23/2020 8:48	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-13R	9/21/2020 12:49	1,2-Dibromoethane	<2	ug/L	2	106-93-4	0.24
MW-13R	12/21/2020 12:35	1,2-Dibromoethane	<40	ug/L	40	106-93-4	11
MW-13R	2/18/2020 13:33	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-13R	2/18/2020 13:33	Acrolein	<5	ug/L	5	107-02-8	2.5
MW-13R	6/23/2020 8:48	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-13R	9/21/2020 12:49	Acrolein	<40	ug/L	40	107-02-8	2.4
MW-13R	12/21/2020 12:35	Acrolein	<320	ug/L	320	107-02-8	180
MW-13R	2/18/2020 13:33	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-13R	6/23/2020 8:48	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-13R	9/21/2020 12:49	Allyl Chloride	<8	ug/L	8	107-05-1	2.2
MW-13R	12/21/2020 12:35	Allyl Chloride	<160	ug/L	160	107-05-1	30
MW-13R	2/18/2020 13:33	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-13R	6/23/2020 8:48	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-13R	9/21/2020 12:49	1,2-Dichloroethane	<2	ug/L	2	107-06-2	0.3
MW-13R	12/21/2020 12:35	1,2-Dichloroethane	<40	ug/L	40	107-06-2	12
MW-13R	2/18/2020 13:33	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-13R	2/18/2020 13:33	Acrylonitrile	<2	ug/L	2	107-13-1	1
MW-13R	6/23/2020 8:48	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-13R	9/21/2020 12:49	Acrylonitrile	<20	ug/L	20	107-13-1	2.3
MW-13R	12/21/2020 12:35	Acrylonitrile	<400	ug/L	400	107-13-1	69
MW-13R	2/18/2020 13:33	Propionitrile	<20	ug/L	20	107-12-0	10
MW-13R	6/23/2020 8:48	Propionitrile	<20	ug/L	20	107-12-0	10
MW-13R	9/21/2020 12:49	Propionitrile	<20	ug/L	20	107-12-0	4.1
MW-13R	12/21/2020 12:35	Propionitrile	<400	ug/L	400	107-12-0	300
MW-13R	2/18/2020 13:33	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-13R	6/23/2020 8:48	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-13R	9/21/2020 12:49	Vinyl acetate	<20	ug/L	20	108-05-4	2.8
MW-13R	12/21/2020 12:35	Vinyl acetate	<400	ug/L	400	108-05-4	250
MW-13R	2/18/2020 13:33	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-13R	6/23/2020 8:48	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-13R	9/21/2020 12:49	4-Methyl-2-Pentanone	<20	ug/L	20	108-10-1	1.7
MW-13R	12/21/2020 12:35	4-Methyl-2-Pentanone	<400	ug/L	400	108-10-1	180

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-13R	2/18/2020 13:33	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-13R	6/23/2020 8:48	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-13R	9/21/2020 12:49	Toluene	<2	ug/L	2	108-88-3	0.37
MW-13R	12/21/2020 12:35	Toluene	<40	ug/L	40	108-88-3	26
MW-13R	2/18/2020 13:33	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-13R	6/23/2020 8:48	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-13R	9/21/2020 12:49	Chlorobenzene	<2	ug/L	2	108-90-7	0.35
MW-13R	12/21/2020 12:35	Chlorobenzene	<40	ug/L	40	108-90-7	19
MW-13R	2/18/2020 13:33	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-13R	6/23/2020 8:48	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-13R	9/21/2020 12:49	Trans-1,4-Dichloro-2-Butene	<8	ug/L	8	110-57-6	0.55
MW-13R	12/21/2020 12:35	Trans-1,4-Dichloro-2-Butene	<160	ug/L	160	110-57-6	100
MW-13R	2/18/2020 13:33	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-13R	6/23/2020 8:48	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-13R	9/21/2020 12:49	Tetrahydrofuran	<8	ug/L	8	109-99-9	2.3
MW-13R	12/21/2020 12:35	Tetrahydrofuran	<160	ug/L	160	109-99-9	85
MW-13R	2/18/2020 13:33	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-13R	6/23/2020 8:48	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-13R	9/21/2020 12:49	1,2,4-Trichlorobenzene	<2	ug/L	2	120-82-1	0.36
MW-13R	12/21/2020 12:35	1,2,4-Trichlorobenzene	<40	ug/L	40	120-82-1	30
MW-13R	2/18/2020 13:33	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-13R	6/23/2020 8:48	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-13R	9/21/2020 12:49	Dibromochloromethane	<2	ug/L	2	124-48-1	0.25
MW-13R	12/21/2020 12:35	Dibromochloromethane	<40	ug/L	40	124-48-1	22
MW-13R	2/18/2020 13:33	1,4-Dioxane	7.4	ug/L	0.97	123-91-1	0.24
MW-13R	6/23/2020 8:48	1,4-Dioxane	4.6	ug/L	1	123-91-1	0.25
MW-13R	9/21/2020 12:49	1,4-Dioxane	11	ug/L	0.5	123-91-1	0.18
MW-13R	12/21/2020 12:35	1,4-Dioxane	7.6	ug/L	0.5	123-91-1	0.34
MW-13R	2/18/2020 13:33	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-13R	6/23/2020 8:48	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-13R	9/21/2020 12:49	Methacrylonitrile	<8	ug/L	8	126-98-7	1.7
MW-13R	12/21/2020 12:35	Methacrylonitrile	<160	ug/L	160	126-98-7	57
MW-13R	2/18/2020 13:33	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-13R	6/23/2020 8:48	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-13R	9/21/2020 12:49	Tetrachloroethene	<2	ug/L	2	127-18-4	0.97
MW-13R	12/21/2020 12:35	Tetrachloroethene	<40	ug/L	40	127-18-4	23
MW-13R	2/18/2020 13:33	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-13R	6/23/2020 8:48	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-13R	9/21/2020 12:49	2-Chloro-1,3-Butadiene	<40	ug/L	40	126-99-8	0.38
MW-13R	12/21/2020 12:35	2-Chloro-1,3-Butadiene	<160	ug/L	160	126-99-8	150
MW-13R	2/18/2020 13:33	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-13R	6/23/2020 8:48	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-13R	9/21/2020 12:49	1,3-Dichloropropane	<4	ug/L	4	142-28-9	0.33
MW-13R	12/21/2020 12:35	1,3-Dichloropropane	<40	ug/L	40	142-28-9	16
MW-13R	2/18/2020 13:33	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-13R	6/23/2020 8:48	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-13R	9/21/2020 12:49	trans-1,2-Dichloroethene	<2	ug/L	2	156-60-5	0.33
MW-13R	12/21/2020 12:35	trans-1,2-Dichloroethene	<40	ug/L	40	156-60-5	29
MW-13R	2/18/2020 13:33	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-13R	6/23/2020 8:48	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-13R	9/21/2020 12:49	cis-1,2-Dichloroethene	<2	ug/L	2	156-59-2	0.43
MW-13R	12/21/2020 12:35	cis-1,2-Dichloroethene	<40	ug/L	40	156-59-2	24
MW-13R	2/18/2020 13:33	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-13R	6/23/2020 8:48	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-13R	9/21/2020 12:49	1,3-Dichlorobenzene	<2	ug/L	2	541-73-1	0.39
MW-13R	12/21/2020 12:35	1,3-Dichlorobenzene	<40	ug/L	40	541-73-1	21
MW-13R	2/18/2020 13:33	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-13R	6/23/2020 8:48	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-13R	9/21/2020 12:49	1,1-Dichloropropene	<2	ug/L	2	563-58-6	0.28
MW-13R	12/21/2020 12:35	1,1-Dichloropropene	<40	ug/L	40	563-58-6	19
MW-13R	2/18/2020 13:33	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-13R	6/23/2020 8:48	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-13R	9/21/2020 12:49	2,2-Dichloropropane	<4	ug/L	4	594-20-7	1.5
MW-13R	12/21/2020 12:35	2,2-Dichloropropane	<40	ug/L	40	594-20-7	32
MW-13R	2/18/2020 13:33	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-13R	6/23/2020 8:48	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-13R	9/21/2020 12:49	1,1,1,2-Tetrachloroethane	<2	ug/L	2	630-20-6	0.28
MW-13R	12/21/2020 12:35	1,1,1,2-Tetrachloroethane	<40	ug/L	40	630-20-6	21
MW-13R	2/18/2020 13:33	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-13R	6/23/2020 8:48	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-13R	9/21/2020 12:49	2-Hexanone	<40	ug/L	40	591-78-6	2
MW-13R	12/21/2020 12:35	2-Hexanone	<480	ug/L	480	591-78-6	350
MW-13R	2/18/2020 13:33	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-13R	6/23/2020 8:48	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-13R	9/21/2020 12:49	MTBE	<2	ug/L	2	1634-04-4	0.27
MW-13R	12/21/2020 12:35	MTBE	<40	ug/L	40	1634-04-4	16
MW-13R	2/18/2020 13:33	Ammonia	44	mg/L	1	7664-41-7	0.5
MW-13R	6/23/2020 8:48	Ammonia	9.7	mg/L	4	7664-41-7	2
MW-13R	9/21/2020 12:49	Ammonia	6.5	mg/L	0.2	7664-41-7	0.1
MW-13R	12/21/2020 12:35	Ammonia	5.5	mg/L	2.5	7664-41-7	0.5
MW-13R	2/18/2020 13:33	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-13R	6/23/2020 8:48	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-13R	9/21/2020 12:49	cis-1,3-Dichloropropene	<2	ug/L	2	10061-01-5	0.38
MW-13R	12/21/2020 12:35	cis-1,3-Dichloropropene	<40	ug/L	40	10061-01-5	15
MW-13R	2/18/2020 13:33	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-13R	6/23/2020 8:48	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-13R	9/21/2020 12:49	trans-1,3-Dichloropropene	<2	ug/L	2	10061-02-6	0.21
MW-13R	12/21/2020 12:35	trans-1,3-Dichloropropene	<40	ug/L	40	10061-02-6	14
MW-13R	2/18/2020 13:33	Alkalinity	670	mg/L	4	ALK	0
MW-13R	6/23/2020 8:48	Alkalinity	640	mg/L	4	ALK	0
MW-13R	9/21/2020 12:49	Alkalinity	710	mg/L	4	ALK	0
MW-13R	12/21/2020 12:35	Alkalinity	710	mg/L	4	ALK	0
MW-13R	6/23/2020 8:48	Boron, Total Recoverable	0.85	mg/L	0.05	7440-42-8	0.025
MW-13R	12/21/2020 12:35	Boron, Total Recoverable	0.91	mg/L	0.05	7440-42-8	0.025
MW-13R	6/23/2020 8:48	Calcium, Total Recoverable	62	mg/L	0.1	7440-70-2	0.05
MW-13R	12/21/2020 12:35	Calcium, Total Recoverable	130	mg/L	0.1	7440-70-2	0.05
MW-13R	6/23/2020 8:48	Bromide	1.8	mg/L	0.5	24959-67-9	0.25
MW-13R	12/21/2020 12:35	Bromide	1.1	mg/L	0.5	24959-67-9	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-13R	2/18/2020 13:33	Chloride	130	mg/L	25	16887-00-6	13
MW-13R	6/23/2020 8:48	Chloride	160	mg/L	0.5	16887-00-6	0.25
MW-13R	9/21/2020 12:49	Chloride	120	mg/L	10	16887-00-6	5
MW-13R	12/21/2020 12:35	Chloride	110	mg/L	25	16887-00-6	13
MW-13R	2/18/2020 13:33	Chemical Oxygen Demand	190	mg/L	20	COD	10
MW-13R	6/23/2020 8:48	Chemical Oxygen Demand	200	mg/L	20	COD	10
MW-13R	9/21/2020 12:49	Chemical Oxygen Demand	230	mg/L	20	COD	10
MW-13R	12/21/2020 12:35	Chemical Oxygen Demand	230	mg/L	20	COD	10
MW-13R	6/23/2020 8:48	Chloride	120	mg/L	25	16887-00-6	13
MW-13R	6/23/2020 8:48	Carbon Dioxide, Free	7	mg/L	2	124-38-9	0
MW-13R	12/21/2020 12:35	Carbon Dioxide, Free	18	mg/L	2	124-38-9	0
MW-13R	6/23/2020 8:48	Iron, Total Recoverable	0.28	mg/L	0.1	7439-89-6	0.05
MW-13R	12/21/2020 12:35	Iron, Total Recoverable	0.18	mg/L	0.1	7439-89-6	0.05
MW-13R	6/23/2020 8:48	Fluoride, Total	0.74	mg/L	0.5	16984-48-8	0.25
MW-13R	12/21/2020 12:35	Fluoride, Total	0.4	mg/L	0.5	16984-48-8	0.25
MW-13R	6/23/2020 8:48	Bicarbonate	590	mg/L	4	HCO3	0
MW-13R	12/21/2020 12:35	Bicarbonate	710	mg/L	4	HCO3	0
MW-13R	2/18/2020 13:33	Potassium, Total Recoverable	24	mg/L	0.5	9/7/7440	0.25
MW-13R	6/23/2020 8:48	Potassium, Total Recoverable	23	mg/L	0.5	9/7/7440	0.25
MW-13R	9/21/2020 12:49	Potassium, Total Recoverable	21	mg/L	0.5	9/7/7440	0.25
MW-13R	12/21/2020 12:35	Potassium, Total Recoverable	23	mg/L	0.5	9/7/7440	0.25
MW-13R	6/23/2020 8:48	Magnesium, Total Recoverable	83	mg/L	0.02	7439-95-4	0.01
MW-13R	12/21/2020 12:35	Magnesium, Total Recoverable	100	mg/L	0.02	7439-95-4	0.01
MW-13R	2/18/2020 13:33	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-13R	6/23/2020 8:48	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-13R	9/21/2020 12:49	m,p-Xylene	<4	ug/L	4	108-38-3_106-42-3	0.59
MW-13R	12/21/2020 12:35	m,p-Xylene	<80	ug/L	80	108-38-3_106-42-3	63
MW-13R	6/23/2020 8:48	Manganese, Total Recoverable	0.032	mg/L	0.02	7439-96-5	0.015
MW-13R	12/21/2020 12:35	Manganese, Total Recoverable	0.23	mg/L	0.02	7439-96-5	0.015
MW-13R	6/23/2020 8:48	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
MW-13R	12/21/2020 12:35	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
MW-13R	6/23/2020 8:48	Sodium, Total Recoverable	140	mg/L	0.5	7440-23-5	0.26
MW-13R	12/21/2020 12:35	Sodium, Total Recoverable	170	mg/L	0.5	7440-23-5	0.26
MW-13R	6/23/2020 8:48	Sulfate	27	mg/L	0.5	14808-79-8	0.25
MW-13R	12/21/2020 12:35	Sulfate	340	mg/L	25	14808-79-8	13
MW-13R	6/23/2020 8:48	Sulfide, Total	110	mg/L	10	18496-25-8	5.4
MW-13R	12/21/2020 12:35	Sulfide, Total	96	mg/L	5	18496-25-8	2.7
MW-13R	2/18/2020 13:33	Solids, Total Dissolved	1100	mg/L	10	TDS	5
MW-13R	6/23/2020 8:48	Solids, Total Dissolved	990	mg/L	10	TDS	5
MW-13R	9/21/2020 12:49	Solids, Total Dissolved	1100	mg/L	10	TDS	5
MW-13R	12/21/2020 12:35	Solids, Total Dissolved	1400	mg/L	10	TDS	5
MW-13R	2/18/2020 13:33	Total Organic Carbon	23	mg/L	0.5	TOC	0.25
MW-13R	6/23/2020 8:48	Total Organic Carbon	24	mg/L	1	TOC	0.5
MW-13R	9/21/2020 12:49	Total Organic Carbon	26	mg/L	0.5	TOC	0.25
MW-13R	12/21/2020 12:35	Total Organic Carbon	22	mg/L	0.5	TOC	0.25
MW-14	2/17/2020 12:15	Total Organic Carbon	4.4	mg/L	0.1	TOC	0.05
MW-14	6/22/2020 8:55	Total Organic Carbon	5.1	mg/L	0.1	TOC	0.05
MW-14	9/21/2020 8:47	Total Organic Carbon	5	mg/L	0.1	TOC	0.05
MW-14	12/21/2020 9:46	Total Organic Carbon	4.6	mg/L	0.1	TOC	0.05

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-14	2/17/2020 12:15	Solids, Total Dissolved	3300	mg/L	20	TDS	10
MW-14	6/22/2020 8:55	Solids, Total Dissolved	3500	mg/L	20	TDS	10
MW-14	9/21/2020 8:47	Solids, Total Dissolved	3500	mg/L	20	TDS	10
MW-14	12/21/2020 9:46	Solids, Total Dissolved	3300	mg/L	20	TDS	10
MW-14	6/22/2020 8:55	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-14	12/21/2020 9:46	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-14	6/22/2020 8:55	Sulfate	2000	mg/L	100	14808-79-8	50
MW-14	12/21/2020 9:46	Sulfate	1900	mg/L	50	14808-79-8	25
MW-14	6/22/2020 8:55	Sodium, Total Recoverable	240	mg/L	0.5	7440-23-5	0.26
MW-14	12/21/2020 9:46	Sodium, Total Recoverable	220	mg/L	0.5	7440-23-5	0.26
MW-14	6/22/2020 8:55	Nitrogen, Nitrate	0.18	mg/L	0.11	14797-55-8	0.055
MW-14	12/21/2020 9:46	Nitrogen, Nitrate	0.51	mg/L	0.11	14797-55-8	0.055
MW-14	6/22/2020 8:55	Manganese, Total Recoverable	4.8	mg/L	0.02	7439-96-5	0.015
MW-14	12/21/2020 9:46	Manganese, Total Recoverable	4.7	mg/L	0.02	7439-96-5	0.015
MW-14	2/17/2020 12:15	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-14	6/22/2020 8:55	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-14	9/21/2020 8:47	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
MW-14	12/21/2020 9:46	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
MW-14	6/22/2020 8:55	Magnesium, Total Recoverable	180	mg/L	0.02	7439-95-4	0.01
MW-14	12/21/2020 9:46	Magnesium, Total Recoverable	170	mg/L	0.02	7439-95-4	0.01
MW-14	2/17/2020 12:15	Potassium, Total Recoverable	8.1	mg/L	0.5	9/7/7440	0.25
MW-14	6/22/2020 8:55	Potassium, Total Recoverable	8.7	mg/L	0.5	9/7/7440	0.25
MW-14	9/21/2020 8:47	Potassium, Total Recoverable	8.3	mg/L	0.5	9/7/7440	0.25
MW-14	12/21/2020 9:46	Potassium, Total Recoverable	7.8	mg/L	0.5	9/7/7440	0.25
MW-14	6/22/2020 8:55	Bicarbonate	320	mg/L	4	HCO3	0
MW-14	12/21/2020 9:46	Bicarbonate	310	mg/L	4	HCO3	0
MW-14	6/22/2020 8:55	Fluoride, Total	1.4	mg/L	0.5	16984-48-8	0.25
MW-14	12/21/2020 9:46	Fluoride, Total	0.84	mg/L	0.5	16984-48-8	0.25
MW-14	6/22/2020 8:55	Iron, Total Recoverable	<0.1	mg/L	0.1	7439-89-6	0.05
MW-14	12/21/2020 9:46	Iron, Total Recoverable	0.15	mg/L	0.1	7439-89-6	0.05
MW-14	6/22/2020 8:55	Carbon Dioxide, Free	49	mg/L	2	124-38-9	0
MW-14	12/21/2020 9:46	Carbon Dioxide, Free	32	mg/L	2	124-38-9	0
MW-14	2/17/2020 12:15	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-14	6/22/2020 8:55	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-14	9/21/2020 8:47	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-14	12/21/2020 9:46	Chemical Oxygen Demand	18	mg/L	20	COD	10
MW-14	2/17/2020 12:15	Chloride	32	mg/L	2.5	16887-00-6	1.3
MW-14	6/22/2020 8:55	Chloride	32	mg/L	5	16887-00-6	2.5
MW-14	9/21/2020 8:47	Chloride	60	mg/L	2.5	16887-00-6	1.3
MW-14	12/21/2020 9:46	Chloride	26	mg/L	5	16887-00-6	2.5
MW-14	6/22/2020 8:55	Bromide	0.58	mg/L	0.5	24959-67-9	0.25
MW-14	12/21/2020 9:46	Bromide	0.57	mg/L	0.5	24959-67-9	0.25
MW-14	6/22/2020 8:55	Calcium, Total Recoverable	460	mg/L	0.1	7440-70-2	0.05
MW-14	12/21/2020 9:46	Calcium, Total Recoverable	410	mg/L	0.1	7440-70-2	0.05
MW-14	6/22/2020 8:55	Boron, Total Recoverable	0.34	mg/L	0.05	7440-42-8	0.025
MW-14	12/21/2020 9:46	Boron, Total Recoverable	0.34	mg/L	0.05	7440-42-8	0.025
MW-14	2/17/2020 12:15	Alkalinity	340	mg/L	4	ALK	0
MW-14	6/22/2020 8:55	Alkalinity	320	mg/L	4	ALK	0
MW-14	9/21/2020 8:47	Alkalinity	310	mg/L	4	ALK	0

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-14	12/21/2020 9:46	Alkalinity	310	mg/L	4	ALK	0
MW-14	2/17/2020 12:15	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-14	6/22/2020 8:55	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-14	9/21/2020 8:47	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
MW-14	12/21/2020 9:46	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
MW-14	2/17/2020 12:15	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-14	6/22/2020 8:55	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-14	9/21/2020 8:47	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
MW-14	12/21/2020 9:46	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
MW-14	2/17/2020 12:15	Ammonia	0.1	mg/L	0.2	7664-41-7	0.1
MW-14	6/22/2020 8:55	Ammonia	<0.2	mg/L	0.2	7664-41-7	0.1
MW-14	9/21/2020 8:47	Ammonia	<0.2	mg/L	0.2	7664-41-7	0.1
MW-14	12/21/2020 9:46	Ammonia	<0.5	mg/L	0.5	7664-41-7	0.1
MW-14	2/17/2020 12:15	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-14	6/22/2020 8:55	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-14	9/21/2020 8:47	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
MW-14	12/21/2020 9:46	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
MW-14	2/17/2020 12:15	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-14	6/22/2020 8:55	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-14	9/21/2020 8:47	2-Hexanone	<10	ug/L	10	591-78-6	0.5
MW-14	12/21/2020 9:46	2-Hexanone	<6	ug/L	6	591-78-6	4.3
MW-14	2/17/2020 12:15	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-14	6/22/2020 8:55	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-14	9/21/2020 8:47	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
MW-14	12/21/2020 9:46	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
MW-14	2/17/2020 12:15	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-14	6/22/2020 8:55	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-14	9/21/2020 8:47	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
MW-14	12/21/2020 9:46	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
MW-14	2/17/2020 12:15	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-14	6/22/2020 8:55	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-14	9/21/2020 8:47	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
MW-14	12/21/2020 9:46	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
MW-14	2/17/2020 12:15	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-14	6/22/2020 8:55	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-14	9/21/2020 8:47	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
MW-14	12/21/2020 9:46	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
MW-14	2/17/2020 12:15	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-14	6/22/2020 8:55	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-14	9/21/2020 8:47	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
MW-14	12/21/2020 9:46	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
MW-14	2/17/2020 12:15	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-14	6/22/2020 8:55	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-14	9/21/2020 8:47	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
MW-14	12/21/2020 9:46	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
MW-14	2/17/2020 12:15	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-14	6/22/2020 8:55	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-14	9/21/2020 8:47	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
MW-14	12/21/2020 9:46	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-14	2/17/2020 12:15	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-14	6/22/2020 8:55	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-14	9/21/2020 8:47	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
MW-14	12/21/2020 9:46	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
MW-14	2/17/2020 12:15	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-14	6/22/2020 8:55	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-14	9/21/2020 8:47	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
MW-14	12/21/2020 9:46	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
MW-14	2/17/2020 12:15	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-14	6/22/2020 8:55	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-14	9/21/2020 8:47	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
MW-14	12/21/2020 9:46	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
MW-14	2/17/2020 12:15	1,4-Dioxane	<0.98	ug/L	0.98	123-91-1	0.24
MW-14	6/22/2020 8:55	1,4-Dioxane	<1	ug/L	1	123-91-1	0.25
MW-14	9/21/2020 8:47	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
MW-14	12/21/2020 9:46	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
MW-14	2/17/2020 12:15	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-14	6/22/2020 8:55	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-14	9/21/2020 8:47	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
MW-14	12/21/2020 9:46	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
MW-14	2/17/2020 12:15	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-14	6/22/2020 8:55	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-14	9/21/2020 8:47	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
MW-14	12/21/2020 9:46	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
MW-14	2/17/2020 12:15	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-14	6/22/2020 8:55	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-14	9/21/2020 8:47	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
MW-14	12/21/2020 9:46	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
MW-14	2/17/2020 12:15	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-14	6/22/2020 8:55	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-14	9/21/2020 8:47	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
MW-14	12/21/2020 9:46	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
MW-14	2/17/2020 12:15	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-14	6/22/2020 8:55	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-14	9/21/2020 8:47	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
MW-14	12/21/2020 9:46	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
MW-14	2/17/2020 12:15	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-14	6/22/2020 8:55	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-14	9/21/2020 8:47	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
MW-14	12/21/2020 9:46	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
MW-14	2/17/2020 12:15	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-14	6/22/2020 8:55	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-14	9/21/2020 8:47	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
MW-14	12/21/2020 9:46	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
MW-14	2/17/2020 12:15	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-14	6/22/2020 8:55	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-14	9/21/2020 8:47	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
MW-14	12/21/2020 9:46	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
MW-14	2/17/2020 12:15	Propionitrile	<20	ug/L	20	107-12-0	10

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-14	6/22/2020 8:55	Propionitrile	<20	ug/L	20	107-12-0	10
MW-14	9/21/2020 8:47	Propionitrile	<5	ug/L	5	107-12-0	1
MW-14	12/21/2020 9:46	Propionitrile	<5	ug/L	5	107-12-0	3.7
MW-14	2/17/2020 12:15	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-14	2/17/2020 12:15	Acrylonitrile	<2	ug/L	2	107-13-1	1
MW-14	6/22/2020 8:55	Acrylonitrile	<2	ug/L	2	107-13-1	1
MW-14	9/21/2020 8:47	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
MW-14	12/21/2020 9:46	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
MW-14	2/17/2020 12:15	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-14	6/22/2020 8:55	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-14	9/21/2020 8:47	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
MW-14	12/21/2020 9:46	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
MW-14	2/17/2020 12:15	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-14	6/22/2020 8:55	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-14	9/21/2020 8:47	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
MW-14	12/21/2020 9:46	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
MW-14	2/17/2020 12:15	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-14	2/17/2020 12:15	Acrolein	<5	ug/L	5	107-02-8	2.5
MW-14	6/22/2020 8:55	Acrolein	<5	ug/L	5	107-02-8	2.5
MW-14	9/21/2020 8:47	Acrolein	<10	ug/L	10	107-02-8	0.59
MW-14	12/21/2020 9:46	Acrolein	<4	ug/L	4	107-02-8	2.2
MW-14	2/17/2020 12:15	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-14	6/22/2020 8:55	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-14	9/21/2020 8:47	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
MW-14	12/21/2020 9:46	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
MW-14	2/17/2020 12:15	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-14	6/22/2020 8:55	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-14	9/21/2020 8:47	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
MW-14	12/21/2020 9:46	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
MW-14	2/17/2020 12:15	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-14	6/22/2020 8:55	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-14	9/21/2020 8:47	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
MW-14	12/21/2020 9:46	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
MW-14	2/17/2020 12:15	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-14	6/22/2020 8:55	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-14	9/21/2020 8:47	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
MW-14	12/21/2020 9:46	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
MW-14	2/17/2020 12:15	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-14	6/22/2020 8:55	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-14	9/21/2020 8:47	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
MW-14	12/21/2020 9:46	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
MW-14	2/17/2020 12:15	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-14	6/22/2020 8:55	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-14	9/21/2020 8:47	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
MW-14	12/21/2020 9:46	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
MW-14	2/17/2020 12:15	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-14	6/22/2020 8:55	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-14	9/21/2020 8:47	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
MW-14	12/21/2020 9:46	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-14	2/17/2020 12:15	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-14	6/22/2020 8:55	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-14	9/21/2020 8:47	Naphthalene	<1	ug/L	1	91-20-3	0.097
MW-14	12/21/2020 9:46	Naphthalene	<1	ug/L	1	91-20-3	0.32
MW-14	2/17/2020 12:15	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-14	6/22/2020 8:55	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-14	9/21/2020 8:47	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
MW-14	12/21/2020 9:46	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
MW-14	2/17/2020 12:15	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-14	6/22/2020 8:55	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-14	9/21/2020 8:47	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
MW-14	12/21/2020 9:46	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
MW-14	2/17/2020 12:15	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-14	6/22/2020 8:55	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-14	9/21/2020 8:47	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
MW-14	12/21/2020 9:46	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
MW-14	2/17/2020 12:15	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-14	6/22/2020 8:55	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-14	9/21/2020 8:47	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
MW-14	12/21/2020 9:46	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
MW-14	2/17/2020 12:15	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-14	6/22/2020 8:55	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-14	9/21/2020 8:47	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
MW-14	12/21/2020 9:46	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
MW-14	2/17/2020 12:15	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-14	6/22/2020 8:55	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-14	9/21/2020 8:47	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
MW-14	12/21/2020 9:46	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
MW-14	2/17/2020 12:15	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-14	6/22/2020 8:55	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-14	9/21/2020 8:47	2-Butanone	<5	ug/L	5	78-93-3	0.46
MW-14	12/21/2020 9:46	2-Butanone	<5	ug/L	5	78-93-3	3
MW-14	2/17/2020 12:15	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-14	6/22/2020 8:55	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-14	9/21/2020 8:47	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
MW-14	12/21/2020 9:46	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
MW-14	2/17/2020 12:15	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-14	6/22/2020 8:55	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-14	9/21/2020 8:47	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
MW-14	12/21/2020 9:46	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
MW-14	2/17/2020 12:15	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-14	6/22/2020 8:55	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-14	9/21/2020 8:47	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
MW-14	12/21/2020 9:46	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
MW-14	2/17/2020 12:15	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-14	6/22/2020 8:55	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-14	9/21/2020 8:47	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
MW-14	12/21/2020 9:46	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
MW-14	2/17/2020 12:15	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-14	6/22/2020 8:55	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-14	9/21/2020 8:47	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
MW-14	12/21/2020 9:46	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
MW-14	2/17/2020 12:15	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-14	6/22/2020 8:55	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-14	9/21/2020 8:47	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
MW-14	12/21/2020 9:46	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
MW-14	2/17/2020 12:15	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-14	6/22/2020 8:55	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-14	9/21/2020 8:47	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
MW-14	12/21/2020 9:46	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
MW-14	2/17/2020 12:15	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-14	6/22/2020 8:55	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-14	9/21/2020 8:47	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
MW-14	12/21/2020 9:46	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
MW-14	2/17/2020 12:15	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-14	6/22/2020 8:55	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-14	9/21/2020 8:47	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
MW-14	12/21/2020 9:46	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
MW-14	2/17/2020 12:15	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-14	6/22/2020 8:55	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-14	9/21/2020 8:47	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
MW-14	12/21/2020 9:46	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
MW-14	2/17/2020 12:15	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-14	6/22/2020 8:55	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-14	9/21/2020 8:47	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
MW-14	12/21/2020 9:46	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
MW-14	2/17/2020 12:15	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-14	6/22/2020 8:55	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-14	9/21/2020 8:47	Acetonitrile	<10	ug/L	10	75-05-8	2
MW-14	12/21/2020 9:46	Acetonitrile	<10	ug/L	10	75-05-8	3.9
MW-14	2/17/2020 12:15	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-14	6/22/2020 8:55	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-14	9/21/2020 8:47	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
MW-14	12/21/2020 9:46	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
MW-14	2/17/2020 12:15	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-14	6/22/2020 8:55	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-14	9/21/2020 8:47	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
MW-14	12/21/2020 9:46	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
MW-14	2/17/2020 12:15	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-14	6/22/2020 8:55	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-14	9/21/2020 8:47	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
MW-14	12/21/2020 9:46	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
MW-14	2/17/2020 12:15	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-14	6/22/2020 8:55	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-14	9/21/2020 8:47	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
MW-14	12/21/2020 9:46	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
MW-14	2/17/2020 12:15	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-14	6/22/2020 8:55	Methyl Iodide	<2	ug/L	2	74-88-4	1

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-14	9/21/2020 8:47	Methyl iodide	<25	ug/L	25	74-88-4	14
MW-14	12/21/2020 9:46	Methyl iodide	<25	ug/L	25	74-88-4	5.9
MW-14	2/17/2020 12:15	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-14	6/22/2020 8:55	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-14	9/21/2020 8:47	Bromomethane	<2	ug/L	2	74-83-9	0.99
MW-14	12/21/2020 9:46	Bromomethane	<1	ug/L	1	74-83-9	0.93
MW-14	2/17/2020 12:15	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-14	6/22/2020 8:55	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-14	9/21/2020 8:47	Chloromethane	<5	ug/L	5	74-87-3	2
MW-14	12/21/2020 9:46	Chloromethane	<1	ug/L	1	74-87-3	0.29
MW-14	2/17/2020 12:15	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-14	6/22/2020 8:55	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-14	9/21/2020 8:47	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
MW-14	12/21/2020 9:46	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
MW-14	2/17/2020 12:15	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-14	6/22/2020 8:55	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-14	9/21/2020 8:47	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
MW-14	12/21/2020 9:46	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
MW-14	2/17/2020 12:15	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-14	6/22/2020 8:55	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-14	9/21/2020 8:47	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
MW-14	12/21/2020 9:46	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
MW-14	2/17/2020 12:15	Acetone	<20	ug/L	20	67-64-1	10
MW-14	6/22/2020 8:55	Acetone	<20	ug/L	20	67-64-1	10
MW-14	9/21/2020 8:47	Acetone	<10	ug/L	10	67-64-1	4
MW-14	12/21/2020 9:46	Acetone	<8	ug/L	8	67-64-1	4
MW-14	2/17/2020 12:15	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-14	6/22/2020 8:55	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-14	9/21/2020 8:47	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
MW-14	12/21/2020 9:46	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
MW-2A	2/18/2020 8:53	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-2A	6/24/2020 8:21	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-2A	9/23/2020 8:45	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
MW-2A	12/28/2020 9:30	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
MW-2A	2/18/2020 8:53	Acetone	<20	ug/L	20	67-64-1	10
MW-2A	6/24/2020 8:21	Acetone	<20	ug/L	20	67-64-1	10
MW-2A	9/23/2020 8:45	Acetone	<10	ug/L	10	67-64-1	4
MW-2A	12/28/2020 9:30	Acetone	<8	ug/L	8	67-64-1	4
MW-2A	2/18/2020 8:53	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-2A	6/24/2020 8:21	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-2A	9/23/2020 8:45	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
MW-2A	12/28/2020 9:30	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
MW-2A	2/18/2020 8:53	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-2A	6/24/2020 8:21	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-2A	9/23/2020 8:45	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
MW-2A	12/28/2020 9:30	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
MW-2A	2/18/2020 8:53	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-2A	6/24/2020 8:21	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-2A	9/23/2020 8:45	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2A	12/28/2020 9:30	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
MW-2A	2/18/2020 8:53	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-2A	6/24/2020 8:21	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-2A	9/23/2020 8:45	Chloromethane	<5	ug/L	5	74-87-3	2
MW-2A	12/28/2020 9:30	Chloromethane	<1	ug/L	1	74-87-3	0.29
MW-2A	2/18/2020 8:53	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-2A	6/24/2020 8:21	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-2A	9/23/2020 8:45	Bromomethane	<2	ug/L	2	74-83-9	0.99
MW-2A	12/28/2020 9:30	Bromomethane	<1	ug/L	1	74-83-9	0.93
MW-2A	2/18/2020 8:53	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-2A	6/24/2020 8:21	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-2A	9/23/2020 8:45	Methyl Iodide	<25	ug/L	25	74-88-4	14
MW-2A	12/28/2020 9:30	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
MW-2A	2/18/2020 8:53	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-2A	6/24/2020 8:21	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-2A	9/23/2020 8:45	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
MW-2A	12/28/2020 9:30	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
MW-2A	2/18/2020 8:53	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-2A	6/24/2020 8:21	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-2A	9/23/2020 8:45	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
MW-2A	12/28/2020 9:30	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
MW-2A	2/18/2020 8:53	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-2A	6/24/2020 8:21	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-2A	9/23/2020 8:45	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
MW-2A	12/28/2020 9:30	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
MW-2A	2/18/2020 8:53	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-2A	6/24/2020 8:21	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-2A	9/23/2020 8:45	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
MW-2A	12/28/2020 9:30	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
MW-2A	2/18/2020 8:53	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-2A	6/24/2020 8:21	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-2A	9/23/2020 8:45	Acetonitrile	<10	ug/L	10	75-05-8	2
MW-2A	12/28/2020 9:30	Acetonitrile	<10	ug/L	10	75-05-8	3.9
MW-2A	2/18/2020 8:53	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-2A	6/24/2020 8:21	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-2A	9/23/2020 8:45	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
MW-2A	12/28/2020 9:30	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
MW-2A	2/18/2020 8:53	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-2A	6/24/2020 8:21	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-2A	9/23/2020 8:45	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
MW-2A	12/28/2020 9:30	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
MW-2A	2/18/2020 8:53	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-2A	6/24/2020 8:21	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-2A	9/23/2020 8:45	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
MW-2A	12/28/2020 9:30	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
MW-2A	2/18/2020 8:53	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-2A	6/24/2020 8:21	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-2A	9/23/2020 8:45	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
MW-2A	12/28/2020 9:30	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2A	2/18/2020 8:53	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-2A	6/24/2020 8:21	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-2A	9/23/2020 8:45	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
MW-2A	12/28/2020 9:30	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
MW-2A	2/18/2020 8:53	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-2A	6/24/2020 8:21	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-2A	9/23/2020 8:45	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
MW-2A	12/28/2020 9:30	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
MW-2A	2/18/2020 8:53	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-2A	6/24/2020 8:21	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-2A	9/23/2020 8:45	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
MW-2A	12/28/2020 9:30	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
MW-2A	2/18/2020 8:53	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-2A	6/24/2020 8:21	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-2A	9/23/2020 8:45	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
MW-2A	12/28/2020 9:30	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
MW-2A	2/18/2020 8:53	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-2A	6/24/2020 8:21	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-2A	9/23/2020 8:45	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
MW-2A	12/28/2020 9:30	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
MW-2A	2/18/2020 8:53	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-2A	6/24/2020 8:21	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-2A	9/23/2020 8:45	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
MW-2A	12/28/2020 9:30	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
MW-2A	2/18/2020 8:53	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-2A	6/24/2020 8:21	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-2A	9/23/2020 8:45	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
MW-2A	12/28/2020 9:30	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
MW-2A	2/18/2020 8:53	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-2A	6/24/2020 8:21	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-2A	9/23/2020 8:45	2-Butanone	<5	ug/L	5	78-93-3	0.46
MW-2A	12/28/2020 9:30	2-Butanone	<5	ug/L	5	78-93-3	3
MW-2A	2/18/2020 8:53	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-2A	6/24/2020 8:21	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-2A	9/23/2020 8:45	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
MW-2A	12/28/2020 9:30	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
MW-2A	2/18/2020 8:53	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-2A	6/24/2020 8:21	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-2A	9/23/2020 8:45	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
MW-2A	12/28/2020 9:30	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
MW-2A	2/18/2020 8:53	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-2A	6/24/2020 8:21	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-2A	9/23/2020 8:45	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
MW-2A	12/28/2020 9:30	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
MW-2A	2/18/2020 8:53	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-2A	6/24/2020 8:21	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-2A	9/23/2020 8:45	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
MW-2A	12/28/2020 9:30	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
MW-2A	2/18/2020 8:53	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2A	6/24/2020 8:21	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-2A	9/23/2020 8:45	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
MW-2A	12/28/2020 9:30	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
MW-2A	2/18/2020 8:53	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-2A	6/24/2020 8:21	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-2A	9/23/2020 8:45	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
MW-2A	12/28/2020 9:30	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
MW-2A	2/18/2020 8:53	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-2A	6/24/2020 8:21	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-2A	9/23/2020 8:45	Naphthalene	<1	ug/L	1	91-20-3	0.097
MW-2A	12/28/2020 9:30	Naphthalene	<1	ug/L	1	91-20-3	0.32
MW-2A	2/18/2020 8:53	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-2A	6/24/2020 8:21	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-2A	9/23/2020 8:45	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
MW-2A	12/28/2020 9:30	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
MW-2A	2/18/2020 8:53	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-2A	6/24/2020 8:21	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-2A	9/23/2020 8:45	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
MW-2A	12/28/2020 9:30	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
MW-2A	2/18/2020 8:53	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-2A	6/24/2020 8:21	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-2A	9/23/2020 8:45	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
MW-2A	12/28/2020 9:30	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
MW-2A	2/18/2020 8:53	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-2A	6/24/2020 8:21	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-2A	9/23/2020 8:45	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
MW-2A	12/28/2020 9:30	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
MW-2A	2/18/2020 8:53	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-2A	6/24/2020 8:21	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-2A	9/23/2020 8:45	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
MW-2A	12/28/2020 9:30	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
MW-2A	2/18/2020 8:53	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-2A	6/24/2020 8:21	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-2A	9/23/2020 8:45	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
MW-2A	12/28/2020 9:30	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
MW-2A	2/18/2020 8:53	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-2A	6/24/2020 8:21	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-2A	9/23/2020 8:45	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
MW-2A	12/28/2020 9:30	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
MW-2A	2/18/2020 8:53	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-2A	2/18/2020 8:53	Acrolein	<5	ug/L	5	107-02-8	2.5
MW-2A	6/24/2020 8:21	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-2A	9/23/2020 8:45	Acrolein	<10	ug/L	10	107-02-8	0.59
MW-2A	12/28/2020 9:30	Acrolein	<4	ug/L	4	107-02-8	2.2
MW-2A	2/18/2020 8:53	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-2A	6/24/2020 8:21	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-2A	9/23/2020 8:45	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
MW-2A	12/28/2020 9:30	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
MW-2A	2/18/2020 8:53	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2A	6/24/2020 8:21	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-2A	9/23/2020 8:45	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
MW-2A	12/28/2020 9:30	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
MW-2A	2/18/2020 8:53	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-2A	2/18/2020 8:53	Acrylonitrile	<2	ug/L	2	107-13-1	1
MW-2A	6/24/2020 8:21	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-2A	9/23/2020 8:45	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
MW-2A	12/28/2020 9:30	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
MW-2A	2/18/2020 8:53	Propionitrile	<20	ug/L	20	107-12-0	10
MW-2A	6/24/2020 8:21	Propionitrile	<20	ug/L	20	107-12-0	10
MW-2A	9/23/2020 8:45	Propionitrile	<5	ug/L	5	107-12-0	1
MW-2A	12/28/2020 9:30	Propionitrile	<5	ug/L	5	107-12-0	3.7
MW-2A	2/18/2020 8:53	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-2A	6/24/2020 8:21	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-2A	9/23/2020 8:45	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
MW-2A	12/28/2020 9:30	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
MW-2A	2/18/2020 8:53	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-2A	6/24/2020 8:21	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-2A	9/23/2020 8:45	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
MW-2A	12/28/2020 9:30	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
MW-2A	2/18/2020 8:53	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-2A	6/24/2020 8:21	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-2A	9/23/2020 8:45	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
MW-2A	12/28/2020 9:30	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
MW-2A	2/18/2020 8:53	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-2A	6/24/2020 8:21	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-2A	9/23/2020 8:45	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
MW-2A	12/28/2020 9:30	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
MW-2A	2/18/2020 8:53	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-2A	6/24/2020 8:21	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-2A	9/23/2020 8:45	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
MW-2A	12/28/2020 9:30	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
MW-2A	2/18/2020 8:53	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-2A	6/24/2020 8:21	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-2A	9/23/2020 8:45	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
MW-2A	12/28/2020 9:30	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
MW-2A	2/18/2020 8:53	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-2A	6/24/2020 8:21	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-2A	9/23/2020 8:45	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
MW-2A	12/28/2020 9:30	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
MW-2A	2/18/2020 8:53	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-2A	6/24/2020 8:21	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-2A	9/23/2020 8:45	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
MW-2A	12/28/2020 9:30	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
MW-2A	2/18/2020 8:53	1,4-Dioxane	1.8	ug/L	0.97	123-91-1	0.24
MW-2A	6/24/2020 8:21	1,4-Dioxane	0.89	ug/L	1	123-91-1	0.26
MW-2A	9/23/2020 8:45	1,4-Dioxane	1.1	ug/L	0.5	123-91-1	0.18
MW-2A	12/28/2020 9:30	1,4-Dioxane	3.5	ug/L	0.5	123-91-1	0.34
MW-2A	2/18/2020 8:53	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2A	6/24/2020 8:21	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-2A	9/23/2020 8:45	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
MW-2A	12/28/2020 9:30	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
MW-2A	2/18/2020 8:53	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-2A	6/24/2020 8:21	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-2A	9/23/2020 8:45	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
MW-2A	12/28/2020 9:30	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
MW-2A	2/18/2020 8:53	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-2A	6/24/2020 8:21	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-2A	9/23/2020 8:45	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
MW-2A	12/28/2020 9:30	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
MW-2A	2/18/2020 8:53	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-2A	6/24/2020 8:21	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-2A	9/23/2020 8:45	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
MW-2A	12/28/2020 9:30	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
MW-2A	2/18/2020 8:53	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-2A	6/24/2020 8:21	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-2A	9/23/2020 8:45	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
MW-2A	12/28/2020 9:30	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
MW-2A	2/18/2020 8:53	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-2A	6/24/2020 8:21	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-2A	9/23/2020 8:45	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
MW-2A	12/28/2020 9:30	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
MW-2A	2/18/2020 8:53	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-2A	6/24/2020 8:21	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-2A	9/23/2020 8:45	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
MW-2A	12/28/2020 9:30	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
MW-2A	2/18/2020 8:53	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-2A	6/24/2020 8:21	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-2A	9/23/2020 8:45	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
MW-2A	12/28/2020 9:30	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
MW-2A	2/18/2020 8:53	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-2A	6/24/2020 8:21	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-2A	9/23/2020 8:45	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
MW-2A	12/28/2020 9:30	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
MW-2A	2/18/2020 8:53	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-2A	6/24/2020 8:21	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-2A	9/23/2020 8:45	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
MW-2A	12/28/2020 9:30	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
MW-2A	2/18/2020 8:53	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-2A	6/24/2020 8:21	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-2A	9/23/2020 8:45	2-Hexanone	<10	ug/L	10	591-78-6	0.5
MW-2A	12/28/2020 9:30	2-Hexanone	<6	ug/L	6	591-78-6	4.3
MW-2A	2/18/2020 8:53	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-2A	6/24/2020 8:21	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-2A	9/23/2020 8:45	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
MW-2A	12/28/2020 9:30	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
MW-2A	2/18/2020 8:53	Ammonia	3.5	mg/L	0.2	7664-41-7	0.1
MW-2A	6/24/2020 8:21	Ammonia	3.1	mg/L	0.2	7664-41-7	0.1

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2A	9/23/2020 8:45	Ammonia	3.1	mg/L	0.5	7664-41-7	0.1
MW-2A	12/28/2020 9:30	Ammonia	2.8	mg/L	0.5	7664-41-7	0.1
MW-2A	2/18/2020 8:53	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-2A	6/24/2020 8:21	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-2A	9/23/2020 8:45	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
MW-2A	12/28/2020 9:30	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
MW-2A	2/18/2020 8:53	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-2A	6/24/2020 8:21	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-2A	9/23/2020 8:45	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
MW-2A	12/28/2020 9:30	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
MW-2A	2/18/2020 8:53	Alkalinity	350	mg/L	4	ALK	0
MW-2A	6/24/2020 8:21	Alkalinity	360	mg/L	4	ALK	0
MW-2A	9/23/2020 8:45	Alkalinity	370	mg/L	4	ALK	0
MW-2A	12/28/2020 9:30	Alkalinity	390	mg/L	4	ALK	0
MW-2A	6/24/2020 8:21	Boron, Total Recoverable	0.64	mg/L	0.05	7440-42-8	0.025
MW-2A	12/28/2020 9:30	Boron, Total Recoverable	0.6	mg/L	0.05	7440-42-8	0.025
MW-2A	6/24/2020 8:21	Calcium, Total Recoverable	220	mg/L	0.1	7440-70-2	0.05
MW-2A	12/28/2020 9:30	Calcium, Total Recoverable	220	mg/L	0.1	7440-70-2	0.05
MW-2A	6/24/2020 8:21	Bromide	0.53	mg/L	1	24959-67-9	0.5
MW-2A	12/28/2020 9:30	Bromide	<1	mg/L	1	24959-67-9	0.5
MW-2A	2/18/2020 8:53	Chloride	25	mg/L	50	16887-00-6	25
MW-2A	6/24/2020 8:21	Chloride	30	mg/L	1	16887-00-6	0.5
MW-2A	9/23/2020 8:45	Chloride	31	mg/L	2.5	16887-00-6	1.3
MW-2A	12/28/2020 9:30	Chloride	44	mg/L	1	16887-00-6	0.5
MW-2A	2/18/2020 8:53	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-2A	6/24/2020 8:21	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-2A	9/23/2020 8:45	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-2A	12/28/2020 9:30	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-2A	2/18/2020 8:53	Chloride	24	mg/L	5	16887-00-6	2.5
MW-2A	12/28/2020 9:30	Chloride	39	mg/L	5	16887-00-6	2.5
MW-2A	6/24/2020 8:21	Carbon Dioxide, Free	70	mg/L	2	124-38-9	0
MW-2A	12/28/2020 9:30	Carbon Dioxide, Free	33	mg/L	2	124-38-9	0
MW-2A	6/24/2020 8:21	Iron, Total Recoverable	10	mg/L	0.1	7439-89-6	0.05
MW-2A	12/28/2020 9:30	Iron, Total Recoverable	10	mg/L	0.1	7439-89-6	0.05
MW-2A	6/24/2020 8:21	Fluoride, Total	1.1	mg/L	1	16984-48-8	0.5
MW-2A	12/28/2020 9:30	Fluoride, Total	1.1	mg/L	1	16984-48-8	0.5
MW-2A	12/28/2020 9:30	Bicarbonate	390	mg/L	4	HCO3	0
MW-2A	2/18/2020 8:53	Potassium, Total Recoverable	5.6	mg/L	0.5	9/7/7440	0.25
MW-2A	6/24/2020 8:21	Potassium, Total Recoverable	5.7	mg/L	0.5	9/7/7440	0.25
MW-2A	9/23/2020 8:45	Potassium, Total Recoverable	5.7	mg/L	0.5	9/7/7440	0.25
MW-2A	12/28/2020 9:30	Potassium, Total Recoverable	5.7	mg/L	0.5	9/7/7440	0.25
MW-2A	6/24/2020 8:21	Magnesium, Total Recoverable	120	mg/L	0.02	7439-95-4	0.01
MW-2A	12/28/2020 9:30	Magnesium, Total Recoverable	120	mg/L	0.02	7439-95-4	0.01
MW-2A	2/18/2020 8:53	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-2A	6/24/2020 8:21	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-2A	9/23/2020 8:45	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
MW-2A	12/28/2020 9:30	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
MW-2A	6/24/2020 8:21	Manganese, Total Recoverable	0.71	mg/L	0.02	7439-96-5	0.015
MW-2A	12/28/2020 9:30	Manganese, Total Recoverable	1	mg/L	0.02	7439-96-5	0.015

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2A	6/24/2020 8:21	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
MW-2A	12/28/2020 9:30	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
MW-2A	6/24/2020 8:21	Sodium, Total Recoverable	410	mg/L	0.5	7440-23-5	0.26
MW-2A	12/28/2020 9:30	Sodium, Total Recoverable	400	mg/L	0.5	7440-23-5	0.26
MW-2A	12/28/2020 9:30	Sulfate	1800	mg/L	50	14808-79-8	25
MW-2A	6/24/2020 8:21	Sulfate	1600	mg/L	50	14808-79-8	25
MW-2A	12/28/2020 9:30	Sulfate	2200	mg/L	1	14808-79-8	0.5
MW-2A	6/24/2020 8:21	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-2A	12/28/2020 9:30	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-2A	2/18/2020 8:53	Solids, Total Dissolved	2600	mg/L	50	TDS	25
MW-2A	6/24/2020 8:21	Solids, Total Dissolved	2700	mg/L	20	TDS	10
MW-2A	9/23/2020 8:45	Solids, Total Dissolved	2800	mg/L	20	TDS	10
MW-2A	12/28/2020 9:30	Solids, Total Dissolved	2900	mg/L	20	TDS	10
MW-2A	2/18/2020 8:53	Total Organic Carbon	3.5	mg/L	0.1	TOC	0.05
MW-2A	6/24/2020 8:21	Total Organic Carbon	3.9	mg/L	0.1	TOC	0.05
MW-2A	9/23/2020 8:45	Total Organic Carbon	4.3	mg/L	0.1	TOC	0.05
MW-2A	12/28/2020 9:30	Total Organic Carbon	4.1	mg/L	0.1	TOC	0.05
MW-2B	2/18/2020 9:44	Total Organic Carbon	1.9	mg/L	0.1	TOC	0.05
MW-2B	6/24/2020 9:17	Total Organic Carbon	2.1	mg/L	0.1	TOC	0.05
MW-2B	9/23/2020 9:45	Total Organic Carbon	2.4	mg/L	0.1	TOC	0.05
MW-2B	12/28/2020 10:34	Total Organic Carbon	1.9	mg/L	0.1	TOC	0.05
MW-2B	2/18/2020 9:44	Solids, Total Dissolved	2600	mg/L	50	TDS	25
MW-2B	6/24/2020 9:17	Solids, Total Dissolved	2600	mg/L	20	TDS	10
MW-2B	9/23/2020 9:45	Solids, Total Dissolved	2700	mg/L	20	TDS	10
MW-2B	12/28/2020 10:34	Solids, Total Dissolved	2700	mg/L	20	TDS	10
MW-2B	6/24/2020 9:17	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-2B	12/28/2020 10:34	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-2B	6/24/2020 9:17	Sulfate	1600	mg/L	50	14808-79-8	25
MW-2B	12/28/2020 10:34	Sulfate	1800	mg/L	50	14808-79-8	25
MW-2B	6/24/2020 9:17	Sodium, Total Recoverable	480	mg/L	1	7440-23-5	0.52
MW-2B	12/28/2020 10:34	Sodium, Total Recoverable	440	mg/L	0.5	7440-23-5	0.26
MW-2B	6/24/2020 9:17	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
MW-2B	12/28/2020 10:34	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
MW-2B	6/24/2020 9:17	Manganese, Total Recoverable	0.14	mg/L	0.04	7439-96-5	0.03
MW-2B	12/28/2020 10:34	Manganese, Total Recoverable	0.13	mg/L	0.02	7439-96-5	0.015
MW-2B	2/18/2020 9:44	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-2B	6/24/2020 9:17	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-2B	9/23/2020 9:45	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
MW-2B	12/28/2020 10:34	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
MW-2B	6/24/2020 9:17	Magnesium, Total Recoverable	120	mg/L	0.04	7439-95-4	0.02
MW-2B	12/28/2020 10:34	Magnesium, Total Recoverable	110	mg/L	0.02	7439-95-4	0.01
MW-2B	2/18/2020 9:44	Potassium, Total Recoverable	4.6	mg/L	0.5	9/7/7440	0.25
MW-2B	6/24/2020 9:17	Potassium, Total Recoverable	4.7	mg/L	1	9/7/7440	0.5
MW-2B	9/23/2020 9:45	Potassium, Total Recoverable	4.6	mg/L	0.5	9/7/7440	0.25
MW-2B	12/28/2020 10:34	Potassium, Total Recoverable	4.2	mg/L	0.5	9/7/7440	0.25
MW-2B	12/28/2020 10:34	Bicarbonate	340	mg/L	4	HCO3	0
MW-2B	6/24/2020 9:17	Fluoride, Total	0.81	mg/L	1	16984-48-8	0.5
MW-2B	12/28/2020 10:34	Fluoride, Total	0.52	mg/L	1	16984-48-8	0.5
MW-2B	6/24/2020 9:17	Iron, Total Recoverable	2.9	mg/L	0.2	7439-89-6	0.1

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2B	12/28/2020 10:34	Iron, Total Recoverable	2.1	mg/L	0.1	7439-89-6	0.05
MW-2B	6/24/2020 9:17	Carbon Dioxide, Free	28	mg/L	2	124-38-9	0
MW-2B	12/28/2020 10:34	Carbon Dioxide, Free	18	mg/L	2	124-38-9	0
MW-2B	2/18/2020 9:44	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-2B	6/24/2020 9:17	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-2B	9/23/2020 9:45	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-2B	12/28/2020 10:34	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-2B	2/18/2020 9:44	Chloride	14	mg/L	2.5	16887-00-6	1.3
MW-2B	6/24/2020 9:17	Chloride	14	mg/L	1	16887-00-6	0.5
MW-2B	9/23/2020 9:45	Chloride	13	mg/L	2.5	16887-00-6	1.3
MW-2B	12/28/2020 10:34	Chloride	15	mg/L	1	16887-00-6	0.5
MW-2B	6/24/2020 9:17	Bromide	<1	mg/L	1	24959-67-9	0.5
MW-2B	12/28/2020 10:34	Bromide	<1	mg/L	1	24959-67-9	0.5
MW-2B	6/24/2020 9:17	Calcium, Total Recoverable	200	mg/L	0.2	7440-70-2	0.1
MW-2B	12/28/2020 10:34	Calcium, Total Recoverable	180	mg/L	0.1	7440-70-2	0.05
MW-2B	6/24/2020 9:17	Boron, Total Recoverable	0.65	mg/L	0.1	7440-42-8	0.05
MW-2B	12/28/2020 10:34	Boron, Total Recoverable	0.58	mg/L	0.05	7440-42-8	0.025
MW-2B	2/18/2020 9:44	Alkalinity	330	mg/L	4	ALK	0
MW-2B	6/24/2020 9:17	Alkalinity	340	mg/L	4	ALK	0
MW-2B	9/23/2020 9:45	Alkalinity	350	mg/L	4	ALK	0
MW-2B	12/28/2020 10:34	Alkalinity	340	mg/L	4	ALK	0
MW-2B	2/18/2020 9:44	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-2B	6/24/2020 9:17	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-2B	9/23/2020 9:45	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
MW-2B	12/28/2020 10:34	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
MW-2B	2/18/2020 9:44	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-2B	6/24/2020 9:17	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-2B	9/23/2020 9:45	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
MW-2B	12/28/2020 10:34	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
MW-2B	2/18/2020 9:44	Ammonia	4	mg/L	0.2	7664-41-7	0.1
MW-2B	6/24/2020 9:17	Ammonia	3.4	mg/L	0.2	7664-41-7	0.1
MW-2B	9/23/2020 9:45	Ammonia	2.9	mg/L	0.5	7664-41-7	0.1
MW-2B	12/28/2020 10:34	Ammonia	3.2	mg/L	0.5	7664-41-7	0.1
MW-2B	2/18/2020 9:44	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-2B	6/24/2020 9:17	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-2B	9/23/2020 9:45	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
MW-2B	12/28/2020 10:34	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
MW-2B	2/18/2020 9:44	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-2B	6/24/2020 9:17	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-2B	9/23/2020 9:45	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
MW-2B	12/28/2020 10:34	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
MW-2B	2/18/2020 9:44	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-2B	6/24/2020 9:17	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-2B	9/23/2020 9:45	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
MW-2B	12/28/2020 10:34	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
MW-2B	2/18/2020 9:44	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-2B	6/24/2020 9:17	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-2B	9/23/2020 9:45	2-Hexanone	<10	ug/L	10	591-78-6	0.5
MW-2B	12/28/2020 10:34	2-Hexanone	<6	ug/L	6	591-78-6	4.3

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2B	2/18/2020 9:44	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-2B	6/24/2020 9:17	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-2B	9/23/2020 9:45	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
MW-2B	12/28/2020 10:34	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
MW-2B	2/18/2020 9:44	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-2B	6/24/2020 9:17	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-2B	9/23/2020 9:45	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
MW-2B	12/28/2020 10:34	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
MW-2B	2/18/2020 9:44	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-2B	6/24/2020 9:17	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-2B	9/23/2020 9:45	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
MW-2B	12/28/2020 10:34	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
MW-2B	2/18/2020 9:44	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-2B	6/24/2020 9:17	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-2B	9/23/2020 9:45	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
MW-2B	12/28/2020 10:34	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
MW-2B	2/18/2020 9:44	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-2B	6/24/2020 9:17	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-2B	9/23/2020 9:45	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
MW-2B	12/28/2020 10:34	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
MW-2B	2/18/2020 9:44	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-2B	6/24/2020 9:17	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-2B	9/23/2020 9:45	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
MW-2B	12/28/2020 10:34	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
MW-2B	2/18/2020 9:44	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-2B	6/24/2020 9:17	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-2B	9/23/2020 9:45	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
MW-2B	12/28/2020 10:34	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
MW-2B	2/18/2020 9:44	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-2B	6/24/2020 9:17	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-2B	9/23/2020 9:45	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
MW-2B	12/28/2020 10:34	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
MW-2B	2/18/2020 9:44	1,4-Dioxane	<0.96	ug/L	0.96	123-91-1	0.24
MW-2B	6/24/2020 9:17	1,4-Dioxane	<1	ug/L	1	123-91-1	0.25
MW-2B	9/23/2020 9:45	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
MW-2B	12/28/2020 10:34	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
MW-2B	2/18/2020 9:44	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-2B	6/24/2020 9:17	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-2B	9/23/2020 9:45	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
MW-2B	12/28/2020 10:34	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
MW-2B	2/18/2020 9:44	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-2B	6/24/2020 9:17	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-2B	9/23/2020 9:45	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
MW-2B	12/28/2020 10:34	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
MW-2B	2/18/2020 9:44	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-2B	6/24/2020 9:17	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-2B	9/23/2020 9:45	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
MW-2B	12/28/2020 10:34	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
MW-2B	2/18/2020 9:44	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2B	6/24/2020 9:17	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-2B	9/23/2020 9:45	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
MW-2B	12/28/2020 10:34	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
MW-2B	2/18/2020 9:44	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-2B	6/24/2020 9:17	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-2B	9/23/2020 9:45	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
MW-2B	12/28/2020 10:34	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
MW-2B	2/18/2020 9:44	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-2B	6/24/2020 9:17	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-2B	9/23/2020 9:45	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
MW-2B	12/28/2020 10:34	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
MW-2B	2/18/2020 9:44	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-2B	6/24/2020 9:17	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-2B	9/23/2020 9:45	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
MW-2B	12/28/2020 10:34	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
MW-2B	2/18/2020 9:44	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-2B	6/24/2020 9:17	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-2B	9/23/2020 9:45	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
MW-2B	12/28/2020 10:34	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
MW-2B	2/18/2020 9:44	Propionitrile	<20	ug/L	20	107-12-0	10
MW-2B	6/24/2020 9:17	Propionitrile	<20	ug/L	20	107-12-0	10
MW-2B	9/23/2020 9:45	Propionitrile	<5	ug/L	5	107-12-0	1
MW-2B	12/28/2020 10:34	Propionitrile	<5	ug/L	5	107-12-0	3.7
MW-2B	2/18/2020 9:44	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-2B	2/18/2020 9:44	Acrylonitrile	<2	ug/L	2	107-13-1	1
MW-2B	6/24/2020 9:17	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-2B	9/23/2020 9:45	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
MW-2B	12/28/2020 10:34	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
MW-2B	2/18/2020 9:44	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-2B	6/24/2020 9:17	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-2B	9/23/2020 9:45	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
MW-2B	12/28/2020 10:34	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
MW-2B	2/18/2020 9:44	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-2B	6/24/2020 9:17	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-2B	9/23/2020 9:45	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
MW-2B	12/28/2020 10:34	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
MW-2B	2/18/2020 9:44	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-2B	2/18/2020 9:44	Acrolein	<5	ug/L	5	107-02-8	2.5
MW-2B	6/24/2020 9:17	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-2B	9/23/2020 9:45	Acrolein	<10	ug/L	10	107-02-8	0.59
MW-2B	12/28/2020 10:34	Acrolein	<4	ug/L	4	107-02-8	2.2
MW-2B	2/18/2020 9:44	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-2B	6/24/2020 9:17	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-2B	9/23/2020 9:45	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
MW-2B	12/28/2020 10:34	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
MW-2B	2/18/2020 9:44	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-2B	6/24/2020 9:17	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-2B	9/23/2020 9:45	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
MW-2B	12/28/2020 10:34	Styrene	<0.5	ug/L	0.5	100-42-5	0.28

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2B	2/18/2020 9:44	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-2B	6/24/2020 9:17	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-2B	9/23/2020 9:45	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
MW-2B	12/28/2020 10:34	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
MW-2B	2/18/2020 9:44	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-2B	6/24/2020 9:17	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-2B	9/23/2020 9:45	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
MW-2B	12/28/2020 10:34	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
MW-2B	2/18/2020 9:44	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-2B	6/24/2020 9:17	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-2B	9/23/2020 9:45	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
MW-2B	12/28/2020 10:34	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
MW-2B	2/18/2020 9:44	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-2B	6/24/2020 9:17	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-2B	9/23/2020 9:45	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
MW-2B	12/28/2020 10:34	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
MW-2B	2/18/2020 9:44	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-2B	6/24/2020 9:17	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-2B	9/23/2020 9:45	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
MW-2B	12/28/2020 10:34	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
MW-2B	2/18/2020 9:44	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-2B	6/24/2020 9:17	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-2B	9/23/2020 9:45	Naphthalene	<1	ug/L	1	91-20-3	0.097
MW-2B	12/28/2020 10:34	Naphthalene	<1	ug/L	1	91-20-3	0.32
MW-2B	2/18/2020 9:44	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-2B	6/24/2020 9:17	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-2B	9/23/2020 9:45	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
MW-2B	12/28/2020 10:34	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
MW-2B	2/18/2020 9:44	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-2B	6/24/2020 9:17	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-2B	9/23/2020 9:45	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
MW-2B	12/28/2020 10:34	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
MW-2B	2/18/2020 9:44	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-2B	6/24/2020 9:17	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-2B	9/23/2020 9:45	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
MW-2B	12/28/2020 10:34	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
MW-2B	2/18/2020 9:44	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-2B	6/24/2020 9:17	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-2B	9/23/2020 9:45	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
MW-2B	12/28/2020 10:34	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
MW-2B	2/18/2020 9:44	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-2B	6/24/2020 9:17	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-2B	9/23/2020 9:45	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
MW-2B	12/28/2020 10:34	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
MW-2B	2/18/2020 9:44	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-2B	6/24/2020 9:17	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-2B	9/23/2020 9:45	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
MW-2B	12/28/2020 10:34	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
MW-2B	2/18/2020 9:44	2-Butanone	<5	ug/L	5	78-93-3	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2B	6/24/2020 9:17	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-2B	9/23/2020 9:45	2-Butanone	<5	ug/L	5	78-93-3	0.46
MW-2B	12/28/2020 10:34	2-Butanone	<5	ug/L	5	78-93-3	3
MW-2B	2/18/2020 9:44	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-2B	6/24/2020 9:17	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-2B	9/23/2020 9:45	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
MW-2B	12/28/2020 10:34	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
MW-2B	2/18/2020 9:44	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-2B	6/24/2020 9:17	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-2B	9/23/2020 9:45	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
MW-2B	12/28/2020 10:34	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
MW-2B	2/18/2020 9:44	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-2B	6/24/2020 9:17	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-2B	9/23/2020 9:45	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
MW-2B	12/28/2020 10:34	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
MW-2B	2/18/2020 9:44	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-2B	6/24/2020 9:17	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-2B	9/23/2020 9:45	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
MW-2B	12/28/2020 10:34	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
MW-2B	2/18/2020 9:44	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-2B	6/24/2020 9:17	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-2B	9/23/2020 9:45	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
MW-2B	12/28/2020 10:34	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
MW-2B	2/18/2020 9:44	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-2B	6/24/2020 9:17	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-2B	9/23/2020 9:45	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
MW-2B	12/28/2020 10:34	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
MW-2B	2/18/2020 9:44	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-2B	6/24/2020 9:17	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-2B	9/23/2020 9:45	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
MW-2B	12/28/2020 10:34	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
MW-2B	2/18/2020 9:44	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-2B	6/24/2020 9:17	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-2B	9/23/2020 9:45	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
MW-2B	12/28/2020 10:34	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
MW-2B	2/18/2020 9:44	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-2B	6/24/2020 9:17	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-2B	9/23/2020 9:45	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
MW-2B	12/28/2020 10:34	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
MW-2B	2/18/2020 9:44	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-2B	6/24/2020 9:17	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-2B	9/23/2020 9:45	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
MW-2B	12/28/2020 10:34	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
MW-2B	2/18/2020 9:44	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-2B	6/24/2020 9:17	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-2B	9/23/2020 9:45	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
MW-2B	12/28/2020 10:34	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
MW-2B	2/18/2020 9:44	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-2B	6/24/2020 9:17	Acetonitrile	<20	ug/L	20	75-05-8	10

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2B	9/23/2020 9:45	Acetonitrile	<10	ug/L	10	75-05-8	2
MW-2B	12/28/2020 10:34	Acetonitrile	<10	ug/L	10	75-05-8	3.9
MW-2B	2/18/2020 9:44	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-2B	6/24/2020 9:17	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-2B	9/23/2020 9:45	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
MW-2B	12/28/2020 10:34	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
MW-2B	2/18/2020 9:44	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-2B	6/24/2020 9:17	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-2B	9/23/2020 9:45	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
MW-2B	12/28/2020 10:34	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
MW-2B	2/18/2020 9:44	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-2B	6/24/2020 9:17	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-2B	9/23/2020 9:45	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
MW-2B	12/28/2020 10:34	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
MW-2B	2/18/2020 9:44	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-2B	6/24/2020 9:17	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-2B	9/23/2020 9:45	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
MW-2B	12/28/2020 10:34	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
MW-2B	2/18/2020 9:44	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-2B	6/24/2020 9:17	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-2B	9/23/2020 9:45	Methyl Iodide	<25	ug/L	25	74-88-4	14
MW-2B	12/28/2020 10:34	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
MW-2B	2/18/2020 9:44	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-2B	6/24/2020 9:17	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-2B	9/23/2020 9:45	Bromomethane	<2	ug/L	2	74-83-9	0.99
MW-2B	12/28/2020 10:34	Bromomethane	<1	ug/L	1	74-83-9	0.93
MW-2B	2/18/2020 9:44	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-2B	6/24/2020 9:17	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-2B	9/23/2020 9:45	Chloromethane	<5	ug/L	5	74-87-3	2
MW-2B	12/28/2020 10:34	Chloromethane	<1	ug/L	1	74-87-3	0.29
MW-2B	2/18/2020 9:44	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-2B	6/24/2020 9:17	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-2B	9/23/2020 9:45	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
MW-2B	12/28/2020 10:34	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
MW-2B	2/18/2020 9:44	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-2B	6/24/2020 9:17	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-2B	9/23/2020 9:45	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
MW-2B	12/28/2020 10:34	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
MW-2B	2/18/2020 9:44	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-2B	6/24/2020 9:17	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-2B	9/23/2020 9:45	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
MW-2B	12/28/2020 10:34	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
MW-2B	2/18/2020 9:44	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-2B	6/24/2020 9:17	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-2B	9/23/2020 9:45	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
MW-2B	12/28/2020 10:34	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
MW-2B	2/18/2020 9:44	Acetone	<20	ug/L	20	67-64-1	10
MW-2B	6/24/2020 9:17	Acetone	<20	ug/L	20	67-64-1	10
MW-2B	9/23/2020 9:45	Acetone	<10	ug/L	10	67-64-1	4

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-2B	12/28/2020 10:34	Acetone	<8	ug/L	8	67-64-1	4
MW-5	2/18/2020 8:20	Acetone	<20	ug/L	20	67-64-1	10
MW-5	6/23/2020 10:30	Acetone	<20	ug/L	20	67-64-1	10
MW-5	9/22/2020 10:07	Acetone	<10	ug/L	10	67-64-1	4
MW-5	12/29/2020 12:00	Acetone	<8	ug/L	8	67-64-1	4
MW-5	2/18/2020 8:20	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-5	6/23/2020 10:30	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-5	9/22/2020 10:07	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
MW-5	12/29/2020 12:00	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
MW-5	2/18/2020 8:20	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-5	6/23/2020 10:30	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-5	9/22/2020 10:07	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
MW-5	12/29/2020 12:00	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
MW-5	2/18/2020 8:20	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-5	6/23/2020 10:30	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-5	9/22/2020 10:07	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
MW-5	12/29/2020 12:00	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
MW-5	2/18/2020 8:20	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-5	6/23/2020 10:30	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-5	9/22/2020 10:07	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
MW-5	12/29/2020 12:00	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
MW-5	2/18/2020 8:20	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-5	6/23/2020 10:30	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-5	9/22/2020 10:07	Chloromethane	<5	ug/L	5	74-87-3	2
MW-5	12/29/2020 12:00	Chloromethane	<1	ug/L	1	74-87-3	0.29
MW-5	2/18/2020 8:20	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-5	6/23/2020 10:30	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-5	9/22/2020 10:07	Bromomethane	<2	ug/L	2	74-83-9	0.99
MW-5	12/29/2020 12:00	Bromomethane	<1	ug/L	1	74-83-9	0.93
MW-5	2/18/2020 8:20	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-5	6/23/2020 10:30	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-5	9/22/2020 10:07	Methyl Iodide	<25	ug/L	25	74-88-4	14
MW-5	12/29/2020 12:00	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
MW-5	2/18/2020 8:20	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-5	6/23/2020 10:30	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-5	9/22/2020 10:07	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
MW-5	12/29/2020 12:00	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
MW-5	2/18/2020 8:20	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-5	6/23/2020 10:30	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-5	9/22/2020 10:07	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
MW-5	12/29/2020 12:00	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
MW-5	2/18/2020 8:20	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-5	6/23/2020 10:30	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-5	9/22/2020 10:07	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
MW-5	12/29/2020 12:00	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
MW-5	2/18/2020 8:20	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-5	6/23/2020 10:30	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-5	9/22/2020 10:07	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
MW-5	12/29/2020 12:00	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-5	2/18/2020 8:20	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-5	6/23/2020 10:30	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-5	9/22/2020 10:07	Acetonitrile	<10	ug/L	10	75-05-8	2
MW-5	12/29/2020 12:00	Acetonitrile	<10	ug/L	10	75-05-8	3.9
MW-5	2/18/2020 8:20	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-5	6/23/2020 10:30	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-5	9/22/2020 10:07	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
MW-5	12/29/2020 12:00	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
MW-5	2/18/2020 8:20	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-5	6/23/2020 10:30	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-5	9/22/2020 10:07	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
MW-5	12/29/2020 12:00	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
MW-5	2/18/2020 8:20	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-5	6/23/2020 10:30	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-5	9/22/2020 10:07	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
MW-5	12/29/2020 12:00	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
MW-5	2/18/2020 8:20	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-5	6/23/2020 10:30	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-5	9/22/2020 10:07	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
MW-5	12/29/2020 12:00	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
MW-5	2/18/2020 8:20	1,1-Dimethylethanol	16	ug/L	10	75-65-0	5
MW-5	6/23/2020 10:30	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-5	9/22/2020 10:07	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
MW-5	12/29/2020 12:00	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
MW-5	2/18/2020 8:20	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-5	6/23/2020 10:30	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-5	9/22/2020 10:07	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
MW-5	12/29/2020 12:00	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
MW-5	2/18/2020 8:20	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-5	6/23/2020 10:30	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-5	9/22/2020 10:07	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
MW-5	12/29/2020 12:00	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
MW-5	2/18/2020 8:20	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-5	6/23/2020 10:30	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-5	9/22/2020 10:07	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
MW-5	12/29/2020 12:00	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
MW-5	2/18/2020 8:20	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-5	6/23/2020 10:30	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-5	9/22/2020 10:07	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
MW-5	12/29/2020 12:00	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
MW-5	2/18/2020 8:20	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-5	6/23/2020 10:30	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-5	9/22/2020 10:07	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
MW-5	12/29/2020 12:00	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
MW-5	2/18/2020 8:20	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-5	6/23/2020 10:30	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-5	9/22/2020 10:07	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
MW-5	12/29/2020 12:00	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
MW-5	2/18/2020 8:20	2-Butanone	<5	ug/L	5	78-93-3	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-5	6/23/2020 10:30	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-5	9/22/2020 10:07	2-Butanone	<5	ug/L	5	78-93-3	0.46
MW-5	12/29/2020 12:00	2-Butanone	<5	ug/L	5	78-93-3	3
MW-5	2/18/2020 8:20	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-5	6/23/2020 10:30	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-5	9/22/2020 10:07	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
MW-5	12/29/2020 12:00	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
MW-5	2/18/2020 8:20	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-5	6/23/2020 10:30	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-5	9/22/2020 10:07	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
MW-5	12/29/2020 12:00	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
MW-5	2/18/2020 8:20	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-5	6/23/2020 10:30	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-5	9/22/2020 10:07	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
MW-5	12/29/2020 12:00	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
MW-5	2/18/2020 8:20	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-5	6/23/2020 10:30	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-5	9/22/2020 10:07	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
MW-5	12/29/2020 12:00	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
MW-5	2/18/2020 8:20	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-5	6/23/2020 10:30	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-5	9/22/2020 10:07	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
MW-5	12/29/2020 12:00	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
MW-5	2/18/2020 8:20	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-5	6/23/2020 10:30	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-5	9/22/2020 10:07	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
MW-5	12/29/2020 12:00	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
MW-5	2/18/2020 8:20	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-5	6/23/2020 10:30	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-5	9/22/2020 10:07	Naphthalene	<1	ug/L	1	91-20-3	0.097
MW-5	12/29/2020 12:00	Naphthalene	<1	ug/L	1	91-20-3	0.32
MW-5	2/18/2020 8:20	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-5	6/23/2020 10:30	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-5	9/22/2020 10:07	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
MW-5	12/29/2020 12:00	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
MW-5	2/18/2020 8:20	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-5	6/23/2020 10:30	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-5	9/22/2020 10:07	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
MW-5	12/29/2020 12:00	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
MW-5	2/18/2020 8:20	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-5	6/23/2020 10:30	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-5	9/22/2020 10:07	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
MW-5	12/29/2020 12:00	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
MW-5	2/18/2020 8:20	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-5	6/23/2020 10:30	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-5	9/22/2020 10:07	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
MW-5	12/29/2020 12:00	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
MW-5	2/18/2020 8:20	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-5	6/23/2020 10:30	Styrene	<0.5	ug/L	0.5	100-42-5	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-5	9/22/2020 10:07	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
MW-5	12/29/2020 12:00	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
MW-5	2/18/2020 8:20	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-5	6/23/2020 10:30	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-5	9/22/2020 10:07	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
MW-5	12/29/2020 12:00	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
MW-5	2/18/2020 8:20	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-5	6/23/2020 10:30	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-5	9/22/2020 10:07	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
MW-5	12/29/2020 12:00	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
MW-5	2/18/2020 8:20	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-5	2/18/2020 8:20	Acrolein	<5	ug/L	5	107-02-8	2.5
MW-5	6/23/2020 10:30	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-5	9/22/2020 10:07	Acrolein	<10	ug/L	10	107-02-8	0.59
MW-5	12/29/2020 12:00	Acrolein	<4	ug/L	4	107-02-8	2.2
MW-5	2/18/2020 8:20	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-5	6/23/2020 10:30	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-5	9/22/2020 10:07	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
MW-5	12/29/2020 12:00	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
MW-5	2/18/2020 8:20	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-5	6/23/2020 10:30	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-5	9/22/2020 10:07	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
MW-5	12/29/2020 12:00	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
MW-5	2/18/2020 8:20	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-5	2/18/2020 8:20	Acrylonitrile	<2	ug/L	2	107-13-1	1
MW-5	6/23/2020 10:30	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-5	9/22/2020 10:07	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
MW-5	12/29/2020 12:00	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
MW-5	2/18/2020 8:20	Propionitrile	<20	ug/L	20	107-12-0	10
MW-5	6/23/2020 10:30	Propionitrile	<20	ug/L	20	107-12-0	10
MW-5	9/22/2020 10:07	Propionitrile	<5	ug/L	5	107-12-0	1
MW-5	12/29/2020 12:00	Propionitrile	<5	ug/L	5	107-12-0	3.7
MW-5	2/18/2020 8:20	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-5	6/23/2020 10:30	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-5	9/22/2020 10:07	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
MW-5	12/29/2020 12:00	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
MW-5	2/18/2020 8:20	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-5	6/23/2020 10:30	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-5	9/22/2020 10:07	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
MW-5	12/29/2020 12:00	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
MW-5	2/18/2020 8:20	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-5	6/23/2020 10:30	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-5	9/22/2020 10:07	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
MW-5	12/29/2020 12:00	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
MW-5	2/18/2020 8:20	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-5	6/23/2020 10:30	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-5	9/22/2020 10:07	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
MW-5	12/29/2020 12:00	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
MW-5	2/18/2020 8:20	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-5	6/23/2020 10:30	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-5	9/22/2020 10:07	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
MW-5	12/29/2020 12:00	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
MW-5	2/18/2020 8:20	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-5	6/23/2020 10:30	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-5	9/22/2020 10:07	Tetrahydrofuran	1.7	ug/L	2	109-99-9	0.57
MW-5	12/29/2020 12:00	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
MW-5	2/18/2020 8:20	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-5	6/23/2020 10:30	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-5	9/22/2020 10:07	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
MW-5	12/29/2020 12:00	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
MW-5	2/18/2020 8:20	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-5	6/23/2020 10:30	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-5	9/22/2020 10:07	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
MW-5	12/29/2020 12:00	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
MW-5	2/18/2020 8:20	1,4-Dioxane	4.8	ug/L	0.97	123-91-1	0.24
MW-5	6/23/2020 10:30	1,4-Dioxane	2.4	ug/L	0.99	123-91-1	0.25
MW-5	9/22/2020 10:07	1,4-Dioxane	4.4	ug/L	0.5	123-91-1	0.18
MW-5	12/29/2020 12:00	1,4-Dioxane	3.5	ug/L	0.5	123-91-1	0.34
MW-5	2/18/2020 8:20	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-5	6/23/2020 10:30	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-5	9/22/2020 10:07	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
MW-5	12/29/2020 12:00	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
MW-5	2/18/2020 8:20	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-5	6/23/2020 10:30	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-5	9/22/2020 10:07	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
MW-5	12/29/2020 12:00	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
MW-5	2/18/2020 8:20	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-5	6/23/2020 10:30	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-5	9/22/2020 10:07	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
MW-5	12/29/2020 12:00	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
MW-5	2/18/2020 8:20	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-5	6/23/2020 10:30	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-5	9/22/2020 10:07	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
MW-5	12/29/2020 12:00	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
MW-5	2/18/2020 8:20	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-5	6/23/2020 10:30	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-5	9/22/2020 10:07	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
MW-5	12/29/2020 12:00	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
MW-5	2/18/2020 8:20	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-5	6/23/2020 10:30	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-5	9/22/2020 10:07	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
MW-5	12/29/2020 12:00	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
MW-5	2/18/2020 8:20	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-5	6/23/2020 10:30	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-5	9/22/2020 10:07	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
MW-5	12/29/2020 12:00	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
MW-5	2/18/2020 8:20	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-5	6/23/2020 10:30	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-5	9/22/2020 10:07	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
MW-5	12/29/2020 12:00	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
MW-5	2/18/2020 8:20	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-5	6/23/2020 10:30	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-5	9/22/2020 10:07	2-Hexanone	<10	ug/L	10	591-78-6	0.5
MW-5	12/29/2020 12:00	2-Hexanone	<6	ug/L	6	591-78-6	4.3
MW-5	2/18/2020 8:20	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-5	6/23/2020 10:30	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-5	9/22/2020 10:07	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
MW-5	12/29/2020 12:00	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
MW-5	2/18/2020 8:20	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-5	6/23/2020 10:30	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-5	9/22/2020 10:07	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
MW-5	12/29/2020 12:00	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
MW-5	2/18/2020 8:20	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-5	6/23/2020 10:30	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-5	9/22/2020 10:07	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
MW-5	12/29/2020 12:00	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
MW-5	2/18/2020 8:20	Ammonia	4	mg/L	0.2	7664-41-7	0.1
MW-5	6/23/2020 10:30	Ammonia	3.8	mg/L	0.2	7664-41-7	0.1
MW-5	9/22/2020 10:07	Ammonia	3.6	mg/L	0.2	7664-41-7	0.1
MW-5	12/29/2020 12:00	Ammonia	3.4	mg/L	0.5	7664-41-7	0.1
MW-5	2/18/2020 8:20	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-5	6/23/2020 10:30	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-5	9/22/2020 10:07	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
MW-5	12/29/2020 12:00	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
MW-5	2/18/2020 8:20	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-5	6/23/2020 10:30	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-5	9/22/2020 10:07	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
MW-5	12/29/2020 12:00	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
MW-5	2/18/2020 8:20	Alkalinity	560	mg/L	4	ALK	0
MW-5	6/23/2020 10:30	Alkalinity	530	mg/L	4	ALK	0
MW-5	9/22/2020 10:07	Alkalinity	490	mg/L	4	ALK	0
MW-5	12/29/2020 12:00	Alkalinity	470	mg/L	4	ALK	0
MW-5	6/23/2020 10:30	Boron, Total Recoverable	1	mg/L	0.05	7440-42-8	0.025
MW-5	12/29/2020 12:00	Boron, Total Recoverable	1	mg/L	0.05	7440-42-8	0.025
MW-5	6/23/2020 10:30	Calcium, Total Recoverable	400	mg/L	0.1	7440-70-2	0.05
MW-5	12/29/2020 12:00	Calcium, Total Recoverable	370	mg/L	0.1	7440-70-2	0.05
MW-5	6/23/2020 10:30	Bromide	2.8	mg/L	1	24959-67-9	0.5
MW-5	12/29/2020 12:00	Bromide	3.3	mg/L	0.5	24959-67-9	0.25
MW-5	2/18/2020 8:20	Chloride	260	mg/L	25	16887-00-6	13
MW-5	6/23/2020 10:30	Chloride	290	mg/L	50	16887-00-6	25
MW-5	9/22/2020 10:07	Chloride	250	mg/L	25	16887-00-6	13
MW-5	12/29/2020 12:00	Chloride	280	mg/L	25	16887-00-6	13
MW-5	2/18/2020 8:20	Chemical Oxygen Demand	14	mg/L	20	COD	10
MW-5	6/23/2020 10:30	Chemical Oxygen Demand	43	mg/L	20	COD	10
MW-5	9/22/2020 10:07	Chemical Oxygen Demand	21	mg/L	20	COD	10
MW-5	12/29/2020 12:00	Chemical Oxygen Demand	62	mg/L	20	COD	10
MW-5	6/23/2020 10:30	Carbon Dioxide, Free	81	mg/L	2	124-38-9	0

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-5	12/29/2020 12:00	Carbon Dioxide, Free	51	mg/L	2	124-38-9	0
MW-5	6/23/2020 10:30	Iron, Total Recoverable	37	mg/L	0.1	7439-89-6	0.05
MW-5	12/29/2020 12:00	Iron, Total Recoverable	30	mg/L	0.1	7439-89-6	0.05
MW-5	6/23/2020 10:30	Fluoride, Total	2.9	mg/L	1	16984-48-8	0.5
MW-5	12/29/2020 12:00	Fluoride, Total	2.6	mg/L	0.5	16984-48-8	0.25
MW-5	6/23/2020 10:30	Bicarbonate	530	mg/L	4	HCO3	0
MW-5	12/29/2020 12:00	Bicarbonate	470	mg/L	4	HCO3	0
MW-5	2/18/2020 8:20	Potassium, Total Recoverable	23	mg/L	0.5	9/7/7440	0.25
MW-5	6/23/2020 10:30	Potassium, Total Recoverable	23	mg/L	0.5	9/7/7440	0.25
MW-5	9/22/2020 10:07	Potassium, Total Recoverable	22	mg/L	0.5	9/7/7440	0.25
MW-5	12/29/2020 12:00	Potassium, Total Recoverable	22	mg/L	0.5	9/7/7440	0.25
MW-5	6/23/2020 10:30	Magnesium, Total Recoverable	180	mg/L	0.02	7439-95-4	0.01
MW-5	12/29/2020 12:00	Magnesium, Total Recoverable	150	mg/L	0.02	7439-95-4	0.01
MW-5	2/18/2020 8:20	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-5	6/23/2020 10:30	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-5	9/22/2020 10:07	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
MW-5	12/29/2020 12:00	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
MW-5	6/23/2020 10:30	Manganese, Total Recoverable	4.5	mg/L	0.02	7439-96-5	0.015
MW-5	12/29/2020 12:00	Manganese, Total Recoverable	3.9	mg/L	0.02	7439-96-5	0.015
MW-5	6/23/2020 10:30	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
MW-5	12/29/2020 12:00	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
MW-5	6/23/2020 10:30	Sodium, Total Recoverable	300	mg/L	0.5	7440-23-5	0.26
MW-5	12/29/2020 12:00	Sodium, Total Recoverable	300	mg/L	0.5	7440-23-5	0.26
MW-5	6/23/2020 10:30	Sulfate	1500	mg/L	50	14808-79-8	25
MW-5	12/29/2020 12:00	Sulfate	1500	mg/L	25	14808-79-8	13
MW-5	6/23/2020 10:30	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-5	12/29/2020 12:00	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-5	2/18/2020 8:20	Solids, Total Dissolved	3000	mg/L	50	TDS	25
MW-5	6/23/2020 10:30	Solids, Total Dissolved	3200	mg/L	20	TDS	10
MW-5	9/22/2020 10:07	Solids, Total Dissolved	3200	mg/L	20	TDS	10
MW-5	12/29/2020 12:00	Solids, Total Dissolved	2900	mg/L	50	TDS	25
MW-5	2/18/2020 8:20	Total Organic Carbon	17	mg/L	0.5	TOC	0.25
MW-5	6/23/2020 10:30	Total Organic Carbon	20	mg/L	1	TOC	0.5
MW-5	9/22/2020 10:07	Total Organic Carbon	22	mg/L	0.5	TOC	0.25
MW-5	12/29/2020 12:00	Total Organic Carbon	17	mg/L	0.5	TOC	0.25
MW-6	2/17/2020 14:00	Total Organic Carbon	5.3	mg/L	0.1	TOC	0.05
MW-6	6/22/2020 11:17	Total Organic Carbon	5.7	mg/L	0.1	TOC	0.05
MW-6	9/21/2020 10:32	Total Organic Carbon	6.2	mg/L	0.1	TOC	0.05
MW-6	12/21/2020 11:10	Total Organic Carbon	6.6	mg/L	0.5	TOC	0.25
MW-6	2/17/2020 14:00	Solids, Total Dissolved	3300	mg/L	20	TDS	10
MW-6	6/22/2020 11:17	Solids, Total Dissolved	3700	mg/L	20	TDS	10
MW-6	9/21/2020 10:32	Solids, Total Dissolved	3600	mg/L	20	TDS	10
MW-6	12/21/2020 11:10	Solids, Total Dissolved	3400	mg/L	20	TDS	10
MW-6	6/22/2020 11:17	Sulfate	2200	mg/L	50	14808-79-8	25
MW-6	12/21/2020 11:10	Sulfate	2300	mg/L	5	14808-79-8	2.5
MW-6	6/22/2020 11:17	Sulfide, Total	6.3	mg/L	0.5	18496-25-8	0.27
MW-6	12/21/2020 11:10	Sulfide, Total	8.1	mg/L	1	18496-25-8	0.54
MW-6	6/22/2020 11:17	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
MW-6	12/21/2020 11:10	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-6	6/22/2020 11:17	Sodium, Total Recoverable	330	mg/L	0.5	7440-23-5	0.26
MW-6	12/21/2020 11:10	Sodium, Total Recoverable	310	mg/L	0.5	7440-23-5	0.26
MW-6	12/21/2020 11:10	Sulfate	1900	mg/L	50	14808-79-8	25
MW-6	6/22/2020 11:17	Manganese, Total Recoverable	1.3	mg/L	0.02	7439-96-5	0.015
MW-6	12/21/2020 11:10	Manganese, Total Recoverable	0.76	mg/L	0.02	7439-96-5	0.015
MW-6	2/17/2020 14:00	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-6	6/22/2020 11:17	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-6	9/21/2020 10:32	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
MW-6	12/21/2020 11:10	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
MW-6	2/17/2020 14:00	Potassium, Total Recoverable	5.8	mg/L	0.5	9/7/7440	0.25
MW-6	6/22/2020 11:17	Potassium, Total Recoverable	6.5	mg/L	0.5	9/7/7440	0.25
MW-6	9/21/2020 10:32	Potassium, Total Recoverable	5.4	mg/L	0.5	9/7/7440	0.25
MW-6	12/21/2020 11:10	Potassium, Total Recoverable	5.1	mg/L	0.5	9/7/7440	0.25
MW-6	6/22/2020 11:17	Magnesium, Total Recoverable	210	mg/L	0.02	7439-95-4	0.01
MW-6	12/21/2020 11:10	Magnesium, Total Recoverable	190	mg/L	0.02	7439-95-4	0.01
MW-6	6/22/2020 11:17	Bicarbonate	480	mg/L	4	HCO3	0
MW-6	12/21/2020 11:10	Bicarbonate	460	mg/L	4	HCO3	0
MW-6	6/22/2020 11:17	Fluoride, Total	1.6	mg/L	1	16984-48-8	0.5
MW-6	12/21/2020 11:10	Fluoride, Total	1.1	mg/L	0.5	16984-48-8	0.25
MW-6	6/22/2020 11:17	Iron, Total Recoverable	1.5	mg/L	0.1	7439-89-6	0.05
MW-6	12/21/2020 11:10	Iron, Total Recoverable	0.19	mg/L	0.1	7439-89-6	0.05
MW-6	6/22/2020 11:17	Carbon Dioxide, Free	63	mg/L	2	124-38-9	0
MW-6	12/21/2020 11:10	Carbon Dioxide, Free	28	mg/L	2	124-38-9	0
MW-6	2/17/2020 14:00	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-6	6/22/2020 11:17	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-6	9/21/2020 10:32	Chemical Oxygen Demand	<20	mg/L	20	COD	10
MW-6	12/21/2020 11:10	Chemical Oxygen Demand	16	mg/L	20	COD	10
MW-6	2/17/2020 14:00	Chloride	35	mg/L	2.5	16887-00-6	1.3
MW-6	6/22/2020 11:17	Chloride	37	mg/L	5	16887-00-6	2.5
MW-6	9/21/2020 10:32	Chloride	40	mg/L	2.5	16887-00-6	1.3
MW-6	12/21/2020 11:10	Chloride	37	mg/L	5	16887-00-6	2.5
MW-6	6/22/2020 11:17	Bromide	0.86	mg/L	1	24959-67-9	0.5
MW-6	12/21/2020 11:10	Bromide	1.2	mg/L	0.5	24959-67-9	0.25
MW-6	6/22/2020 11:17	Calcium, Total Recoverable	410	mg/L	0.1	7440-70-2	0.05
MW-6	12/21/2020 11:10	Calcium, Total Recoverable	340	mg/L	0.1	7440-70-2	0.05
MW-6	6/22/2020 11:17	Boron, Total Recoverable	0.74	mg/L	0.05	7440-42-8	0.025
MW-6	12/21/2020 11:10	Boron, Total Recoverable	0.73	mg/L	0.05	7440-42-8	0.025
MW-6	12/21/2020 11:10	Bromide	<5	mg/L	5	24959-67-9	2.5
MW-6	2/17/2020 14:00	Alkalinity	460	mg/L	4	ALK	0
MW-6	6/22/2020 11:17	Alkalinity	480	mg/L	4	ALK	0
MW-6	9/21/2020 10:32	Alkalinity	450	mg/L	4	ALK	0
MW-6	12/21/2020 11:10	Alkalinity	460	mg/L	4	ALK	0
MW-6	2/17/2020 14:00	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-6	6/22/2020 11:17	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-6	9/21/2020 10:32	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
MW-6	12/21/2020 11:10	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
MW-6	2/17/2020 14:00	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-6	6/22/2020 11:17	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-6	9/21/2020 10:32	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-6	12/21/2020 11:10	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
MW-6	2/17/2020 14:00	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-6	6/22/2020 11:17	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
MW-6	9/21/2020 10:32	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
MW-6	12/21/2020 11:10	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
MW-6	2/17/2020 14:00	Ammonia	0.84	mg/L	0.2	7664-41-7	0.1
MW-6	6/22/2020 11:17	Ammonia	0.88	mg/L	1	7664-41-7	0.5
MW-6	9/21/2020 10:32	Ammonia	0.85	mg/L	0.2	7664-41-7	0.1
MW-6	12/21/2020 11:10	Ammonia	0.61	mg/L	0.5	7664-41-7	0.1
MW-6	2/17/2020 14:00	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-6	6/22/2020 11:17	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-6	9/21/2020 10:32	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
MW-6	12/21/2020 11:10	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
MW-6	2/17/2020 14:00	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-6	6/22/2020 11:17	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-6	9/21/2020 10:32	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
MW-6	12/21/2020 11:10	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
MW-6	2/17/2020 14:00	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-6	6/22/2020 11:17	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-6	9/21/2020 10:32	2-Hexanone	<10	ug/L	10	591-78-6	0.5
MW-6	12/21/2020 11:10	2-Hexanone	<6	ug/L	6	591-78-6	4.3
MW-6	2/17/2020 14:00	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-6	6/22/2020 11:17	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-6	9/21/2020 10:32	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
MW-6	12/21/2020 11:10	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
MW-6	2/17/2020 14:00	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-6	6/22/2020 11:17	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-6	9/21/2020 10:32	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
MW-6	12/21/2020 11:10	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
MW-6	2/17/2020 14:00	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-6	6/22/2020 11:17	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-6	9/21/2020 10:32	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
MW-6	12/21/2020 11:10	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
MW-6	2/17/2020 14:00	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-6	6/22/2020 11:17	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
MW-6	9/21/2020 10:32	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
MW-6	12/21/2020 11:10	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
MW-6	2/17/2020 14:00	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-6	6/22/2020 11:17	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-6	9/21/2020 10:32	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
MW-6	12/21/2020 11:10	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
MW-6	2/17/2020 14:00	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-6	6/22/2020 11:17	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-6	9/21/2020 10:32	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
MW-6	12/21/2020 11:10	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
MW-6	2/17/2020 14:00	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-6	6/22/2020 11:17	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-6	9/21/2020 10:32	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
MW-6	12/21/2020 11:10	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-6	2/17/2020 14:00	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-6	6/22/2020 11:17	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-6	9/21/2020 10:32	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
MW-6	12/21/2020 11:10	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
MW-6	2/17/2020 14:00	1,4-Dioxane	<1	ug/L	1	123-91-1	0.25
MW-6	6/22/2020 11:17	1,4-Dioxane	<1	ug/L	1	123-91-1	0.25
MW-6	9/21/2020 10:32	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
MW-6	12/21/2020 11:10	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
MW-6	2/17/2020 14:00	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-6	6/22/2020 11:17	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-6	9/21/2020 10:32	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
MW-6	12/21/2020 11:10	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
MW-6	2/17/2020 14:00	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-6	6/22/2020 11:17	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-6	9/21/2020 10:32	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
MW-6	12/21/2020 11:10	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
MW-6	2/17/2020 14:00	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-6	6/22/2020 11:17	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
MW-6	9/21/2020 10:32	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
MW-6	12/21/2020 11:10	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
MW-6	2/17/2020 14:00	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-6	6/22/2020 11:17	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-6	9/21/2020 10:32	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
MW-6	12/21/2020 11:10	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
MW-6	2/17/2020 14:00	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-6	6/22/2020 11:17	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-6	9/21/2020 10:32	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
MW-6	12/21/2020 11:10	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
MW-6	2/17/2020 14:00	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-6	6/22/2020 11:17	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-6	9/21/2020 10:32	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
MW-6	12/21/2020 11:10	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
MW-6	2/17/2020 14:00	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-6	6/22/2020 11:17	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-6	9/21/2020 10:32	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
MW-6	12/21/2020 11:10	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
MW-6	2/17/2020 14:00	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-6	6/22/2020 11:17	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-6	9/21/2020 10:32	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
MW-6	12/21/2020 11:10	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
MW-6	2/17/2020 14:00	Propionitrile	<20	ug/L	20	107-12-0	10
MW-6	6/22/2020 11:17	Propionitrile	<20	ug/L	20	107-12-0	10
MW-6	9/21/2020 10:32	Propionitrile	<5	ug/L	5	107-12-0	1
MW-6	12/21/2020 11:10	Propionitrile	<5	ug/L	5	107-12-0	3.7
MW-6	2/17/2020 14:00	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-6	2/17/2020 14:00	Acrylonitrile	<2	ug/L	2	107-13-1	1
MW-6	6/22/2020 11:17	Acrylonitrile	<2	ug/L	2	107-13-1	1
MW-6	9/21/2020 10:32	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
MW-6	12/21/2020 11:10	Acrylonitrile	<5	ug/L	5	107-13-1	0.87

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-6	2/17/2020 14:00	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-6	6/22/2020 11:17	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-6	9/21/2020 10:32	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
MW-6	12/21/2020 11:10	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
MW-6	2/17/2020 14:00	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-6	6/22/2020 11:17	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-6	9/21/2020 10:32	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
MW-6	12/21/2020 11:10	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
MW-6	2/17/2020 14:00	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-6	6/22/2020 11:17	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-6	9/21/2020 10:32	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
MW-6	12/21/2020 11:10	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
MW-6	2/17/2020 14:00	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-6	2/17/2020 14:00	Acrolein	<5	ug/L	5	107-02-8	2.5
MW-6	6/22/2020 11:17	Acrolein	<5	ug/L	5	107-02-8	2.5
MW-6	9/21/2020 10:32	Acrolein	<10	ug/L	10	107-02-8	0.59
MW-6	12/21/2020 11:10	Acrolein	<4	ug/L	4	107-02-8	2.2
MW-6	2/17/2020 14:00	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-6	6/22/2020 11:17	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-6	9/21/2020 10:32	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
MW-6	12/21/2020 11:10	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
MW-6	2/17/2020 14:00	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-6	6/22/2020 11:17	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-6	9/21/2020 10:32	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
MW-6	12/21/2020 11:10	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
MW-6	2/17/2020 14:00	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-6	6/22/2020 11:17	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-6	9/21/2020 10:32	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
MW-6	12/21/2020 11:10	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
MW-6	2/17/2020 14:00	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-6	6/22/2020 11:17	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-6	9/21/2020 10:32	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
MW-6	12/21/2020 11:10	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
MW-6	2/17/2020 14:00	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-6	6/22/2020 11:17	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-6	9/21/2020 10:32	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
MW-6	12/21/2020 11:10	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
MW-6	2/17/2020 14:00	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-6	6/22/2020 11:17	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-6	9/21/2020 10:32	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
MW-6	12/21/2020 11:10	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
MW-6	2/17/2020 14:00	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-6	6/22/2020 11:17	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-6	9/21/2020 10:32	Naphthalene	<1	ug/L	1	91-20-3	0.097
MW-6	12/21/2020 11:10	Naphthalene	<1	ug/L	1	91-20-3	0.32
MW-6	2/17/2020 14:00	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-6	6/22/2020 11:17	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-6	9/21/2020 10:32	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
MW-6	12/21/2020 11:10	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-6	2/17/2020 14:00	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-6	6/22/2020 11:17	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-6	9/21/2020 10:32	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
MW-6	12/21/2020 11:10	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
MW-6	2/17/2020 14:00	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-6	6/22/2020 11:17	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-6	9/21/2020 10:32	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
MW-6	12/21/2020 11:10	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
MW-6	2/17/2020 14:00	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-6	6/22/2020 11:17	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-6	9/21/2020 10:32	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
MW-6	12/21/2020 11:10	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
MW-6	2/17/2020 14:00	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-6	6/22/2020 11:17	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-6	9/21/2020 10:32	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
MW-6	12/21/2020 11:10	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
MW-6	2/17/2020 14:00	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-6	6/22/2020 11:17	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-6	9/21/2020 10:32	2-Butanone	<5	ug/L	5	78-93-3	0.46
MW-6	12/21/2020 11:10	2-Butanone	<5	ug/L	5	78-93-3	3
MW-6	2/17/2020 14:00	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-6	6/22/2020 11:17	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-6	9/21/2020 10:32	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
MW-6	12/21/2020 11:10	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
MW-6	2/17/2020 14:00	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-6	6/22/2020 11:17	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-6	9/21/2020 10:32	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
MW-6	12/21/2020 11:10	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
MW-6	2/17/2020 14:00	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-6	6/22/2020 11:17	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-6	9/21/2020 10:32	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
MW-6	12/21/2020 11:10	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
MW-6	2/17/2020 14:00	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-6	6/22/2020 11:17	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-6	9/21/2020 10:32	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
MW-6	12/21/2020 11:10	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
MW-6	2/17/2020 14:00	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-6	6/22/2020 11:17	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-6	9/21/2020 10:32	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
MW-6	12/21/2020 11:10	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
MW-6	2/17/2020 14:00	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-6	6/22/2020 11:17	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-6	9/21/2020 10:32	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
MW-6	12/21/2020 11:10	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
MW-6	2/17/2020 14:00	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-6	6/22/2020 11:17	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-6	9/21/2020 10:32	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
MW-6	12/21/2020 11:10	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
MW-6	2/17/2020 14:00	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-6	6/22/2020 11:17	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
MW-6	9/21/2020 10:32	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
MW-6	12/21/2020 11:10	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
MW-6	2/17/2020 14:00	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-6	6/22/2020 11:17	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-6	9/21/2020 10:32	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
MW-6	12/21/2020 11:10	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
MW-6	2/17/2020 14:00	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-6	6/22/2020 11:17	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-6	9/21/2020 10:32	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
MW-6	12/21/2020 11:10	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
MW-6	2/17/2020 14:00	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-6	6/22/2020 11:17	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-6	9/21/2020 10:32	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
MW-6	12/21/2020 11:10	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
MW-6	2/17/2020 14:00	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-6	6/22/2020 11:17	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-6	9/21/2020 10:32	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
MW-6	12/21/2020 11:10	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
MW-6	2/17/2020 14:00	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-6	6/22/2020 11:17	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-6	9/21/2020 10:32	Acetonitrile	<10	ug/L	10	75-05-8	2
MW-6	12/21/2020 11:10	Acetonitrile	<10	ug/L	10	75-05-8	3.9
MW-6	2/17/2020 14:00	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-6	6/22/2020 11:17	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-6	9/21/2020 10:32	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
MW-6	12/21/2020 11:10	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
MW-6	2/17/2020 14:00	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-6	6/22/2020 11:17	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-6	9/21/2020 10:32	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
MW-6	12/21/2020 11:10	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
MW-6	2/17/2020 14:00	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-6	6/22/2020 11:17	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-6	9/21/2020 10:32	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
MW-6	12/21/2020 11:10	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
MW-6	2/17/2020 14:00	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-6	6/22/2020 11:17	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-6	9/21/2020 10:32	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
MW-6	12/21/2020 11:10	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
MW-6	2/17/2020 14:00	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-6	6/22/2020 11:17	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-6	9/21/2020 10:32	Methyl Iodide	<25	ug/L	25	74-88-4	14
MW-6	12/21/2020 11:10	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
MW-6	2/17/2020 14:00	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-6	6/22/2020 11:17	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-6	9/21/2020 10:32	Bromomethane	<2	ug/L	2	74-83-9	0.99
MW-6	12/21/2020 11:10	Bromomethane	<1	ug/L	1	74-83-9	0.93
MW-6	2/17/2020 14:00	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-6	6/22/2020 11:17	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-6	9/21/2020 10:32	Chloromethane	<5	ug/L	5	74-87-3	2
MW-6	12/21/2020 11:10	Chloromethane	<1	ug/L	1	74-87-3	0.29
MW-6	2/17/2020 14:00	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-6	6/22/2020 11:17	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-6	9/21/2020 10:32	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
MW-6	12/21/2020 11:10	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
MW-6	2/17/2020 14:00	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-6	6/22/2020 11:17	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-6	9/21/2020 10:32	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
MW-6	12/21/2020 11:10	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
MW-6	2/17/2020 14:00	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-6	6/22/2020 11:17	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-6	9/21/2020 10:32	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
MW-6	12/21/2020 11:10	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
MW-6	2/17/2020 14:00	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-6	6/22/2020 11:17	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-6	9/21/2020 10:32	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
MW-6	12/21/2020 11:10	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
MW-6	2/17/2020 14:00	Acetone	<20	ug/L	20	67-64-1	10
MW-6	6/22/2020 11:17	Acetone	<20	ug/L	20	67-64-1	10
MW-6	9/21/2020 10:32	Acetone	<10	ug/L	10	67-64-1	4
MW-6	12/21/2020 11:10	Acetone	<8	ug/L	8	67-64-1	4
MW-9	2/18/2020 12:49	Acetone	<20	ug/L	20	67-64-1	10
MW-9	6/23/2020 13:10	Acetone	<20	ug/L	20	67-64-1	10
MW-9	9/22/2020 11:15	Acetone	4	ug/L	10	67-64-1	4
MW-9	12/28/2020 12:25	Acetone	<16	ug/L	16	67-64-1	8
MW-9	2/18/2020 12:49	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-9	6/23/2020 13:10	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
MW-9	9/22/2020 11:15	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
MW-9	12/28/2020 12:25	Carbon tetrachloride	<1	ug/L	1	56-23-5	0.54
MW-9	2/18/2020 12:49	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-9	6/23/2020 13:10	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
MW-9	9/22/2020 11:15	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
MW-9	12/28/2020 12:25	Chloroform	<1	ug/L	1	67-66-3	0.57
MW-9	2/18/2020 12:49	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-9	6/23/2020 13:10	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
MW-9	9/22/2020 11:15	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
MW-9	12/28/2020 12:25	Benzene	<1	ug/L	1	71-43-2	0.53
MW-9	2/18/2020 12:49	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-9	6/23/2020 13:10	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
MW-9	9/22/2020 11:15	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
MW-9	12/28/2020 12:25	1,1,1-Trichloroethane	<1	ug/L	1	71-55-6	0.53
MW-9	2/18/2020 12:49	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-9	6/23/2020 13:10	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
MW-9	9/22/2020 11:15	Chloromethane	<5	ug/L	5	74-87-3	2
MW-9	12/28/2020 12:25	Chloromethane	<2	ug/L	2	74-87-3	0.59
MW-9	2/18/2020 12:49	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-9	6/23/2020 13:10	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
MW-9	9/22/2020 11:15	Bromomethane	<2	ug/L	2	74-83-9	0.99

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-9	12/28/2020 12:25	Bromomethane	<2	ug/L	2	74-83-9	1.9
MW-9	2/18/2020 12:49	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-9	6/23/2020 13:10	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
MW-9	9/22/2020 11:15	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
MW-9	12/28/2020 12:25	Bromochloromethane	<2	ug/L	2	74-97-5	0.7
MW-9	2/18/2020 12:49	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-9	6/23/2020 13:10	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
MW-9	9/22/2020 11:15	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
MW-9	12/28/2020 12:25	Dibromomethane	<1	ug/L	1	74-95-3	0.46
MW-9	2/18/2020 12:49	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-9	6/23/2020 13:10	Methyl Iodide	<2	ug/L	2	74-88-4	1
MW-9	9/22/2020 11:15	Methyl Iodide	<25	ug/L	25	74-88-4	14
MW-9	12/28/2020 12:25	Methyl Iodide	<50	ug/L	50	74-88-4	12
MW-9	2/18/2020 12:49	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-9	6/23/2020 13:10	Chloroethane	<1	ug/L	1	75-00-3	0.4
MW-9	9/22/2020 11:15	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
MW-9	12/28/2020 12:25	Chloroethane	<1	ug/L	1	75-00-3	0.88
MW-9	2/18/2020 12:49	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-9	6/23/2020 13:10	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
MW-9	9/22/2020 11:15	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
MW-9	12/28/2020 12:25	Vinyl Chloride	<1	ug/L	1	75-01-4	0.8
MW-9	2/18/2020 12:49	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-9	6/23/2020 13:10	Acetonitrile	<20	ug/L	20	75-05-8	10
MW-9	9/22/2020 11:15	Acetonitrile	<10	ug/L	10	75-05-8	2
MW-9	12/28/2020 12:25	Acetonitrile	<20	ug/L	20	75-05-8	7.9
MW-9	2/18/2020 12:49	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-9	6/23/2020 13:10	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
MW-9	9/22/2020 11:15	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
MW-9	12/28/2020 12:25	Carbon Disulfide	<2	ug/L	2	75-15-0	0.49
MW-9	2/18/2020 12:49	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-9	6/23/2020 13:10	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
MW-9	9/22/2020 11:15	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
MW-9	12/28/2020 12:25	Methylene Chloride	<2	ug/L	2	75-09-2	0.96
MW-9	2/18/2020 12:49	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-9	6/23/2020 13:10	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
MW-9	9/22/2020 11:15	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
MW-9	12/28/2020 12:25	Bromodichloromethane	<1	ug/L	1	75-27-4	0.45
MW-9	2/18/2020 12:49	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-9	6/23/2020 13:10	Bromoform	<1	ug/L	1	75-25-2	0.4
MW-9	9/22/2020 11:15	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
MW-9	12/28/2020 12:25	Bromoform	<1	ug/L	1	75-25-2	0.78
MW-9	2/18/2020 12:49	1,1-Dimethylethanol	16	ug/L	10	75-65-0	5
MW-9	6/23/2020 13:10	1,1-Dimethylethanol	29	ug/L	10	75-65-0	5
MW-9	9/22/2020 11:15	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
MW-9	12/28/2020 12:25	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	8
MW-9	2/18/2020 12:49	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-9	6/23/2020 13:10	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
MW-9	9/22/2020 11:15	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
MW-9	12/28/2020 12:25	1,1-Dichloroethene	<1	ug/L	1	75-35-4	0.78

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-9	2/18/2020 12:49	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-9	6/23/2020 13:10	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
MW-9	9/22/2020 11:15	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
MW-9	12/28/2020 12:25	1,1-Dichloroethane	<1	ug/L	1	75-34-3	0.71
MW-9	2/18/2020 12:49	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-9	6/23/2020 13:10	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
MW-9	9/22/2020 11:15	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
MW-9	12/28/2020 12:25	Trichlorofluoromethane	<1	ug/L	1	75-69-4	0.59
MW-9	2/18/2020 12:49	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-9	6/23/2020 13:10	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
MW-9	9/22/2020 11:15	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
MW-9	12/28/2020 12:25	Dichlorodifluoromethane	<2	ug/L	2	75-71-8	1.4
MW-9	2/18/2020 12:49	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-9	6/23/2020 13:10	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
MW-9	9/22/2020 11:15	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
MW-9	12/28/2020 12:25	Isobutyl Alcohol	<20	ug/L	20	78-83-1	11
MW-9	2/18/2020 12:49	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-9	6/23/2020 13:10	2-Butanone	<5	ug/L	5	78-93-3	2.5
MW-9	9/22/2020 11:15	2-Butanone	<5	ug/L	5	78-93-3	0.46
MW-9	12/28/2020 12:25	2-Butanone	<10	ug/L	10	78-93-3	6.1
MW-9	2/18/2020 12:49	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-9	6/23/2020 13:10	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
MW-9	9/22/2020 11:15	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
MW-9	12/28/2020 12:25	1,2-Dichloropropane	<1	ug/L	1	78-87-5	0.48
MW-9	2/18/2020 12:49	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-9	6/23/2020 13:10	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
MW-9	9/22/2020 11:15	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
MW-9	12/28/2020 12:25	1,1,2-Trichloroethane	<1	ug/L	1	79-00-5	0.17
MW-9	2/18/2020 12:49	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-9	6/23/2020 13:10	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
MW-9	9/22/2020 11:15	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
MW-9	12/28/2020 12:25	Trichloroethene	<1	ug/L	1	79-01-6	0.58
MW-9	2/18/2020 12:49	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-9	6/23/2020 13:10	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
MW-9	9/22/2020 11:15	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
MW-9	12/28/2020 12:25	1,1,2,2-Tetrachloroethane	<1	ug/L	1	79-34-5	0.39
MW-9	2/18/2020 12:49	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-9	6/23/2020 13:10	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
MW-9	9/22/2020 11:15	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
MW-9	12/28/2020 12:25	Methyl Methacrylate	<4	ug/L	4	80-62-6	2.2
MW-9	2/18/2020 12:49	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-9	6/23/2020 13:10	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
MW-9	9/22/2020 11:15	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
MW-9	12/28/2020 12:25	1,2-Dichlorobenzene	<1	ug/L	1	95-50-1	0.46
MW-9	2/18/2020 12:49	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-9	6/23/2020 13:10	Naphthalene	<1	ug/L	1	91-20-3	0.4
MW-9	9/22/2020 11:15	Naphthalene	<1	ug/L	1	91-20-3	0.097
MW-9	12/28/2020 12:25	Naphthalene	<2	ug/L	2	91-20-3	0.64
MW-9	2/18/2020 12:49	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-9	6/23/2020 13:10	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
MW-9	9/22/2020 11:15	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
MW-9	12/28/2020 12:25	o-Xylene	<1	ug/L	1	95-47-6	0.7
MW-9	2/18/2020 12:49	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-9	6/23/2020 13:10	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
MW-9	9/22/2020 11:15	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
MW-9	12/28/2020 12:25	1,2-Dibromo-3-Chloropropane	<2	ug/L	2	96-12-8	1.3
MW-9	2/18/2020 12:49	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-9	6/23/2020 13:10	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
MW-9	9/22/2020 11:15	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
MW-9	12/28/2020 12:25	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.64
MW-9	2/18/2020 12:49	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-9	6/23/2020 13:10	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
MW-9	9/22/2020 11:15	1,4-Dichlorobenzene	0.19	ug/L	0.5	106-46-7	0.073
MW-9	12/28/2020 12:25	1,4-Dichlorobenzene	<1	ug/L	1	106-46-7	0.45
MW-9	2/18/2020 12:49	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-9	6/23/2020 13:10	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
MW-9	9/22/2020 11:15	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
MW-9	12/28/2020 12:25	Styrene	<1	ug/L	1	100-42-5	0.55
MW-9	2/18/2020 12:49	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-9	6/23/2020 13:10	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
MW-9	9/22/2020 11:15	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
MW-9	12/28/2020 12:25	Ethylbenzene	<1	ug/L	1	100-41-4	0.71
MW-9	2/18/2020 12:49	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-9	6/23/2020 13:10	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
MW-9	9/22/2020 11:15	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
MW-9	12/28/2020 12:25	Ethyl Methacrylate	<4	ug/L	4	97-63-2	2.4
MW-9	2/18/2020 12:49	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-9	6/23/2020 13:10	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
MW-9	9/22/2020 11:15	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
MW-9	12/28/2020 12:25	1,2-Dibromoethane	<1	ug/L	1	106-93-4	0.27
MW-9	2/18/2020 12:49	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-9	2/18/2020 12:49	Acrolein	<5	ug/L	5	107-02-8	2.5
MW-9	6/23/2020 13:10	Acrolein	<50	ug/L	50	107-02-8	2.5
MW-9	9/22/2020 11:15	Acrolein	<10	ug/L	10	107-02-8	0.59
MW-9	12/28/2020 12:25	Acrolein	<8	ug/L	8	107-02-8	4.4
MW-9	2/18/2020 12:49	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-9	6/23/2020 13:10	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
MW-9	9/22/2020 11:15	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
MW-9	12/28/2020 12:25	Allyl Chloride	<4	ug/L	4	107-05-1	0.76
MW-9	2/18/2020 12:49	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-9	6/23/2020 13:10	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
MW-9	9/22/2020 11:15	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
MW-9	12/28/2020 12:25	1,2-Dichloroethane	<1	ug/L	1	107-06-2	0.3
MW-9	2/18/2020 12:49	Propionitrile	<20	ug/L	20	107-12-0	10
MW-9	6/23/2020 13:10	Propionitrile	<20	ug/L	20	107-12-0	10
MW-9	9/22/2020 11:15	Propionitrile	<5	ug/L	5	107-12-0	1
MW-9	12/28/2020 12:25	Propionitrile	<10	ug/L	10	107-12-0	7.5
MW-9	2/18/2020 12:49	Vinyl acetate	<4	ug/L	4	108-05-4	2

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-9	6/23/2020 13:10	Vinyl acetate	<4	ug/L	4	108-05-4	2
MW-9	9/22/2020 11:15	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
MW-9	12/28/2020 12:25	Vinyl acetate	<10	ug/L	10	108-05-4	6.3
MW-9	2/18/2020 12:49	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-9	2/18/2020 12:49	Acrylonitrile	<2	ug/L	2	107-13-1	1
MW-9	6/23/2020 13:10	Acrylonitrile	<50	ug/L	50	107-13-1	1
MW-9	9/22/2020 11:15	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
MW-9	12/28/2020 12:25	Acrylonitrile	<10	ug/L	10	107-13-1	1.7
MW-9	2/18/2020 12:49	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-9	6/23/2020 13:10	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
MW-9	9/22/2020 11:15	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
MW-9	12/28/2020 12:25	4-Methyl-2-Pentanone	<10	ug/L	10	108-10-1	4.5
MW-9	2/18/2020 12:49	Tetrahydrofuran	6	ug/L	10	109-99-9	5
MW-9	6/23/2020 13:10	Tetrahydrofuran	6.6	ug/L	10	109-99-9	5
MW-9	9/22/2020 11:15	Tetrahydrofuran	5.4	ug/L	2	109-99-9	0.57
MW-9	12/28/2020 12:25	Tetrahydrofuran	<4	ug/L	4	109-99-9	2.1
MW-9	2/18/2020 12:49	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-9	6/23/2020 13:10	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
MW-9	9/22/2020 11:15	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
MW-9	12/28/2020 12:25	Toluene	<1	ug/L	1	108-88-3	0.66
MW-9	2/18/2020 12:49	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-9	6/23/2020 13:10	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
MW-9	9/22/2020 11:15	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
MW-9	12/28/2020 12:25	Chlorobenzene	<1	ug/L	1	108-90-7	0.48
MW-9	2/18/2020 12:49	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-9	6/23/2020 13:10	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
MW-9	9/22/2020 11:15	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
MW-9	12/28/2020 12:25	Trans-1,4-Dichloro-2-Butene	<4	ug/L	4	110-57-6	2.6
MW-9	2/18/2020 12:49	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-9	6/23/2020 13:10	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
MW-9	9/22/2020 11:15	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
MW-9	12/28/2020 12:25	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.75
MW-9	2/18/2020 12:49	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-9	6/23/2020 13:10	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
MW-9	9/22/2020 11:15	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
MW-9	12/28/2020 12:25	Dibromochloromethane	<1	ug/L	1	124-48-1	0.54
MW-9	2/18/2020 12:49	1,4-Dioxane	24	ug/L	0.97	123-91-1	0.24
MW-9	6/23/2020 13:10	1,4-Dioxane	18	ug/L	0.98	123-91-1	0.25
MW-9	9/22/2020 11:15	1,4-Dioxane	40	ug/L	0.5	123-91-1	0.18
MW-9	12/28/2020 12:25	1,4-Dioxane	49	ug/L	0.5	123-91-1	0.34
MW-9	2/18/2020 12:49	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-9	6/23/2020 13:10	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
MW-9	9/22/2020 11:15	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
MW-9	12/28/2020 12:25	Tetrachloroethene	<1	ug/L	1	127-18-4	0.58
MW-9	2/18/2020 12:49	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-9	6/23/2020 13:10	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
MW-9	9/22/2020 11:15	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
MW-9	12/28/2020 12:25	2-Chloro-1,3-Butadiene	<4	ug/L	4	126-99-8	3.7
MW-9	2/18/2020 12:49	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-9	6/23/2020 13:10	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
MW-9	9/22/2020 11:15	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
MW-9	12/28/2020 12:25	Methacrylonitrile	<4	ug/L	4	126-98-7	1.4
MW-9	2/18/2020 12:49	cis-1,2-Dichloroethene	0.51	ug/L	0.5	156-59-2	0.25
MW-9	6/23/2020 13:10	cis-1,2-Dichloroethene	0.6	ug/L	0.5	156-59-2	0.25
MW-9	9/22/2020 11:15	cis-1,2-Dichloroethene	0.34	ug/L	0.5	156-59-2	0.11
MW-9	12/28/2020 12:25	cis-1,2-Dichloroethene	<1	ug/L	1	156-59-2	0.6
MW-9	2/18/2020 12:49	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-9	6/23/2020 13:10	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
MW-9	9/22/2020 11:15	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
MW-9	12/28/2020 12:25	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.41
MW-9	2/18/2020 12:49	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-9	6/23/2020 13:10	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
MW-9	9/22/2020 11:15	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
MW-9	12/28/2020 12:25	trans-1,2-Dichloroethene	<1	ug/L	1	156-60-5	0.72
MW-9	2/18/2020 12:49	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-9	6/23/2020 13:10	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
MW-9	9/22/2020 11:15	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
MW-9	12/28/2020 12:25	1,3-Dichlorobenzene	<1	ug/L	1	541-73-1	0.51
MW-9	2/18/2020 12:49	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-9	6/23/2020 13:10	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
MW-9	9/22/2020 11:15	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
MW-9	12/28/2020 12:25	1,1-Dichloropropene	<1	ug/L	1	563-58-6	0.48
MW-9	2/18/2020 12:49	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-9	6/23/2020 13:10	2-Hexanone	<5	ug/L	5	591-78-6	2.5
MW-9	9/22/2020 11:15	2-Hexanone	<10	ug/L	10	591-78-6	0.5
MW-9	12/28/2020 12:25	2-Hexanone	<12	ug/L	12	591-78-6	8.6
MW-9	2/18/2020 12:49	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-9	6/23/2020 13:10	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
MW-9	9/22/2020 11:15	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
MW-9	12/28/2020 12:25	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.79
MW-9	2/18/2020 12:49	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-9	6/23/2020 13:10	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
MW-9	9/22/2020 11:15	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
MW-9	12/28/2020 12:25	1,1,1,2-Tetrachloroethane	<1	ug/L	1	630-20-6	0.51
MW-9	2/18/2020 12:49	Ammonia	6	mg/L	0.2	7664-41-7	0.1
MW-9	6/23/2020 13:10	Ammonia	6.1	mg/L	0.2	7664-41-7	0.1
MW-9	9/22/2020 11:15	Ammonia	4.1	mg/L	0.2	7664-41-7	0.1
MW-9	12/28/2020 12:25	Ammonia	3.2	mg/L	0.5	7664-41-7	0.1
MW-9	2/18/2020 12:49	MTBE	0.68	ug/L	0.5	1634-04-4	0.25
MW-9	6/23/2020 13:10	MTBE	0.41	ug/L	0.5	1634-04-4	0.25
MW-9	9/22/2020 11:15	MTBE	0.5	ug/L	0.5	1634-04-4	0.067
MW-9	12/28/2020 12:25	MTBE	<1	ug/L	1	1634-04-4	0.41
MW-9	2/18/2020 12:49	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-9	6/23/2020 13:10	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
MW-9	9/22/2020 11:15	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
MW-9	12/28/2020 12:25	cis-1,3-Dichloropropene	<1	ug/L	1	10061-01-5	0.38
MW-9	2/18/2020 12:49	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
MW-9	6/23/2020 13:10	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-9	9/22/2020 11:15	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
MW-9	12/28/2020 12:25	trans-1,3-Dichloropropene	<1	ug/L	1	10061-02-6	0.35
MW-9	2/18/2020 12:49	Alkalinity	700	mg/L	4	ALK	0
MW-9	6/23/2020 13:10	Alkalinity	730	mg/L	4	ALK	0
MW-9	9/22/2020 11:15	Alkalinity	700	mg/L	4	ALK	0
MW-9	12/28/2020 12:25	Alkalinity	640	mg/L	4	ALK	0
MW-9	6/23/2020 13:10	Bromide	3.1	mg/L	1	24959-67-9	0.5
MW-9	12/28/2020 12:25	Bromide	<1	mg/L	1	24959-67-9	0.5
MW-9	6/23/2020 13:10	Boron, Total Recoverable	1.1	mg/L	0.05	7440-42-8	0.025
MW-9	12/28/2020 12:25	Boron, Total Recoverable	0.97	mg/L	0.05	7440-42-8	0.025
MW-9	2/18/2020 12:49	Chemical Oxygen Demand	44	mg/L	20	COD	10
MW-9	6/23/2020 13:10	Chemical Oxygen Demand	65	mg/L	20	COD	10
MW-9	9/22/2020 11:15	Chemical Oxygen Demand	38	mg/L	20	COD	10
MW-9	12/28/2020 12:25	Chemical Oxygen Demand	85	mg/L	20	COD	10
MW-9	6/23/2020 13:10	Carbon Dioxide, Free	130	mg/L	2	124-38-9	0
MW-9	12/28/2020 12:25	Carbon Dioxide, Free	160	mg/L	2	124-38-9	0
MW-9	6/23/2020 13:10	Chloride	220	mg/L	50	16887-00-6	25
MW-9	2/18/2020 12:49	Chloride	180	mg/L	50	16887-00-6	25
MW-9	6/23/2020 13:10	Chloride	300	mg/L	1	16887-00-6	0.5
MW-9	9/22/2020 11:15	Chloride	200	mg/L	50	16887-00-6	25
MW-9	12/28/2020 12:25	Chloride	190	mg/L	50	16887-00-6	25
MW-9	6/23/2020 13:10	Calcium, Total Recoverable	430	mg/L	0.1	7440-70-2	0.05
MW-9	12/28/2020 12:25	Calcium, Total Recoverable	390	mg/L	0.1	7440-70-2	0.05
MW-9	6/23/2020 13:10	Iron, Total Recoverable	46	mg/L	0.1	7439-89-6	0.05
MW-9	12/28/2020 12:25	Iron, Total Recoverable	32	mg/L	0.1	7439-89-6	0.05
MW-9	6/23/2020 13:10	Fluoride, Total	1.3	mg/L	1	16984-48-8	0.5
MW-9	12/28/2020 12:25	Fluoride, Total	1	mg/L	1	16984-48-8	0.5
MW-9	6/23/2020 13:10	Bicarbonate	730	mg/L	4	HCO3	0
MW-9	12/28/2020 12:25	Bicarbonate	640	mg/L	4	HCO3	0
MW-9	2/18/2020 12:49	Potassium, Total Recoverable	22	mg/L	0.5	9/7/7440	0.25
MW-9	6/23/2020 13:10	Potassium, Total Recoverable	24	mg/L	0.5	9/7/7440	0.25
MW-9	9/22/2020 11:15	Potassium, Total Recoverable	20	mg/L	0.5	9/7/7440	0.25
MW-9	12/28/2020 12:25	Potassium, Total Recoverable	18	mg/L	0.5	9/7/7440	0.25
MW-9	2/18/2020 12:49	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-9	6/23/2020 13:10	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
MW-9	9/22/2020 11:15	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
MW-9	12/28/2020 12:25	m,p-Xylene	<2	ug/L	2	108-38-3_106-42-3	1.6
MW-9	6/23/2020 13:10	Magnesium, Total Recoverable	230	mg/L	0.02	7439-95-4	0.01
MW-9	12/28/2020 12:25	Magnesium, Total Recoverable	230	mg/L	0.02	7439-95-4	0.01
MW-9	6/23/2020 13:10	Manganese, Total Recoverable	4.9	mg/L	0.02	7439-96-5	0.015
MW-9	12/28/2020 12:25	Manganese, Total Recoverable	4.7	mg/L	0.02	7439-96-5	0.015
MW-9	6/23/2020 13:10	Sulfate	2500	mg/L	1	14808-79-8	0.5
MW-9	12/28/2020 12:25	Sulfate	1800	mg/L	50	14808-79-8	25
MW-9	6/23/2020 13:10	Sulfate	1900	mg/L	50	14808-79-8	25
MW-9	6/23/2020 13:10	Sodium, Total Recoverable	350	mg/L	0.5	7440-23-5	0.26
MW-9	12/28/2020 12:25	Sodium, Total Recoverable	320	mg/L	0.5	7440-23-5	0.26
MW-9	6/23/2020 13:10	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
MW-9	12/28/2020 12:25	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
MW-9	6/23/2020 13:10	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
MW-9	12/28/2020 12:25	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
MW-9	2/18/2020 12:49	Solids, Total Dissolved	3600	mg/L	50	TDS	25
MW-9	6/23/2020 13:10	Solids, Total Dissolved	3900	mg/L	50	TDS	25
MW-9	9/22/2020 11:15	Solids, Total Dissolved	3800	mg/L	20	TDS	10
MW-9	12/28/2020 12:25	Solids, Total Dissolved	3800	mg/L	20	TDS	10
MW-9	2/18/2020 12:49	Total Organic Carbon	26	mg/L	0.5	TOC	0.25
MW-9	6/23/2020 13:10	Total Organic Carbon	35	mg/L	1	TOC	0.5
MW-9	9/22/2020 11:15	Total Organic Carbon	31	mg/L	0.5	TOC	0.25
MW-9	12/28/2020 12:25	Total Organic Carbon	23	mg/L	0.5	TOC	0.25
PZ-2	2/17/2020 10:16	Total Organic Carbon	2.3	mg/L	0.1	TOC	0.05
PZ-2	6/22/2020 13:14	Total Organic Carbon	2.5	mg/L	0.1	TOC	0.05
PZ-2	9/22/2020 8:18	Total Organic Carbon	3	mg/L	0.1	TOC	0.05
PZ-2	12/21/2020 8:27	Total Organic Carbon	2.4	mg/L	0.1	TOC	0.05
PZ-2	2/17/2020 10:16	Solids, Total Dissolved	3300	mg/L	100	TDS	50
PZ-2	6/22/2020 13:14	Solids, Total Dissolved	3800	mg/L	50	TDS	25
PZ-2	9/22/2020 8:18	Solids, Total Dissolved	4200	mg/L	100	TDS	50
PZ-2	12/21/2020 8:27	Solids, Total Dissolved	4000	mg/L	100	TDS	50
PZ-2	6/22/2020 13:14	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
PZ-2	12/21/2020 8:27	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
PZ-2	6/22/2020 13:14	Nitrogen, Nitrate	<1.1	mg/L	1.1	14797-55-8	0.55
PZ-2	12/21/2020 8:27	Nitrogen, Nitrate	<0.55	mg/L	0.55	14797-55-8	0.28
PZ-2	6/22/2020 13:14	Magnesium, Total Recoverable	63	mg/L	0.02	7439-95-4	0.01
PZ-2	12/21/2020 8:27	Magnesium, Total Recoverable	14	mg/L	0.02	7439-95-4	0.01
PZ-2	6/22/2020 13:14	Sulfate	2400	mg/L	100	14808-79-8	50
PZ-2	12/21/2020 8:27	Sulfate	2700	mg/L	100	14808-79-8	50
PZ-2	6/22/2020 13:14	Sodium, Total Recoverable	1100	mg/L	2.5	7440-23-5	1.3
PZ-2	12/21/2020 8:27	Sodium, Total Recoverable	1200	mg/L	2.5	7440-23-5	1.3
PZ-2	6/22/2020 13:14	Manganese, Total Recoverable	0.13	mg/L	0.02	7439-96-5	0.015
PZ-2	12/21/2020 8:27	Manganese, Total Recoverable	0.032	mg/L	0.02	7439-96-5	0.015
PZ-2	2/17/2020 10:16	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
PZ-2	6/22/2020 13:14	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
PZ-2	9/22/2020 8:18	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
PZ-2	12/21/2020 8:27	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
PZ-2	2/17/2020 10:16	Potassium, Total Recoverable	2.9	mg/L	0.5	9/7/7440	0.25
PZ-2	6/22/2020 13:14	Potassium, Total Recoverable	3.8	mg/L	0.5	9/7/7440	0.25
PZ-2	9/22/2020 8:18	Potassium, Total Recoverable	3.5	mg/L	0.5	9/7/7440	0.25
PZ-2	12/21/2020 8:27	Potassium, Total Recoverable	3	mg/L	0.5	9/7/7440	0.25
PZ-2	6/22/2020 13:14	Bicarbonate	320	mg/L	4	HCO3	0
PZ-2	12/21/2020 8:27	Bicarbonate	340	mg/L	4	HCO3	0
PZ-2	6/22/2020 13:14	Fluoride, Total	<5	mg/L	5	16984-48-8	2.5
PZ-2	12/21/2020 8:27	Fluoride, Total	<2.5	mg/L	2.5	16984-48-8	1.3
PZ-2	6/22/2020 13:14	Iron, Total Recoverable	0.17	mg/L	0.1	7439-89-6	0.05
PZ-2	12/21/2020 8:27	Iron, Total Recoverable	<0.1	mg/L	0.1	7439-89-6	0.05
PZ-2	6/22/2020 13:14	Calcium, Total Recoverable	75	mg/L	0.1	7440-70-2	0.05
PZ-2	12/21/2020 8:27	Calcium, Total Recoverable	16	mg/L	0.1	7440-70-2	0.05
PZ-2	2/17/2020 10:16	Chloride	11	mg/L	5	16887-00-6	2.5
PZ-2	6/22/2020 13:14	Chloride	17	mg/L	5	16887-00-6	2.5
PZ-2	9/22/2020 8:18	Chloride	11	mg/L	5	16887-00-6	2.5
PZ-2	12/21/2020 8:27	Chloride	12	mg/L	2.5	16887-00-6	1.3

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-2	6/22/2020 13:14	Carbon Dioxide, Free	11	mg/L	2	124-38-9	0
PZ-2	12/21/2020 8:27	Carbon Dioxide, Free	<2	mg/L	2	124-38-9	0
PZ-2	2/17/2020 10:16	Chemical Oxygen Demand	<20	mg/L	20	COD	10
PZ-2	6/22/2020 13:14	Chemical Oxygen Demand	<20	mg/L	20	COD	10
PZ-2	9/22/2020 8:18	Chemical Oxygen Demand	<20	mg/L	20	COD	10
PZ-2	12/21/2020 8:27	Chemical Oxygen Demand	<20	mg/L	20	COD	10
PZ-2	6/22/2020 13:14	Boron, Total Recoverable	1.2	mg/L	0.05	7440-42-8	0.025
PZ-2	12/21/2020 8:27	Boron, Total Recoverable	1.4	mg/L	0.05	7440-42-8	0.025
PZ-2	2/17/2020 10:16	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
PZ-2	6/22/2020 13:14	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
PZ-2	9/22/2020 8:18	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
PZ-2	12/21/2020 8:27	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
PZ-2	6/22/2020 13:14	Bromide	<5	mg/L	5	24959-67-9	2.5
PZ-2	12/21/2020 8:27	Bromide	<2.5	mg/L	2.5	24959-67-9	1.3
PZ-2	2/17/2020 10:16	Alkalinity	360	mg/L	4	ALK	0
PZ-2	6/22/2020 13:14	Alkalinity	320	mg/L	4	ALK	0
PZ-2	9/22/2020 8:18	Alkalinity	360	mg/L	4	ALK	0
PZ-2	12/21/2020 8:27	Alkalinity	360	mg/L	4	ALK	0
PZ-2	2/17/2020 10:16	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
PZ-2	6/22/2020 13:14	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
PZ-2	9/22/2020 8:18	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
PZ-2	12/21/2020 8:27	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
PZ-2	2/17/2020 10:16	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
PZ-2	6/22/2020 13:14	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
PZ-2	9/22/2020 8:18	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
PZ-2	12/21/2020 8:27	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
PZ-2	2/17/2020 10:16	Ammonia	3.2	mg/L	0.2	7664-41-7	0.1
PZ-2	6/22/2020 13:14	Ammonia	3.1	mg/L	1	7664-41-7	0.5
PZ-2	9/22/2020 8:18	Ammonia	3.1	mg/L	0.2	7664-41-7	0.1
PZ-2	12/21/2020 8:27	Ammonia	2.1	mg/L	0.5	7664-41-7	0.1
PZ-2	2/17/2020 10:16	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
PZ-2	6/22/2020 13:14	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
PZ-2	9/22/2020 8:18	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
PZ-2	12/21/2020 8:27	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
PZ-2	2/17/2020 10:16	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
PZ-2	6/22/2020 13:14	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
PZ-2	9/22/2020 8:18	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
PZ-2	12/21/2020 8:27	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
PZ-2	2/17/2020 10:16	2-Hexanone	<5	ug/L	5	591-78-6	2.5
PZ-2	6/22/2020 13:14	2-Hexanone	<5	ug/L	5	591-78-6	2.5
PZ-2	9/22/2020 8:18	2-Hexanone	<10	ug/L	10	591-78-6	0.5
PZ-2	12/21/2020 8:27	2-Hexanone	<6	ug/L	6	591-78-6	4.3
PZ-2	2/17/2020 10:16	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
PZ-2	6/22/2020 13:14	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
PZ-2	9/22/2020 8:18	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
PZ-2	12/21/2020 8:27	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
PZ-2	2/17/2020 10:16	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
PZ-2	6/22/2020 13:14	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
PZ-2	9/22/2020 8:18	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-2	12/21/2020 8:27	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
PZ-2	2/17/2020 10:16	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
PZ-2	6/22/2020 13:14	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
PZ-2	9/22/2020 8:18	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
PZ-2	12/21/2020 8:27	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
PZ-2	2/17/2020 10:16	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
PZ-2	6/22/2020 13:14	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
PZ-2	9/22/2020 8:18	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
PZ-2	12/21/2020 8:27	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
PZ-2	2/17/2020 10:16	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
PZ-2	6/22/2020 13:14	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
PZ-2	9/22/2020 8:18	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
PZ-2	12/21/2020 8:27	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
PZ-2	2/17/2020 10:16	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
PZ-2	6/22/2020 13:14	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
PZ-2	9/22/2020 8:18	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
PZ-2	12/21/2020 8:27	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
PZ-2	2/17/2020 10:16	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
PZ-2	6/22/2020 13:14	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
PZ-2	9/22/2020 8:18	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
PZ-2	12/21/2020 8:27	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
PZ-2	2/17/2020 10:16	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
PZ-2	6/22/2020 13:14	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
PZ-2	9/22/2020 8:18	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
PZ-2	12/21/2020 8:27	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
PZ-2	2/17/2020 10:16	1,4-Dioxane	<0.98	ug/L	0.98	123-91-1	0.24
PZ-2	6/22/2020 13:14	1,4-Dioxane	0.25	ug/L	0.99	123-91-1	0.25
PZ-2	9/22/2020 8:18	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
PZ-2	12/21/2020 8:27	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
PZ-2	2/17/2020 10:16	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
PZ-2	6/22/2020 13:14	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
PZ-2	9/22/2020 8:18	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
PZ-2	12/21/2020 8:27	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
PZ-2	2/17/2020 10:16	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
PZ-2	6/22/2020 13:14	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
PZ-2	9/22/2020 8:18	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
PZ-2	12/21/2020 8:27	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
PZ-2	2/17/2020 10:16	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
PZ-2	6/22/2020 13:14	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
PZ-2	9/22/2020 8:18	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
PZ-2	12/21/2020 8:27	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
PZ-2	2/17/2020 10:16	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
PZ-2	6/22/2020 13:14	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
PZ-2	9/22/2020 8:18	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
PZ-2	12/21/2020 8:27	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
PZ-2	2/17/2020 10:16	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
PZ-2	6/22/2020 13:14	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
PZ-2	9/22/2020 8:18	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
PZ-2	12/21/2020 8:27	Toluene	<0.5	ug/L	0.5	108-88-3	0.33

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-2	2/17/2020 10:16	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
PZ-2	6/22/2020 13:14	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
PZ-2	9/22/2020 8:18	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
PZ-2	12/21/2020 8:27	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
PZ-2	2/17/2020 10:16	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
PZ-2	6/22/2020 13:14	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
PZ-2	9/22/2020 8:18	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
PZ-2	12/21/2020 8:27	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
PZ-2	2/17/2020 10:16	Acrylonitrile	<50	ug/L	50	107-13-1	1
PZ-2	2/17/2020 10:16	Acrylonitrile	<2	ug/L	2	107-13-1	1
PZ-2	6/22/2020 13:14	Acrylonitrile	<2	ug/L	2	107-13-1	1
PZ-2	9/22/2020 8:18	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
PZ-2	12/21/2020 8:27	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
PZ-2	2/17/2020 10:16	Vinyl acetate	<4	ug/L	4	108-05-4	2
PZ-2	6/22/2020 13:14	Vinyl acetate	<4	ug/L	4	108-05-4	2
PZ-2	9/22/2020 8:18	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
PZ-2	12/21/2020 8:27	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
PZ-2	2/17/2020 10:16	Propionitrile	<20	ug/L	20	107-12-0	10
PZ-2	6/22/2020 13:14	Propionitrile	<20	ug/L	20	107-12-0	10
PZ-2	9/22/2020 8:18	Propionitrile	<5	ug/L	5	107-12-0	1
PZ-2	12/21/2020 8:27	Propionitrile	<5	ug/L	5	107-12-0	3.7
PZ-2	2/17/2020 10:16	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
PZ-2	6/22/2020 13:14	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
PZ-2	9/22/2020 8:18	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
PZ-2	12/21/2020 8:27	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
PZ-2	2/17/2020 10:16	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
PZ-2	6/22/2020 13:14	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
PZ-2	9/22/2020 8:18	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
PZ-2	12/21/2020 8:27	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
PZ-2	2/17/2020 10:16	Acrolein	<50	ug/L	50	107-02-8	2.5
PZ-2	2/17/2020 10:16	Acrolein	<5	ug/L	5	107-02-8	2.5
PZ-2	6/22/2020 13:14	Acrolein	<5	ug/L	5	107-02-8	2.5
PZ-2	9/22/2020 8:18	Acrolein	<10	ug/L	10	107-02-8	0.59
PZ-2	12/21/2020 8:27	Acrolein	<4	ug/L	4	107-02-8	2.2
PZ-2	2/17/2020 10:16	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
PZ-2	6/22/2020 13:14	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
PZ-2	9/22/2020 8:18	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
PZ-2	12/21/2020 8:27	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
PZ-2	2/17/2020 10:16	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
PZ-2	6/22/2020 13:14	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
PZ-2	9/22/2020 8:18	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
PZ-2	12/21/2020 8:27	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
PZ-2	2/17/2020 10:16	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
PZ-2	6/22/2020 13:14	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
PZ-2	9/22/2020 8:18	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
PZ-2	12/21/2020 8:27	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
PZ-2	2/17/2020 10:16	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
PZ-2	6/22/2020 13:14	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
PZ-2	9/22/2020 8:18	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-2	12/21/2020 8:27	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
PZ-2	2/17/2020 10:16	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
PZ-2	6/22/2020 13:14	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
PZ-2	9/22/2020 8:18	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
PZ-2	12/21/2020 8:27	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
PZ-2	2/17/2020 10:16	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
PZ-2	6/22/2020 13:14	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
PZ-2	9/22/2020 8:18	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
PZ-2	12/21/2020 8:27	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
PZ-2	2/17/2020 10:16	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
PZ-2	6/22/2020 13:14	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
PZ-2	9/22/2020 8:18	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
PZ-2	12/21/2020 8:27	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
PZ-2	2/17/2020 10:16	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
PZ-2	6/22/2020 13:14	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
PZ-2	9/22/2020 8:18	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
PZ-2	12/21/2020 8:27	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
PZ-2	2/17/2020 10:16	Naphthalene	<1	ug/L	1	91-20-3	0.4
PZ-2	6/22/2020 13:14	Naphthalene	<1	ug/L	1	91-20-3	0.4
PZ-2	9/22/2020 8:18	Naphthalene	<1	ug/L	1	91-20-3	0.097
PZ-2	12/21/2020 8:27	Naphthalene	<1	ug/L	1	91-20-3	0.32
PZ-2	2/17/2020 10:16	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
PZ-2	6/22/2020 13:14	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
PZ-2	9/22/2020 8:18	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
PZ-2	12/21/2020 8:27	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
PZ-2	2/17/2020 10:16	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
PZ-2	6/22/2020 13:14	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
PZ-2	9/22/2020 8:18	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
PZ-2	12/21/2020 8:27	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
PZ-2	2/17/2020 10:16	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
PZ-2	6/22/2020 13:14	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
PZ-2	9/22/2020 8:18	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
PZ-2	12/21/2020 8:27	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
PZ-2	2/17/2020 10:16	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
PZ-2	6/22/2020 13:14	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
PZ-2	9/22/2020 8:18	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
PZ-2	12/21/2020 8:27	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
PZ-2	2/17/2020 10:16	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
PZ-2	6/22/2020 13:14	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
PZ-2	9/22/2020 8:18	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
PZ-2	12/21/2020 8:27	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
PZ-2	2/17/2020 10:16	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
PZ-2	6/22/2020 13:14	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
PZ-2	9/22/2020 8:18	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
PZ-2	12/21/2020 8:27	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
PZ-2	2/17/2020 10:16	2-Butanone	<5	ug/L	5	78-93-3	2.5
PZ-2	6/22/2020 13:14	2-Butanone	<5	ug/L	5	78-93-3	2.5
PZ-2	9/22/2020 8:18	2-Butanone	<5	ug/L	5	78-93-3	0.46
PZ-2	12/21/2020 8:27	2-Butanone	<5	ug/L	5	78-93-3	3

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-2	2/17/2020 10:16	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
PZ-2	6/22/2020 13:14	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
PZ-2	9/22/2020 8:18	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
PZ-2	12/21/2020 8:27	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
PZ-2	2/17/2020 10:16	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
PZ-2	6/22/2020 13:14	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
PZ-2	9/22/2020 8:18	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
PZ-2	12/21/2020 8:27	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
PZ-2	2/17/2020 10:16	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
PZ-2	6/22/2020 13:14	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
PZ-2	9/22/2020 8:18	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
PZ-2	12/21/2020 8:27	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
PZ-2	2/17/2020 10:16	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
PZ-2	6/22/2020 13:14	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
PZ-2	9/22/2020 8:18	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
PZ-2	12/21/2020 8:27	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
PZ-2	2/17/2020 10:16	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
PZ-2	6/22/2020 13:14	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
PZ-2	9/22/2020 8:18	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
PZ-2	12/21/2020 8:27	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
PZ-2	2/17/2020 10:16	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
PZ-2	6/22/2020 13:14	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
PZ-2	9/22/2020 8:18	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
PZ-2	12/21/2020 8:27	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
PZ-2	2/17/2020 10:16	Bromoform	<1	ug/L	1	75-25-2	0.4
PZ-2	6/22/2020 13:14	Bromoform	<1	ug/L	1	75-25-2	0.4
PZ-2	9/22/2020 8:18	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
PZ-2	12/21/2020 8:27	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
PZ-2	2/17/2020 10:16	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
PZ-2	6/22/2020 13:14	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
PZ-2	9/22/2020 8:18	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
PZ-2	12/21/2020 8:27	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
PZ-2	2/17/2020 10:16	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
PZ-2	6/22/2020 13:14	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
PZ-2	9/22/2020 8:18	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
PZ-2	12/21/2020 8:27	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
PZ-2	2/17/2020 10:16	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
PZ-2	6/22/2020 13:14	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
PZ-2	9/22/2020 8:18	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
PZ-2	12/21/2020 8:27	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
PZ-2	2/17/2020 10:16	Acetonitrile	<20	ug/L	20	75-05-8	10
PZ-2	6/22/2020 13:14	Acetonitrile	<20	ug/L	20	75-05-8	10
PZ-2	9/22/2020 8:18	Acetonitrile	<10	ug/L	10	75-05-8	2
PZ-2	12/21/2020 8:27	Acetonitrile	<10	ug/L	10	75-05-8	3.9
PZ-2	2/17/2020 10:16	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
PZ-2	6/22/2020 13:14	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
PZ-2	9/22/2020 8:18	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
PZ-2	12/21/2020 8:27	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
PZ-2	2/17/2020 10:16	Chloroethane	<1	ug/L	1	75-00-3	0.4

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-2	6/22/2020 13:14	Chloroethane	<1	ug/L	1	75-00-3	0.4
PZ-2	9/22/2020 8:18	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
PZ-2	12/21/2020 8:27	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
PZ-2	2/17/2020 10:16	Methyl Iodide	<2	ug/L	2	74-88-4	1
PZ-2	6/22/2020 13:14	Methyl Iodide	<2	ug/L	2	74-88-4	1
PZ-2	9/22/2020 8:18	Methyl Iodide	<25	ug/L	25	74-88-4	14
PZ-2	12/21/2020 8:27	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
PZ-2	2/17/2020 10:16	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
PZ-2	6/22/2020 13:14	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
PZ-2	9/22/2020 8:18	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
PZ-2	12/21/2020 8:27	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
PZ-2	2/17/2020 10:16	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
PZ-2	6/22/2020 13:14	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
PZ-2	9/22/2020 8:18	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
PZ-2	12/21/2020 8:27	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
PZ-2	2/17/2020 10:16	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
PZ-2	6/22/2020 13:14	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
PZ-2	9/22/2020 8:18	Bromomethane	<2	ug/L	2	74-83-9	0.99
PZ-2	12/21/2020 8:27	Bromomethane	<1	ug/L	1	74-83-9	0.93
PZ-2	2/17/2020 10:16	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
PZ-2	6/22/2020 13:14	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
PZ-2	9/22/2020 8:18	Chloromethane	<5	ug/L	5	74-87-3	2
PZ-2	12/21/2020 8:27	Chloromethane	<1	ug/L	1	74-87-3	0.29
PZ-2	2/17/2020 10:16	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
PZ-2	6/22/2020 13:14	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
PZ-2	9/22/2020 8:18	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
PZ-2	12/21/2020 8:27	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
PZ-2	2/17/2020 10:16	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
PZ-2	6/22/2020 13:14	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
PZ-2	9/22/2020 8:18	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
PZ-2	12/21/2020 8:27	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
PZ-2	2/17/2020 10:16	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
PZ-2	6/22/2020 13:14	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
PZ-2	9/22/2020 8:18	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
PZ-2	12/21/2020 8:27	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
PZ-2	2/17/2020 10:16	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
PZ-2	6/22/2020 13:14	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
PZ-2	9/22/2020 8:18	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
PZ-2	12/21/2020 8:27	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
PZ-2	2/17/2020 10:16	Acetone	<20	ug/L	20	67-64-1	10
PZ-2	6/22/2020 13:14	Acetone	<20	ug/L	20	67-64-1	10
PZ-2	9/22/2020 8:18	Acetone	<10	ug/L	10	67-64-1	4
PZ-2	12/21/2020 8:27	Acetone	<8	ug/L	8	67-64-1	4
PZ-4	2/19/2020 8:45	Acetone	<20	ug/L	20	67-64-1	10
PZ-4	6/23/2020 8:35	Acetone	<20	ug/L	20	67-64-1	10
PZ-4	9/21/2020 13:06	Acetone	<10	ug/L	10	67-64-1	4
PZ-4	12/28/2020 9:43	Acetone	<8	ug/L	8	67-64-1	4
PZ-4	2/19/2020 8:45	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
PZ-4	6/23/2020 8:35	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-4	9/21/2020 13:06	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
PZ-4	12/28/2020 9:43	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
PZ-4	2/19/2020 8:45	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
PZ-4	6/23/2020 8:35	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
PZ-4	9/21/2020 13:06	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
PZ-4	12/28/2020 9:43	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
PZ-4	2/19/2020 8:45	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
PZ-4	6/23/2020 8:35	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
PZ-4	9/21/2020 13:06	Benzene	<0.5	ug/L	0.5	71-43-2	0.072
PZ-4	12/28/2020 9:43	Benzene	<0.5	ug/L	0.5	71-43-2	0.27
PZ-4	2/19/2020 8:45	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
PZ-4	6/23/2020 8:35	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
PZ-4	9/21/2020 13:06	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
PZ-4	12/28/2020 9:43	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
PZ-4	2/19/2020 8:45	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
PZ-4	6/23/2020 8:35	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
PZ-4	9/21/2020 13:06	Chloromethane	<5	ug/L	5	74-87-3	2
PZ-4	12/28/2020 9:43	Chloromethane	<1	ug/L	1	74-87-3	0.29
PZ-4	2/19/2020 8:45	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
PZ-4	6/23/2020 8:35	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
PZ-4	9/21/2020 13:06	Bromomethane	<2	ug/L	2	74-83-9	0.99
PZ-4	12/28/2020 9:43	Bromomethane	<1	ug/L	1	74-83-9	0.93
PZ-4	2/19/2020 8:45	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
PZ-4	6/23/2020 8:35	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
PZ-4	9/21/2020 13:06	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
PZ-4	12/28/2020 9:43	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
PZ-4	2/19/2020 8:45	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
PZ-4	6/23/2020 8:35	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
PZ-4	9/21/2020 13:06	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
PZ-4	12/28/2020 9:43	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
PZ-4	2/19/2020 8:45	Methyl Iodide	<2	ug/L	2	74-88-4	1
PZ-4	6/23/2020 8:35	Methyl Iodide	<2	ug/L	2	74-88-4	1
PZ-4	9/21/2020 13:06	Methyl Iodide	<25	ug/L	25	74-88-4	14
PZ-4	12/28/2020 9:43	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
PZ-4	2/19/2020 8:45	Chloroethane	<1	ug/L	1	75-00-3	0.4
PZ-4	6/23/2020 8:35	Chloroethane	<1	ug/L	1	75-00-3	0.4
PZ-4	9/21/2020 13:06	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
PZ-4	12/28/2020 9:43	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
PZ-4	2/19/2020 8:45	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
PZ-4	6/23/2020 8:35	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
PZ-4	9/21/2020 13:06	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
PZ-4	12/28/2020 9:43	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
PZ-4	2/19/2020 8:45	Acetonitrile	<20	ug/L	20	75-05-8	10
PZ-4	6/23/2020 8:35	Acetonitrile	<20	ug/L	20	75-05-8	10
PZ-4	9/21/2020 13:06	Acetonitrile	<10	ug/L	10	75-05-8	2
PZ-4	12/28/2020 9:43	Acetonitrile	<10	ug/L	10	75-05-8	3.9
PZ-4	2/19/2020 8:45	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
PZ-4	6/23/2020 8:35	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
PZ-4	9/21/2020 13:06	Methylene Chloride	<1	ug/L	1	75-09-2	0.043

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-4	12/28/2020 9:43	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
PZ-4	2/19/2020 8:45	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
PZ-4	6/23/2020 8:35	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
PZ-4	9/21/2020 13:06	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
PZ-4	12/28/2020 9:43	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
PZ-4	2/19/2020 8:45	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
PZ-4	6/23/2020 8:35	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
PZ-4	9/21/2020 13:06	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
PZ-4	12/28/2020 9:43	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
PZ-4	2/19/2020 8:45	Bromoform	<1	ug/L	1	75-25-2	0.4
PZ-4	6/23/2020 8:35	Bromoform	<1	ug/L	1	75-25-2	0.4
PZ-4	9/21/2020 13:06	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
PZ-4	12/28/2020 9:43	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
PZ-4	2/19/2020 8:45	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
PZ-4	6/23/2020 8:35	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	5
PZ-4	9/21/2020 13:06	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
PZ-4	12/28/2020 9:43	1,1-Dimethylethanol	<5	ug/L	5	75-65-0	4
PZ-4	2/19/2020 8:45	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
PZ-4	6/23/2020 8:35	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
PZ-4	9/21/2020 13:06	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
PZ-4	12/28/2020 9:43	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
PZ-4	2/19/2020 8:45	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
PZ-4	6/23/2020 8:35	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
PZ-4	9/21/2020 13:06	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
PZ-4	12/28/2020 9:43	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
PZ-4	2/19/2020 8:45	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
PZ-4	6/23/2020 8:35	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
PZ-4	9/21/2020 13:06	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
PZ-4	12/28/2020 9:43	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3
PZ-4	2/19/2020 8:45	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
PZ-4	6/23/2020 8:35	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
PZ-4	9/21/2020 13:06	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
PZ-4	12/28/2020 9:43	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
PZ-4	2/19/2020 8:45	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
PZ-4	6/23/2020 8:35	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
PZ-4	9/21/2020 13:06	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
PZ-4	12/28/2020 9:43	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
PZ-4	2/19/2020 8:45	2-Butanone	<5	ug/L	5	78-93-3	2.5
PZ-4	6/23/2020 8:35	2-Butanone	<5	ug/L	5	78-93-3	2.5
PZ-4	9/21/2020 13:06	2-Butanone	<5	ug/L	5	78-93-3	0.46
PZ-4	12/28/2020 9:43	2-Butanone	<5	ug/L	5	78-93-3	3
PZ-4	2/19/2020 8:45	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
PZ-4	6/23/2020 8:35	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
PZ-4	9/21/2020 13:06	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
PZ-4	12/28/2020 9:43	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
PZ-4	2/19/2020 8:45	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
PZ-4	6/23/2020 8:35	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
PZ-4	9/21/2020 13:06	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
PZ-4	12/28/2020 9:43	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-4	2/19/2020 8:45	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
PZ-4	6/23/2020 8:35	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
PZ-4	9/21/2020 13:06	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.1
PZ-4	12/28/2020 9:43	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
PZ-4	2/19/2020 8:45	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
PZ-4	6/23/2020 8:35	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
PZ-4	9/21/2020 13:06	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
PZ-4	12/28/2020 9:43	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
PZ-4	2/19/2020 8:45	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
PZ-4	6/23/2020 8:35	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
PZ-4	9/21/2020 13:06	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
PZ-4	12/28/2020 9:43	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
PZ-4	2/19/2020 8:45	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
PZ-4	6/23/2020 8:35	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
PZ-4	9/21/2020 13:06	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
PZ-4	12/28/2020 9:43	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
PZ-4	2/19/2020 8:45	Naphthalene	<1	ug/L	1	91-20-3	0.4
PZ-4	6/23/2020 8:35	Naphthalene	<1	ug/L	1	91-20-3	0.4
PZ-4	9/21/2020 13:06	Naphthalene	<1	ug/L	1	91-20-3	0.097
PZ-4	12/28/2020 9:43	Naphthalene	<1	ug/L	1	91-20-3	0.32
PZ-4	2/19/2020 8:45	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
PZ-4	6/23/2020 8:35	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
PZ-4	9/21/2020 13:06	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
PZ-4	12/28/2020 9:43	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
PZ-4	2/19/2020 8:45	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
PZ-4	6/23/2020 8:35	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
PZ-4	9/21/2020 13:06	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
PZ-4	12/28/2020 9:43	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
PZ-4	2/19/2020 8:45	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
PZ-4	6/23/2020 8:35	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
PZ-4	9/21/2020 13:06	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
PZ-4	12/28/2020 9:43	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
PZ-4	2/19/2020 8:45	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
PZ-4	6/23/2020 8:35	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.25
PZ-4	9/21/2020 13:06	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.073
PZ-4	12/28/2020 9:43	1,4-Dichlorobenzene	<0.5	ug/L	0.5	106-46-7	0.22
PZ-4	2/19/2020 8:45	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
PZ-4	6/23/2020 8:35	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
PZ-4	9/21/2020 13:06	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
PZ-4	12/28/2020 9:43	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
PZ-4	2/19/2020 8:45	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
PZ-4	6/23/2020 8:35	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
PZ-4	9/21/2020 13:06	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
PZ-4	12/28/2020 9:43	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
PZ-4	2/19/2020 8:45	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
PZ-4	6/23/2020 8:35	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
PZ-4	9/21/2020 13:06	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
PZ-4	12/28/2020 9:43	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
PZ-4	2/19/2020 8:45	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-4	6/23/2020 8:35	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
PZ-4	9/21/2020 13:06	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
PZ-4	12/28/2020 9:43	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
PZ-4	2/19/2020 8:45	Acrolein	<50	ug/L	50	107-02-8	2.5
PZ-4	6/23/2020 8:35	Acrolein	<50	ug/L	50	107-02-8	2.5
PZ-4	9/21/2020 13:06	Acrolein	<10	ug/L	10	107-02-8	0.59
PZ-4	12/28/2020 9:43	Acrolein	<4	ug/L	4	107-02-8	2.2
PZ-4	2/19/2020 8:45	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
PZ-4	6/23/2020 8:35	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
PZ-4	9/21/2020 13:06	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
PZ-4	12/28/2020 9:43	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
PZ-4	2/19/2020 8:45	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
PZ-4	6/23/2020 8:35	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
PZ-4	9/21/2020 13:06	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
PZ-4	12/28/2020 9:43	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
PZ-4	2/19/2020 8:45	Propionitrile	<20	ug/L	20	107-12-0	10
PZ-4	6/23/2020 8:35	Propionitrile	<20	ug/L	20	107-12-0	10
PZ-4	9/21/2020 13:06	Propionitrile	<5	ug/L	5	107-12-0	1
PZ-4	12/28/2020 9:43	Propionitrile	<5	ug/L	5	107-12-0	3.7
PZ-4	2/19/2020 8:45	Vinyl acetate	<4	ug/L	4	108-05-4	2
PZ-4	6/23/2020 8:35	Vinyl acetate	<4	ug/L	4	108-05-4	2
PZ-4	9/21/2020 13:06	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
PZ-4	12/28/2020 9:43	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
PZ-4	2/19/2020 8:45	Acrylonitrile	<50	ug/L	50	107-13-1	1
PZ-4	6/23/2020 8:35	Acrylonitrile	<50	ug/L	50	107-13-1	1
PZ-4	9/21/2020 13:06	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
PZ-4	12/28/2020 9:43	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
PZ-4	2/19/2020 8:45	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
PZ-4	6/23/2020 8:35	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
PZ-4	9/21/2020 13:06	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
PZ-4	12/28/2020 9:43	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
PZ-4	2/19/2020 8:45	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
PZ-4	6/23/2020 8:35	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
PZ-4	9/21/2020 13:06	Tetrahydrofuran	<2	ug/L	2	109-99-9	0.57
PZ-4	12/28/2020 9:43	Tetrahydrofuran	<2	ug/L	2	109-99-9	1.1
PZ-4	2/19/2020 8:45	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
PZ-4	6/23/2020 8:35	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
PZ-4	9/21/2020 13:06	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
PZ-4	12/28/2020 9:43	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
PZ-4	2/19/2020 8:45	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
PZ-4	6/23/2020 8:35	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
PZ-4	9/21/2020 13:06	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
PZ-4	12/28/2020 9:43	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.24
PZ-4	2/19/2020 8:45	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
PZ-4	6/23/2020 8:35	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
PZ-4	9/21/2020 13:06	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
PZ-4	12/28/2020 9:43	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
PZ-4	2/19/2020 8:45	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
PZ-4	6/23/2020 8:35	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-4	9/21/2020 13:06	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
PZ-4	12/28/2020 9:43	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
PZ-4	2/19/2020 8:45	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
PZ-4	6/23/2020 8:35	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
PZ-4	9/21/2020 13:06	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
PZ-4	12/28/2020 9:43	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
PZ-4	2/19/2020 8:45	1,4-Dioxane	<0.98	ug/L	0.98	123-91-1	0.25
PZ-4	6/23/2020 8:35	1,4-Dioxane	<0.99	ug/L	0.99	123-91-1	0.25
PZ-4	9/21/2020 13:06	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.18
PZ-4	12/28/2020 9:43	1,4-Dioxane	<0.5	ug/L	0.5	123-91-1	0.34
PZ-4	2/19/2020 8:45	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
PZ-4	6/23/2020 8:35	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
PZ-4	9/21/2020 13:06	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
PZ-4	12/28/2020 9:43	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
PZ-4	2/19/2020 8:45	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
PZ-4	6/23/2020 8:35	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
PZ-4	9/21/2020 13:06	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
PZ-4	12/28/2020 9:43	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
PZ-4	2/19/2020 8:45	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
PZ-4	6/23/2020 8:35	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
PZ-4	9/21/2020 13:06	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
PZ-4	12/28/2020 9:43	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
PZ-4	2/19/2020 8:45	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
PZ-4	6/23/2020 8:35	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.25
PZ-4	9/21/2020 13:06	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.11
PZ-4	12/28/2020 9:43	cis-1,2-Dichloroethene	<0.5	ug/L	0.5	156-59-2	0.3
PZ-4	2/19/2020 8:45	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
PZ-4	6/23/2020 8:35	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
PZ-4	9/21/2020 13:06	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
PZ-4	12/28/2020 9:43	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
PZ-4	2/19/2020 8:45	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
PZ-4	6/23/2020 8:35	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
PZ-4	9/21/2020 13:06	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
PZ-4	12/28/2020 9:43	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
PZ-4	2/19/2020 8:45	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
PZ-4	6/23/2020 8:35	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
PZ-4	9/21/2020 13:06	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
PZ-4	12/28/2020 9:43	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
PZ-4	2/19/2020 8:45	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
PZ-4	6/23/2020 8:35	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
PZ-4	9/21/2020 13:06	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
PZ-4	12/28/2020 9:43	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
PZ-4	2/19/2020 8:45	2-Hexanone	<5	ug/L	5	591-78-6	2.5
PZ-4	6/23/2020 8:35	2-Hexanone	<5	ug/L	5	591-78-6	2.5
PZ-4	9/21/2020 13:06	2-Hexanone	<10	ug/L	10	591-78-6	0.5
PZ-4	12/28/2020 9:43	2-Hexanone	<6	ug/L	6	591-78-6	4.3
PZ-4	2/19/2020 8:45	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
PZ-4	6/23/2020 8:35	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
PZ-4	9/21/2020 13:06	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-4	12/28/2020 9:43	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
PZ-4	2/19/2020 8:45	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
PZ-4	6/23/2020 8:35	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
PZ-4	9/21/2020 13:06	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
PZ-4	12/28/2020 9:43	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
PZ-4	2/19/2020 8:45	Ammonia	2.6	mg/L	0.2	7664-41-7	0.1
PZ-4	6/23/2020 8:35	Ammonia	2.8	mg/L	0.2	7664-41-7	0.1
PZ-4	9/21/2020 13:06	Ammonia	2.5	mg/L	0.2	7664-41-7	0.1
PZ-4	12/28/2020 9:43	Ammonia	2.3	mg/L	0.5	7664-41-7	0.1
PZ-4	2/19/2020 8:45	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
PZ-4	6/23/2020 8:35	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
PZ-4	9/21/2020 13:06	MTBE	<0.5	ug/L	0.5	1634-04-4	0.067
PZ-4	12/28/2020 9:43	MTBE	<0.5	ug/L	0.5	1634-04-4	0.21
PZ-4	2/19/2020 8:45	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
PZ-4	6/23/2020 8:35	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
PZ-4	9/21/2020 13:06	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
PZ-4	12/28/2020 9:43	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
PZ-4	2/19/2020 8:45	Alkalinity	320	mg/L	4	ALK	0
PZ-4	6/23/2020 8:35	Alkalinity	320	mg/L	4	ALK	0
PZ-4	9/21/2020 13:06	Alkalinity	330	mg/L	4	ALK	0
PZ-4	12/28/2020 9:43	Alkalinity	320	mg/L	4	ALK	0
PZ-4	2/19/2020 8:45	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
PZ-4	6/23/2020 8:35	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
PZ-4	9/21/2020 13:06	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
PZ-4	12/28/2020 9:43	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
PZ-4	6/23/2020 8:35	Bromide	<0.5	mg/L	0.5	24959-67-9	0.25
PZ-4	12/28/2020 9:43	Bromide	<0.5	mg/L	0.5	24959-67-9	0.25
PZ-4	6/23/2020 8:35	Boron, Total Recoverable	0.21	mg/L	0.05	7440-42-8	0.025
PZ-4	12/28/2020 9:43	Boron, Total Recoverable	0.15	mg/L	0.05	7440-42-8	0.025
PZ-4	2/19/2020 8:45	Chemical Oxygen Demand	<20	mg/L	20	COD	10
PZ-4	6/23/2020 8:35	Chemical Oxygen Demand	<20	mg/L	20	COD	10
PZ-4	9/21/2020 13:06	Chemical Oxygen Demand	<20	mg/L	20	COD	10
PZ-4	12/28/2020 9:43	Chemical Oxygen Demand	<20	mg/L	20	COD	10
PZ-4	6/23/2020 8:35	Carbon Dioxide, Free	26	mg/L	2	124-38-9	0
PZ-4	12/28/2020 9:43	Carbon Dioxide, Free	19	mg/L	2	124-38-9	0
PZ-4	2/19/2020 8:45	Chloride	9	mg/L	0.5	16887-00-6	0.25
PZ-4	6/23/2020 8:35	Chloride	9.2	mg/L	0.5	16887-00-6	0.25
PZ-4	9/21/2020 13:06	Chloride	9.1	mg/L	2.5	16887-00-6	1.3
PZ-4	12/28/2020 9:43	Chloride	9.7	mg/L	0.5	16887-00-6	0.25
PZ-4	6/23/2020 8:35	Calcium, Total Recoverable	140	mg/L	0.1	7440-70-2	0.05
PZ-4	12/28/2020 9:43	Calcium, Total Recoverable	140	mg/L	0.1	7440-70-2	0.05
PZ-4	6/23/2020 8:35	Iron, Total Recoverable	2.9	mg/L	0.1	7439-89-6	0.05
PZ-4	12/28/2020 9:43	Iron, Total Recoverable	1.6	mg/L	0.1	7439-89-6	0.05
PZ-4	6/23/2020 8:35	Fluoride, Total	0.91	mg/L	0.5	16984-48-8	0.25
PZ-4	12/28/2020 9:43	Fluoride, Total	0.97	mg/L	0.5	16984-48-8	0.25
PZ-4	6/23/2020 8:35	Bicarbonate	320	mg/L	4	HCO3	0
PZ-4	12/28/2020 9:43	Bicarbonate	320	mg/L	4	HCO3	0
PZ-4	2/19/2020 8:45	Potassium, Total Recoverable	4.3	mg/L	0.5	9/7/7440	0.25
PZ-4	6/23/2020 8:35	Potassium, Total Recoverable	4.8	mg/L	0.5	9/7/7440	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
PZ-4	9/21/2020 13:06	Potassium, Total Recoverable	4.1	mg/L	0.5	9/7/7440	0.25
PZ-4	12/28/2020 9:43	Potassium, Total Recoverable	4.1	mg/L	0.5	9/7/7440	0.25
PZ-4	2/19/2020 8:45	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
PZ-4	6/23/2020 8:35	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
PZ-4	9/21/2020 13:06	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
PZ-4	12/28/2020 9:43	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
PZ-4	6/23/2020 8:35	Manganese, Total Recoverable	0.17	mg/L	0.02	7439-96-5	0.015
PZ-4	12/28/2020 9:43	Manganese, Total Recoverable	0.15	mg/L	0.02	7439-96-5	0.015
PZ-4	6/23/2020 8:35	Magnesium, Total Recoverable	83	mg/L	0.02	7439-95-4	0.01
PZ-4	12/28/2020 9:43	Magnesium, Total Recoverable	81	mg/L	0.02	7439-95-4	0.01
PZ-4	6/23/2020 8:35	Sulfate	590	mg/L	25	14808-79-8	13
PZ-4	12/28/2020 9:43	Sulfate	610	mg/L	25	14808-79-8	13
PZ-4	6/23/2020 8:35	Sodium, Total Recoverable	110	mg/L	0.5	7440-23-5	0.26
PZ-4	12/28/2020 9:43	Sodium, Total Recoverable	89	mg/L	0.5	7440-23-5	0.26
PZ-4	6/23/2020 8:35	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
PZ-4	12/28/2020 9:43	Nitrogen, Nitrate	<0.11	mg/L	0.11	14797-55-8	0.055
PZ-4	2/19/2020 8:45	Solids, Total Dissolved	1200	mg/L	10	TDS	5
PZ-4	6/23/2020 8:35	Solids, Total Dissolved	1200	mg/L	10	TDS	5
PZ-4	9/21/2020 13:06	Solids, Total Dissolved	1200	mg/L	10	TDS	5
PZ-4	12/28/2020 9:43	Solids, Total Dissolved	1200	mg/L	10	TDS	5
PZ-4	6/23/2020 8:35	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
PZ-4	12/28/2020 9:43	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
PZ-4	2/19/2020 8:45	Total Organic Carbon	1.4	mg/L	0.1	TOC	0.05
PZ-4	6/23/2020 8:35	Total Organic Carbon	1.5	mg/L	0.1	TOC	0.05
PZ-4	9/21/2020 13:06	Total Organic Carbon	1.6	mg/L	0.1	TOC	0.05
PZ-4	12/28/2020 9:43	Total Organic Carbon	1.2	mg/L	0.1	TOC	0.05
UB DRAIN	2/18/2020 12:25	Total Organic Carbon	220	mg/L	10	TOC	5
UB DRAIN	6/22/2020 12:00	Total Organic Carbon	210	mg/L	5	TOC	2.5
UB DRAIN	9/21/2020 11:50	Total Organic Carbon	570	mg/L	10	TOC	5
UB DRAIN	12/22/2020 10:40	Total Organic Carbon	160	mg/L	5	TOC	2.5
UB DRAIN	6/22/2020 12:00	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
UB DRAIN	12/22/2020 10:40	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
UB DRAIN	2/18/2020 12:25	Solids, Total Dissolved	5100	mg/L	100	TDS	50
UB DRAIN	6/22/2020 12:00	Solids, Total Dissolved	4900	mg/L	100	TDS	50
UB DRAIN	9/21/2020 11:50	Solids, Total Dissolved	4100	mg/L	50	TDS	25
UB DRAIN	12/22/2020 10:40	Solids, Total Dissolved	4100	mg/L	50	TDS	25
UB DRAIN	6/22/2020 12:00	Nitrogen, Nitrate	<0.55	mg/L	0.55	14797-55-8	0.28
UB DRAIN	12/22/2020 10:40	Nitrogen, Nitrate	<0.55	mg/L	0.55	14797-55-8	0.28
UB DRAIN	6/22/2020 12:00	Sodium, Total Recoverable	440	mg/L	0.5	7440-23-5	0.26
UB DRAIN	12/22/2020 10:40	Sodium, Total Recoverable	300	mg/L	2.5	7440-23-5	1.3
UB DRAIN	6/22/2020 12:00	Sulfate	2000	mg/L	50	14808-79-8	25
UB DRAIN	12/22/2020 10:40	Sulfate	1800	mg/L	100	14808-79-8	50
UB DRAIN	6/22/2020 12:00	Magnesium, Total Recoverable	300	mg/L	0.02	7439-95-4	0.01
UB DRAIN	12/22/2020 10:40	Magnesium, Total Recoverable	230	mg/L	0.1	7439-95-4	0.05
UB DRAIN	6/22/2020 12:00	Manganese, Total Recoverable	5.5	mg/L	0.02	7439-96-5	0.015
UB DRAIN	12/22/2020 10:40	Manganese, Total Recoverable	4.4	mg/L	0.1	7439-96-5	0.075
UB DRAIN	2/18/2020 12:25	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
UB DRAIN	6/22/2020 12:00	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
UB DRAIN	9/21/2020 11:50	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
UB DRAIN	12/22/2020 10:40	m,p-Xylene	<2	ug/L	2	108-38-3_106-42-3	1.6
UB DRAIN	2/18/2020 12:25	Potassium, Total Recoverable	33	mg/L	1	9/7/7440	0.5
UB DRAIN	6/22/2020 12:00	Potassium, Total Recoverable	36	mg/L	0.5	9/7/7440	0.25
UB DRAIN	9/21/2020 11:50	Potassium, Total Recoverable	32	mg/L	13	9/7/7440	6.3
UB DRAIN	12/22/2020 10:40	Potassium, Total Recoverable	26	mg/L	2.5	9/7/7440	1.3
UB DRAIN	6/22/2020 12:00	Bicarbonate	980	mg/L	4	HCO3	0
UB DRAIN	12/22/2020 10:40	Bicarbonate	850	mg/L	4	HCO3	0
UB DRAIN	6/22/2020 12:00	Fluoride, Total	<2.5	mg/L	2.5	16984-48-8	1.3
UB DRAIN	12/22/2020 10:40	Fluoride, Total	<2.5	mg/L	2.5	16984-48-8	1.3
UB DRAIN	6/22/2020 12:00	Iron, Total Recoverable	320	mg/L	0.1	7439-89-6	0.05
UB DRAIN	12/22/2020 10:40	Iron, Total Recoverable	1200	mg/L	0.5	7439-89-6	0.25
UB DRAIN	6/22/2020 12:00	Calcium, Total Recoverable	700	mg/L	0.2	7440-70-2	0.1
UB DRAIN	12/22/2020 10:40	Calcium, Total Recoverable	490	mg/L	0.5	7440-70-2	0.25
UB DRAIN	2/18/2020 12:25	Chloride	630	mg/L	50	16887-00-6	25
UB DRAIN	6/22/2020 12:00	Chloride	600	mg/L	50	16887-00-6	25
UB DRAIN	9/21/2020 11:50	Chloride	250	mg/L	25	16887-00-6	13
UB DRAIN	12/22/2020 10:40	Chloride	240	mg/L	100	16887-00-6	50
UB DRAIN	6/22/2020 12:00	Carbon Dioxide, Free	310	mg/L	2	124-38-9	0
UB DRAIN	12/22/2020 10:40	Carbon Dioxide, Free	6.4	mg/L	2	124-38-9	0
UB DRAIN	2/18/2020 12:25	Chemical Oxygen Demand	460	mg/L	20	COD	10
UB DRAIN	6/22/2020 12:00	Chemical Oxygen Demand	500	mg/L	20	COD	10
UB DRAIN	9/21/2020 11:50	Chemical Oxygen Demand	510	mg/L	200	COD	100
UB DRAIN	12/22/2020 10:40	Chemical Oxygen Demand	280	mg/L	100	COD	50
UB DRAIN	6/22/2020 12:00	Boron, Total Recoverable	2.4	mg/L	0.05	7440-42-8	0.025
UB DRAIN	12/22/2020 10:40	Boron, Total Recoverable	1.4	mg/L	0.25	7440-42-8	0.13
UB DRAIN	6/22/2020 12:00	Bromide	8.2	mg/L	2.5	24959-67-9	1.3
UB DRAIN	12/22/2020 10:40	Bromide	2.9	mg/L	2.5	24959-67-9	1.3
UB DRAIN	2/18/2020 12:25	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
UB DRAIN	6/22/2020 12:00	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
UB DRAIN	9/21/2020 11:50	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
UB DRAIN	12/22/2020 10:40	trans-1,3-Dichloropropene	<1	ug/L	1	10061-02-6	0.35
UB DRAIN	2/18/2020 12:25	Alkalinity	1200	mg/L	4	ALK	0
UB DRAIN	6/22/2020 12:00	Alkalinity	980	mg/L	4	ALK	0
UB DRAIN	9/21/2020 11:50	Alkalinity	960	mg/L	4	ALK	0
UB DRAIN	12/22/2020 10:40	Alkalinity	850	mg/L	4	ALK	0
UB DRAIN	2/18/2020 12:25	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
UB DRAIN	6/22/2020 12:00	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
UB DRAIN	9/21/2020 11:50	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
UB DRAIN	12/22/2020 10:40	cis-1,3-Dichloropropene	<1	ug/L	1	10061-01-5	0.38
UB DRAIN	2/18/2020 12:25	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
UB DRAIN	6/22/2020 12:00	MTBE	<0.5	ug/L	0.5	1634-04-4	0.25
UB DRAIN	9/21/2020 11:50	MTBE	0.71	ug/L	0.5	1634-04-4	0.067
UB DRAIN	12/22/2020 10:40	MTBE	0.98	ug/L	1	1634-04-4	0.41
UB DRAIN	2/18/2020 12:25	Ammonia	48	mg/L	1	7664-41-7	0.5
UB DRAIN	6/22/2020 12:00	Ammonia	12	mg/L	1	7664-41-7	0.5
UB DRAIN	9/21/2020 11:50	Ammonia	32	mg/L	2	7664-41-7	1
UB DRAIN	12/22/2020 10:40	Ammonia	31	mg/L	25	7664-41-7	5
UB DRAIN	2/18/2020 12:25	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
UB DRAIN	6/22/2020 12:00	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
UB DRAIN	9/21/2020 11:50	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
UB DRAIN	12/22/2020 10:40	1,1,1,2-Tetrachloroethane	<1	ug/L	1	630-20-6	0.51
UB DRAIN	2/18/2020 12:25	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
UB DRAIN	6/22/2020 12:00	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
UB DRAIN	9/21/2020 11:50	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
UB DRAIN	12/22/2020 10:40	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.79
UB DRAIN	2/18/2020 12:25	2-Hexanone	<5	ug/L	5	591-78-6	2.5
UB DRAIN	6/22/2020 12:00	2-Hexanone	<5	ug/L	5	591-78-6	2.5
UB DRAIN	9/21/2020 11:50	2-Hexanone	<10	ug/L	10	591-78-6	0.5
UB DRAIN	12/22/2020 10:40	2-Hexanone	<12	ug/L	12	591-78-6	8.6
UB DRAIN	2/18/2020 12:25	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
UB DRAIN	6/22/2020 12:00	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
UB DRAIN	9/21/2020 11:50	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
UB DRAIN	12/22/2020 10:40	1,1-Dichloropropene	<1	ug/L	1	563-58-6	0.48
UB DRAIN	2/18/2020 12:25	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
UB DRAIN	6/22/2020 12:00	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
UB DRAIN	9/21/2020 11:50	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
UB DRAIN	12/22/2020 10:40	1,3-Dichlorobenzene	<1	ug/L	1	541-73-1	0.51
UB DRAIN	2/18/2020 12:25	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
UB DRAIN	6/22/2020 12:00	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
UB DRAIN	9/21/2020 11:50	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
UB DRAIN	12/22/2020 10:40	trans-1,2-Dichloroethene	<1	ug/L	1	156-60-5	0.72
UB DRAIN	2/18/2020 12:25	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
UB DRAIN	6/22/2020 12:00	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
UB DRAIN	9/21/2020 11:50	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
UB DRAIN	12/22/2020 10:40	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.41
UB DRAIN	2/18/2020 12:25	cis-1,2-Dichloroethene	1.1	ug/L	0.5	156-59-2	0.25
UB DRAIN	6/22/2020 12:00	cis-1,2-Dichloroethene	0.66	ug/L	0.5	156-59-2	0.25
UB DRAIN	9/21/2020 11:50	cis-1,2-Dichloroethene	0.52	ug/L	0.5	156-59-2	0.11
UB DRAIN	12/22/2020 10:40	cis-1,2-Dichloroethene	<1	ug/L	1	156-59-2	0.6
UB DRAIN	2/18/2020 12:25	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
UB DRAIN	6/22/2020 12:00	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
UB DRAIN	9/21/2020 11:50	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
UB DRAIN	12/22/2020 10:40	Methacrylonitrile	<4	ug/L	4	126-98-7	1.4
UB DRAIN	2/18/2020 12:25	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
UB DRAIN	6/22/2020 12:00	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
UB DRAIN	9/21/2020 11:50	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
UB DRAIN	12/22/2020 10:40	2-Chloro-1,3-Butadiene	<4	ug/L	4	126-99-8	3.7
UB DRAIN	2/18/2020 12:25	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
UB DRAIN	6/22/2020 12:00	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
UB DRAIN	9/21/2020 11:50	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
UB DRAIN	12/22/2020 10:40	Tetrachloroethene	<1	ug/L	1	127-18-4	0.58
UB DRAIN	2/18/2020 12:25	1,4-Dioxane	32	ug/L	1	123-91-1	0.26
UB DRAIN	6/22/2020 12:00	1,4-Dioxane	30	ug/L	0.98	123-91-1	0.25
UB DRAIN	9/21/2020 11:50	1,4-Dioxane	36	ug/L	0.5	123-91-1	0.18
UB DRAIN	12/22/2020 10:40	1,4-Dioxane	28	ug/L	0.5	123-91-1	0.34
UB DRAIN	2/18/2020 12:25	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
UB DRAIN	6/22/2020 12:00	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
UB DRAIN	9/21/2020 11:50	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
UB DRAIN	12/22/2020 10:40	Dibromochloromethane	<1	ug/L	1	124-48-1	0.54
UB DRAIN	2/18/2020 12:25	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
UB DRAIN	6/22/2020 12:00	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
UB DRAIN	9/21/2020 11:50	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
UB DRAIN	12/22/2020 10:40	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.75
UB DRAIN	2/18/2020 12:25	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
UB DRAIN	6/22/2020 12:00	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
UB DRAIN	9/21/2020 11:50	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
UB DRAIN	12/22/2020 10:40	Trans-1,4-Dichloro-2-Butene	<4	ug/L	4	110-57-6	2.6
UB DRAIN	2/18/2020 12:25	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
UB DRAIN	6/22/2020 12:00	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
UB DRAIN	9/21/2020 11:50	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.088
UB DRAIN	12/22/2020 10:40	Chlorobenzene	<1	ug/L	1	108-90-7	0.48
UB DRAIN	2/18/2020 12:25	Toluene	0.25	ug/L	0.5	108-88-3	0.25
UB DRAIN	6/22/2020 12:00	Toluene	0.3	ug/L	0.5	108-88-3	0.25
UB DRAIN	9/21/2020 11:50	Toluene	0.098	ug/L	0.5	108-88-3	0.093
UB DRAIN	12/22/2020 10:40	Toluene	<1	ug/L	1	108-88-3	0.66
UB DRAIN	2/18/2020 12:25	Tetrahydrofuran	10	ug/L	10	109-99-9	5
UB DRAIN	6/22/2020 12:00	Tetrahydrofuran	13	ug/L	10	109-99-9	5
UB DRAIN	9/21/2020 11:50	Tetrahydrofuran	9.7	ug/L	2	109-99-9	0.57
UB DRAIN	12/22/2020 10:40	Tetrahydrofuran	7.2	ug/L	4	109-99-9	2.1
UB DRAIN	2/18/2020 12:25	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
UB DRAIN	6/22/2020 12:00	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
UB DRAIN	9/21/2020 11:50	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42
UB DRAIN	12/22/2020 10:40	4-Methyl-2-Pentanone	<10	ug/L	10	108-10-1	4.5
UB DRAIN	2/18/2020 12:25	Acrylonitrile	<50	ug/L	50	107-13-1	1
UB DRAIN	2/18/2020 12:25	Acrylonitrile	<2	ug/L	2	107-13-1	1
UB DRAIN	6/22/2020 12:00	Acrylonitrile	<2	ug/L	2	107-13-1	1
UB DRAIN	9/21/2020 11:50	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
UB DRAIN	12/22/2020 10:40	Acrylonitrile	<10	ug/L	10	107-13-1	1.7
UB DRAIN	2/18/2020 12:25	Vinyl acetate	<4	ug/L	4	108-05-4	2
UB DRAIN	6/22/2020 12:00	Vinyl acetate	<4	ug/L	4	108-05-4	2
UB DRAIN	9/21/2020 11:50	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
UB DRAIN	12/22/2020 10:40	Vinyl acetate	<10	ug/L	10	108-05-4	6.3
UB DRAIN	2/18/2020 12:25	Propionitrile	<20	ug/L	20	107-12-0	10
UB DRAIN	6/22/2020 12:00	Propionitrile	<20	ug/L	20	107-12-0	10
UB DRAIN	9/21/2020 11:50	Propionitrile	<5	ug/L	5	107-12-0	1
UB DRAIN	12/22/2020 10:40	Propionitrile	<10	ug/L	10	107-12-0	7.5
UB DRAIN	2/18/2020 12:25	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
UB DRAIN	6/22/2020 12:00	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
UB DRAIN	9/21/2020 11:50	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
UB DRAIN	12/22/2020 10:40	1,2-Dichloroethane	<1	ug/L	1	107-06-2	0.3
UB DRAIN	2/18/2020 12:25	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
UB DRAIN	6/22/2020 12:00	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
UB DRAIN	9/21/2020 11:50	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
UB DRAIN	12/22/2020 10:40	Allyl Chloride	<4	ug/L	4	107-05-1	0.76
UB DRAIN	2/18/2020 12:25	Acrolein	<50	ug/L	50	107-02-8	2.5
UB DRAIN	2/18/2020 12:25	Acrolein	<5	ug/L	5	107-02-8	2.5
UB DRAIN	6/22/2020 12:00	Acrolein	<5	ug/L	5	107-02-8	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
UB DRAIN	9/21/2020 11:50	Acrolein	<10	ug/L	10	107-02-8	0.59
UB DRAIN	12/22/2020 10:40	Acrolein	<8	ug/L	8	107-02-8	4.4
UB DRAIN	2/18/2020 12:25	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
UB DRAIN	6/22/2020 12:00	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
UB DRAIN	9/21/2020 11:50	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
UB DRAIN	12/22/2020 10:40	1,2-Dibromoethane	<1	ug/L	1	106-93-4	0.27
UB DRAIN	2/18/2020 12:25	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
UB DRAIN	6/22/2020 12:00	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
UB DRAIN	9/21/2020 11:50	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
UB DRAIN	12/22/2020 10:40	Ethyl Methacrylate	<4	ug/L	4	97-63-2	2.4
UB DRAIN	2/18/2020 12:25	Ethylbenzene	0.64	ug/L	0.5	100-41-4	0.25
UB DRAIN	6/22/2020 12:00	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
UB DRAIN	9/21/2020 11:50	Ethylbenzene	0.16	ug/L	0.5	100-41-4	0.087
UB DRAIN	12/22/2020 10:40	Ethylbenzene	<1	ug/L	1	100-41-4	0.71
UB DRAIN	2/18/2020 12:25	Styrene	0.61	ug/L	0.5	100-42-5	0.25
UB DRAIN	6/22/2020 12:00	Styrene	0.32	ug/L	0.5	100-42-5	0.25
UB DRAIN	9/21/2020 11:50	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
UB DRAIN	12/22/2020 10:40	Styrene	<1	ug/L	1	100-42-5	0.55
UB DRAIN	2/18/2020 12:25	1,4-Dichlorobenzene	0.34	ug/L	0.5	106-46-7	0.25
UB DRAIN	6/22/2020 12:00	1,4-Dichlorobenzene	0.47	ug/L	0.5	106-46-7	0.25
UB DRAIN	9/21/2020 11:50	1,4-Dichlorobenzene	1.3	ug/L	0.5	106-46-7	0.073
UB DRAIN	12/22/2020 10:40	1,4-Dichlorobenzene	1.2	ug/L	1	106-46-7	0.45
UB DRAIN	2/18/2020 12:25	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
UB DRAIN	6/22/2020 12:00	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
UB DRAIN	9/21/2020 11:50	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
UB DRAIN	12/22/2020 10:40	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.64
UB DRAIN	2/18/2020 12:25	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
UB DRAIN	6/22/2020 12:00	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
UB DRAIN	9/21/2020 11:50	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
UB DRAIN	12/22/2020 10:40	1,2-Dibromo-3-Chloropropane	<2	ug/L	2	96-12-8	1.3
UB DRAIN	2/18/2020 12:25	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
UB DRAIN	6/22/2020 12:00	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
UB DRAIN	9/21/2020 11:50	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
UB DRAIN	12/22/2020 10:40	o-Xylene	<1	ug/L	1	95-47-6	0.7
UB DRAIN	2/18/2020 12:25	Naphthalene	<1	ug/L	1	91-20-3	0.4
UB DRAIN	6/22/2020 12:00	Naphthalene	<1	ug/L	1	91-20-3	0.4
UB DRAIN	9/21/2020 11:50	Naphthalene	<1	ug/L	1	91-20-3	0.097
UB DRAIN	12/22/2020 10:40	Naphthalene	<2	ug/L	2	91-20-3	0.64
UB DRAIN	2/18/2020 12:25	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
UB DRAIN	6/22/2020 12:00	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
UB DRAIN	9/21/2020 11:50	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
UB DRAIN	12/22/2020 10:40	1,2-Dichlorobenzene	<1	ug/L	1	95-50-1	0.46
UB DRAIN	2/18/2020 12:25	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
UB DRAIN	6/22/2020 12:00	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
UB DRAIN	9/21/2020 11:50	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
UB DRAIN	12/22/2020 10:40	Methyl Methacrylate	<4	ug/L	4	80-62-6	2.2
UB DRAIN	2/18/2020 12:25	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
UB DRAIN	6/22/2020 12:00	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
UB DRAIN	9/21/2020 11:50	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
UB DRAIN	12/22/2020 10:40	1,1,2,2-Tetrachloroethane	<1	ug/L	1	79-34-5	0.39
UB DRAIN	2/18/2020 12:25	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
UB DRAIN	6/22/2020 12:00	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
UB DRAIN	9/21/2020 11:50	Trichloroethene	0.11	ug/L	0.5	79-01-6	0.1
UB DRAIN	12/22/2020 10:40	Trichloroethene	<1	ug/L	1	79-01-6	0.58
UB DRAIN	2/18/2020 12:25	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
UB DRAIN	6/22/2020 12:00	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
UB DRAIN	9/21/2020 11:50	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
UB DRAIN	12/22/2020 10:40	1,1,2-Trichloroethane	<1	ug/L	1	79-00-5	0.17
UB DRAIN	2/18/2020 12:25	2-Butanone	<5	ug/L	5	78-93-3	2.5
UB DRAIN	6/22/2020 12:00	2-Butanone	<5	ug/L	5	78-93-3	2.5
UB DRAIN	9/21/2020 11:50	2-Butanone	<5	ug/L	5	78-93-3	0.46
UB DRAIN	12/22/2020 10:40	2-Butanone	<10	ug/L	10	78-93-3	6.1
UB DRAIN	2/18/2020 12:25	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
UB DRAIN	6/22/2020 12:00	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
UB DRAIN	9/21/2020 11:50	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.099
UB DRAIN	12/22/2020 10:40	1,2-Dichloropropane	<1	ug/L	1	78-87-5	0.48
UB DRAIN	2/18/2020 12:25	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
UB DRAIN	6/22/2020 12:00	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
UB DRAIN	9/21/2020 11:50	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
UB DRAIN	12/22/2020 10:40	Isobutyl Alcohol	<20	ug/L	20	78-83-1	11
UB DRAIN	2/18/2020 12:25	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
UB DRAIN	6/22/2020 12:00	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
UB DRAIN	9/21/2020 11:50	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
UB DRAIN	12/22/2020 10:40	Dichlorodifluoromethane	<2	ug/L	2	75-71-8	1.4
UB DRAIN	2/18/2020 12:25	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
UB DRAIN	6/22/2020 12:00	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
UB DRAIN	9/21/2020 11:50	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
UB DRAIN	12/22/2020 10:40	Trichlorofluoromethane	<1	ug/L	1	75-69-4	0.59
UB DRAIN	2/18/2020 12:25	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
UB DRAIN	6/22/2020 12:00	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
UB DRAIN	9/21/2020 11:50	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
UB DRAIN	12/22/2020 10:40	1,1-Dichloroethane	<1	ug/L	1	75-34-3	0.71
UB DRAIN	2/18/2020 12:25	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
UB DRAIN	6/22/2020 12:00	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
UB DRAIN	9/21/2020 11:50	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
UB DRAIN	12/22/2020 10:40	1,1-Dichloroethene	<1	ug/L	1	75-35-4	0.78
UB DRAIN	2/18/2020 12:25	1,1-Dimethylethanol	55	ug/L	10	75-65-0	5
UB DRAIN	6/22/2020 12:00	1,1-Dimethylethanol	57	ug/L	10	75-65-0	5
UB DRAIN	9/21/2020 11:50	1,1-Dimethylethanol	<10	ug/L	10	75-65-0	4
UB DRAIN	12/22/2020 10:40	1,1-Dimethylethanol	160	ug/L	10	75-65-0	8
UB DRAIN	2/18/2020 12:25	Bromoform	<1	ug/L	1	75-25-2	0.4
UB DRAIN	6/22/2020 12:00	Bromoform	<1	ug/L	1	75-25-2	0.4
UB DRAIN	9/21/2020 11:50	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
UB DRAIN	12/22/2020 10:40	Bromoform	<1	ug/L	1	75-25-2	0.78
UB DRAIN	2/18/2020 12:25	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
UB DRAIN	6/22/2020 12:00	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
UB DRAIN	9/21/2020 11:50	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
UB DRAIN	12/22/2020 10:40	Bromodichloromethane	<1	ug/L	1	75-27-4	0.45

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
UB DRAIN	2/18/2020 12:25	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
UB DRAIN	6/22/2020 12:00	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
UB DRAIN	9/21/2020 11:50	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
UB DRAIN	12/22/2020 10:40	Carbon Disulfide	<2	ug/L	2	75-15-0	0.49
UB DRAIN	2/18/2020 12:25	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
UB DRAIN	6/22/2020 12:00	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
UB DRAIN	9/21/2020 11:50	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
UB DRAIN	12/22/2020 10:40	Methylene Chloride	<2	ug/L	2	75-09-2	0.96
UB DRAIN	2/18/2020 12:25	Acetonitrile	<20	ug/L	20	75-05-8	10
UB DRAIN	6/22/2020 12:00	Acetonitrile	<20	ug/L	20	75-05-8	10
UB DRAIN	9/21/2020 11:50	Acetonitrile	<10	ug/L	10	75-05-8	2
UB DRAIN	12/22/2020 10:40	Acetonitrile	<20	ug/L	20	75-05-8	7.9
UB DRAIN	2/18/2020 12:25	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
UB DRAIN	6/22/2020 12:00	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
UB DRAIN	9/21/2020 11:50	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
UB DRAIN	12/22/2020 10:40	Vinyl Chloride	<1	ug/L	1	75-01-4	0.8
UB DRAIN	2/18/2020 12:25	Chloroethane	<1	ug/L	1	75-00-3	0.4
UB DRAIN	6/22/2020 12:00	Chloroethane	<1	ug/L	1	75-00-3	0.4
UB DRAIN	9/21/2020 11:50	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
UB DRAIN	12/22/2020 10:40	Chloroethane	<1	ug/L	1	75-00-3	0.88
UB DRAIN	2/18/2020 12:25	Methyl Iodide	<2	ug/L	2	74-88-4	1
UB DRAIN	6/22/2020 12:00	Methyl Iodide	<2	ug/L	2	74-88-4	1
UB DRAIN	9/21/2020 11:50	Methyl Iodide	<25	ug/L	25	74-88-4	14
UB DRAIN	12/22/2020 10:40	Methyl Iodide	<50	ug/L	50	74-88-4	12
UB DRAIN	2/18/2020 12:25	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
UB DRAIN	6/22/2020 12:00	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
UB DRAIN	9/21/2020 11:50	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
UB DRAIN	12/22/2020 10:40	Dibromomethane	<1	ug/L	1	74-95-3	0.46
UB DRAIN	2/18/2020 12:25	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
UB DRAIN	6/22/2020 12:00	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
UB DRAIN	9/21/2020 11:50	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
UB DRAIN	12/22/2020 10:40	Bromochloromethane	<2	ug/L	2	74-97-5	0.7
UB DRAIN	2/18/2020 12:25	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
UB DRAIN	6/22/2020 12:00	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
UB DRAIN	9/21/2020 11:50	Bromomethane	<2	ug/L	2	74-83-9	0.99
UB DRAIN	12/22/2020 10:40	Bromomethane	<2	ug/L	2	74-83-9	1.9
UB DRAIN	2/18/2020 12:25	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
UB DRAIN	6/22/2020 12:00	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
UB DRAIN	9/21/2020 11:50	Chloromethane	<5	ug/L	5	74-87-3	2
UB DRAIN	12/22/2020 10:40	Chloromethane	<2	ug/L	2	74-87-3	0.59
UB DRAIN	2/18/2020 12:25	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
UB DRAIN	6/22/2020 12:00	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
UB DRAIN	9/21/2020 11:50	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
UB DRAIN	12/22/2020 10:40	1,1,1-Trichloroethane	<1	ug/L	1	71-55-6	0.53
UB DRAIN	2/18/2020 12:25	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
UB DRAIN	6/22/2020 12:00	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
UB DRAIN	9/21/2020 11:50	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
UB DRAIN	12/22/2020 10:40	Chloroform	<1	ug/L	1	67-66-3	0.57
UB DRAIN	2/18/2020 12:25	Benzene	0.49	ug/L	0.5	71-43-2	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
UB DRAIN	6/22/2020 12:00	Benzene	1.9	ug/L	0.5	71-43-2	0.25
UB DRAIN	9/21/2020 11:50	Benzene	0.35	ug/L	0.5	71-43-2	0.072
UB DRAIN	12/22/2020 10:40	Benzene	<1	ug/L	1	71-43-2	0.53
UB DRAIN	2/18/2020 12:25	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
UB DRAIN	6/22/2020 12:00	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
UB DRAIN	9/21/2020 11:50	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
UB DRAIN	12/22/2020 10:40	Carbon tetrachloride	<1	ug/L	1	56-23-5	0.54
UB DRAIN	2/18/2020 12:25	Acetone	<20	ug/L	20	67-64-1	10
UB DRAIN	6/22/2020 12:00	Acetone	<20	ug/L	20	67-64-1	10
UB DRAIN	9/21/2020 11:50	Acetone	<10	ug/L	10	67-64-1	4
UB DRAIN	12/22/2020 10:40	Acetone	<16	ug/L	16	67-64-1	8
E CANYON	2/19/2020 9:35	Acetone	<20	ug/L	20	67-64-1	10
E CANYON	6/23/2020 8:00	Acetone	<20	ug/L	20	67-64-1	10
E CANYON	2/19/2020 9:35	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
E CANYON	6/23/2020 8:00	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
E CANYON	2/19/2020 9:35	Benzene	1	ug/L	0.5	71-43-2	0.25
E CANYON	6/23/2020 8:00	Benzene	0.77	ug/L	0.5	71-43-2	0.25
E CANYON	2/19/2020 9:35	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
E CANYON	6/23/2020 8:00	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
E CANYON	2/19/2020 9:35	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
E CANYON	6/23/2020 8:00	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
E CANYON	2/19/2020 9:35	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
E CANYON	6/23/2020 8:00	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
E CANYON	2/19/2020 9:35	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
E CANYON	6/23/2020 8:00	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
E CANYON	2/19/2020 9:35	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
E CANYON	6/23/2020 8:00	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
E CANYON	2/19/2020 9:35	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
E CANYON	6/23/2020 8:00	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
E CANYON	2/19/2020 9:35	Methyl Iodide	<2	ug/L	2	74-88-4	1
E CANYON	6/23/2020 8:00	Methyl Iodide	<2	ug/L	2	74-88-4	1
E CANYON	2/19/2020 9:35	Chloroethane	<1	ug/L	1	75-00-3	0.4
E CANYON	6/23/2020 8:00	Chloroethane	<1	ug/L	1	75-00-3	0.4
E CANYON	2/19/2020 9:35	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
E CANYON	6/23/2020 8:00	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
E CANYON	2/19/2020 9:35	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
E CANYON	6/23/2020 8:00	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
E CANYON	2/19/2020 9:35	Acetonitrile	<20	ug/L	20	75-05-8	10
E CANYON	6/23/2020 8:00	Acetonitrile	<20	ug/L	20	75-05-8	10
E CANYON	2/19/2020 9:35	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
E CANYON	6/23/2020 8:00	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
E CANYON	2/19/2020 9:35	Bromoform	<1	ug/L	1	75-25-2	0.4
E CANYON	6/23/2020 8:00	Bromoform	<1	ug/L	1	75-25-2	0.4
E CANYON	2/19/2020 9:35	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
E CANYON	6/23/2020 8:00	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
E CANYON	2/19/2020 9:35	1,1-Dimethylethanol	380	ug/L	10	75-65-0	5
E CANYON	6/23/2020 8:00	1,1-Dimethylethanol	120	ug/L	10	75-65-0	5
E CANYON	2/19/2020 9:35	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
E CANYON	6/23/2020 8:00	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
E CANYON	2/19/2020 9:35	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
E CANYON	6/23/2020 8:00	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
E CANYON	2/19/2020 9:35	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
E CANYON	6/23/2020 8:00	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
E CANYON	2/19/2020 9:35	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
E CANYON	6/23/2020 8:00	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
E CANYON	2/19/2020 9:35	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
E CANYON	6/23/2020 8:00	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
E CANYON	2/19/2020 9:35	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
E CANYON	6/23/2020 8:00	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
E CANYON	2/19/2020 9:35	2-Butanone	<5	ug/L	5	78-93-3	2.5
E CANYON	6/23/2020 8:00	2-Butanone	<5	ug/L	5	78-93-3	2.5
E CANYON	2/19/2020 9:35	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
E CANYON	6/23/2020 8:00	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
E CANYON	2/19/2020 9:35	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
E CANYON	6/23/2020 8:00	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
E CANYON	2/19/2020 9:35	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
E CANYON	6/23/2020 8:00	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
E CANYON	2/19/2020 9:35	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
E CANYON	6/23/2020 8:00	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
E CANYON	2/19/2020 9:35	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
E CANYON	6/23/2020 8:00	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
E CANYON	2/19/2020 9:35	Naphthalene	<1	ug/L	1	91-20-3	0.4
E CANYON	6/23/2020 8:00	Naphthalene	<1	ug/L	1	91-20-3	0.4
E CANYON	2/19/2020 9:35	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
E CANYON	6/23/2020 8:00	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
E CANYON	2/19/2020 9:35	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
E CANYON	6/23/2020 8:00	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
E CANYON	2/19/2020 9:35	1,4-Dichlorobenzene	0.44	ug/L	0.5	106-46-7	0.25
E CANYON	6/23/2020 8:00	1,4-Dichlorobenzene	0.8	ug/L	0.5	106-46-7	0.25
E CANYON	2/19/2020 9:35	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
E CANYON	6/23/2020 8:00	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
E CANYON	2/19/2020 9:35	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
E CANYON	6/23/2020 8:00	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
E CANYON	2/19/2020 9:35	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
E CANYON	6/23/2020 8:00	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
E CANYON	2/19/2020 9:35	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
E CANYON	6/23/2020 8:00	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
E CANYON	2/19/2020 9:35	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
E CANYON	6/23/2020 8:00	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
E CANYON	2/19/2020 9:35	Acrolein	<50	ug/L	50	107-02-8	2.5
E CANYON	6/23/2020 8:00	Acrolein	<50	ug/L	50	107-02-8	2.5
E CANYON	2/19/2020 9:35	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
E CANYON	6/23/2020 8:00	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
E CANYON	2/19/2020 9:35	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
E CANYON	6/23/2020 8:00	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
E CANYON	2/19/2020 9:35	Propionitrile	<20	ug/L	20	107-12-0	10
E CANYON	6/23/2020 8:00	Propionitrile	<20	ug/L	20	107-12-0	10
E CANYON	2/19/2020 9:35	Acrylonitrile	<50	ug/L	50	107-13-1	1

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
E CANYON	6/23/2020 8:00	Acrylonitrile	<50	ug/L	50	107-13-1	1
E CANYON	2/19/2020 9:35	Vinyl acetate	<4	ug/L	4	108-05-4	2
E CANYON	6/23/2020 8:00	Vinyl acetate	<4	ug/L	4	108-05-4	2
E CANYON	2/19/2020 9:35	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
E CANYON	6/23/2020 8:00	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
E CANYON	2/19/2020 9:35	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
E CANYON	6/23/2020 8:00	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
E CANYON	2/19/2020 9:35	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
E CANYON	6/23/2020 8:00	Chlorobenzene	0.26	ug/L	0.5	108-90-7	0.25
E CANYON	2/19/2020 9:35	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
E CANYON	6/23/2020 8:00	Tetrahydrofuran	<10	ug/L	10	109-99-9	5
E CANYON	2/19/2020 9:35	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
E CANYON	6/23/2020 8:00	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
E CANYON	2/19/2020 9:35	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
E CANYON	6/23/2020 8:00	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
E CANYON	2/19/2020 9:35	1,4-Dioxane	11	ug/L	0.98	123-91-1	0.25
E CANYON	6/23/2020 8:00	1,4-Dioxane	5.7	ug/L	0.98	123-91-1	0.25
E CANYON	2/19/2020 9:35	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
E CANYON	6/23/2020 8:00	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
E CANYON	2/19/2020 9:35	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
E CANYON	6/23/2020 8:00	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
E CANYON	2/19/2020 9:35	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
E CANYON	6/23/2020 8:00	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
E CANYON	2/19/2020 9:35	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
E CANYON	6/23/2020 8:00	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
E CANYON	2/19/2020 9:35	cis-1,2-Dichloroethene	2.4	ug/L	0.5	156-59-2	0.25
E CANYON	6/23/2020 8:00	cis-1,2-Dichloroethene	1.9	ug/L	0.5	156-59-2	0.25
E CANYON	2/19/2020 9:35	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
E CANYON	6/23/2020 8:00	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
E CANYON	2/19/2020 9:35	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
E CANYON	6/23/2020 8:00	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
E CANYON	2/19/2020 9:35	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
E CANYON	6/23/2020 8:00	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
E CANYON	2/19/2020 9:35	2-Hexanone	<5	ug/L	5	591-78-6	2.5
E CANYON	6/23/2020 8:00	2-Hexanone	<5	ug/L	5	591-78-6	2.5
E CANYON	2/19/2020 9:35	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
E CANYON	6/23/2020 8:00	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
E CANYON	2/19/2020 9:35	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
E CANYON	6/23/2020 8:00	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
E CANYON	2/19/2020 9:35	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
E CANYON	6/23/2020 8:00	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
E CANYON	2/19/2020 9:35	Ammonia	19	mg/L	1	7664-41-7	0.5
E CANYON	6/23/2020 8:00	Ammonia	23	mg/L	1	7664-41-7	0.5
E CANYON	2/19/2020 9:35	MTBE	12	ug/L	0.5	1634-04-4	0.25
E CANYON	6/23/2020 8:00	MTBE	2.6	ug/L	0.5	1634-04-4	0.25
E CANYON	2/19/2020 9:35	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
E CANYON	6/23/2020 8:00	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
E CANYON	2/19/2020 9:35	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
E CANYON	6/23/2020 8:00	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
E CANYON	6/23/2020 8:00	Boron, Total Recoverable	7.5	mg/L	0.25	7440-42-8	0.13
E CANYON	2/19/2020 9:35	Alkalinity	2200	mg/L	4	ALK	0
E CANYON	6/23/2020 8:00	Alkalinity	2200	mg/L	4	ALK	0
E CANYON	6/23/2020 8:00	Bromide	<1	mg/L	1	24959-67-9	0.5
E CANYON	6/23/2020 8:00	Carbon Dioxide, Free	180	mg/L	2	124-38-9	0
E CANYON	2/19/2020 9:35	Chloride	570	mg/L	100	16887-00-6	50
E CANYON	6/23/2020 8:00	Chloride	510	mg/L	50	16887-00-6	25
E CANYON	6/23/2020 8:00	Calcium, Total Recoverable	200	mg/L	0.5	7440-70-2	0.25
E CANYON	2/19/2020 9:35	Chemical Oxygen Demand	140	mg/L	20	COD	10
E CANYON	6/23/2020 8:00	Chemical Oxygen Demand	140	mg/L	20	COD	10
E CANYON	6/23/2020 8:00	Iron, Total Recoverable	3.1	mg/L	0.5	7439-89-6	0.25
E CANYON	6/23/2020 8:00	Bicarbonate	2200	mg/L	4	HCO3	0
E CANYON	6/23/2020 8:00	Fluoride, Total	1.6	mg/L	1	16984-48-8	0.5
E CANYON	2/19/2020 9:35	Potassium, Total Recoverable	41	mg/L	1	9/7/7440	0.5
E CANYON	6/23/2020 8:00	Potassium, Total Recoverable	43	mg/L	2.5	9/7/7440	1.3
E CANYON	2/19/2020 9:35	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
E CANYON	6/23/2020 8:00	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
E CANYON	6/23/2020 8:00	Magnesium, Total Recoverable	180	mg/L	0.1	7439-95-4	0.05
E CANYON	6/23/2020 8:00	Manganese, Total Recoverable	2.8	mg/L	0.1	7439-96-5	0.075
E CANYON	6/23/2020 8:00	Sodium, Total Recoverable	1000	mg/L	2.5	7440-23-5	1.3
E CANYON	6/23/2020 8:00	Sulfate	520	mg/L	50	14808-79-8	25
E CANYON	6/23/2020 8:00	Nitrogen, Nitrate	0.83	mg/L	0.22	14797-55-8	0.11
E CANYON	6/23/2020 8:00	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
E CANYON	2/19/2020 9:35	Total Organic Carbon	48	mg/L	0.5	TOC	0.25
E CANYON	6/23/2020 8:00	Total Organic Carbon	70	mg/L	1	TOC	0.5
E CANYON	2/19/2020 9:35	Solids, Total Dissolved	3900	mg/L	100	TDS	50
E CANYON	6/23/2020 8:00	Solids, Total Dissolved	4000	mg/L	100	TDS	50
ANYON DEF	10/5/2020 11:45	Sulfide, Total	0.11	mg/L	0.05	18496-25-8	0.027
ANYON DEF	10/5/2020 11:45	Solids, Total Dissolved	12000	mg/L	100	TDS	50
ANYON DEF	10/5/2020 11:45	Thallium, Total Recoverable	<0.05	mg/L	0.05	7440-28-0	0.04
ANYON DEF	10/5/2020 11:45	Nitrogen, Kjeldahl	230	mg/L	5	7727-37-9	1.2
ANYON DEF	10/5/2020 11:45	Lead, Total Recoverable	<0.025	mg/L	0.025	7439-92-1	0.019
ANYON DEF	10/5/2020 11:45	pH, Laboratory	7.8	SU	0.1	PH_LAB	0
ANYON DEF	4/15/2020 12:30	Antimony, Total Recoverable	0.032	mg/L	0.04	7440-36-0	0.024
ANYON DEF	10/5/2020 11:45	Antimony, Total Recoverable	<0.05	mg/L	0.05	7440-36-0	0.03
ANYON DEF	10/5/2020 11:45	Selenium, Total Recoverable	<0.05	mg/L	0.05	7782-49-2	0.044
ANYON DEF	10/5/2020 11:45	Tin, Total Recoverable	<0.5	mg/L	0.5	7440-31-5	0.25
ANYON DEF	10/5/2020 11:45	Sulfate	300	mg/L	25	14808-79-8	13
ANYON DEF	10/5/2020 11:45	Nickel, Total Recoverable	0.099	mg/L	0.05	7440-02-0	0.025
ANYON DEF	10/5/2020 11:45	3,4-Methylphenol	380	ug/L	21	MPCRESOL	5.7
ANYON DEF	10/5/2020 11:45	m,p-Xylene	<400	ug/L	400	108-38-3_106-42-3	59
ANYON DEF	10/5/2020 11:45	Mercury, Total	<0.001	mg/L	0.001	7439-97-6	0.0005
ANYON DEF	10/5/2020 11:45	Solids, Total Suspended	650	mg/L	50	TSS	25
ANYON DEF	4/15/2020 12:30	Vanadium, Total Recoverable	0.08	mg/L	0.04	7440-62-2	0.02
ANYON DEF	10/5/2020 11:45	Vanadium, Total Recoverable	0.082	mg/L	0.05	7440-62-2	0.025
ANYON DEF	4/15/2020 12:30	Zinc, Total Recoverable	1	mg/L	0.08	7440-66-6	0.048
ANYON DEF	10/5/2020 11:45	Zinc, Total Recoverable	0.65	mg/L	0.1	7440-66-6	0.06
ANYON DEF	10/5/2020 11:45	Chemical Oxygen Demand	8600	mg/L	1000	COD	500
ANYON DEF	10/5/2020 11:45	Chromium, Total Recoverable	0.097	mg/L	0.025	7440-47-3	0.013

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
ANYON DEF	10/5/2020 11:45	Copper, Total Recoverable	0.027	mg/L	0.05	7440-50-8	0.025
ANYON DEF	10/5/2020 11:45	Cadmium, Total Recoverable	<0.025	mg/L	0.025	7440-43-9	0.013
ANYON DEF	10/5/2020 11:45	Cyanide, Total	0.015	mg/L	0.025	57-12-5	0.013
ANYON DEF	4/15/2020 12:30	Cobalt, Total Recoverable	0.021	mg/L	0.04	7440-48-4	0.02
ANYON DEF	10/5/2020 11:45	Cobalt, Total Recoverable	<0.05	mg/L	0.05	7440-48-4	0.025
ANYON DEF	10/5/2020 11:45	Barium, Total Recoverable	0.39	mg/L	0.05	7440-39-3	0.025
ANYON DEF	10/5/2020 11:45	Beryllium, Total Recoverable	<0.01	mg/L	0.01	7440-41-7	0.005
ANYON DEF	10/5/2020 11:45	Biochemical Oxygen Demand	7200	mg/L	2400	BOD	0
ANYON DEF	4/15/2020 12:30	Arsenic, Total Recoverable	0.074	mg/L	0.04	7440-38-2	0.036
ANYON DEF	10/5/2020 11:45	Arsenic, Total Recoverable	0.068	mg/L	0.05	7440-38-2	0.045
ANYON DEF	10/5/2020 11:45	trans-1,3-Dichloropropene	<200	ug/L	200	10061-02-6	21
ANYON DEF	10/5/2020 11:45	N-Nitrosomethylethylamine	<100	ug/L	100	10595-95-6	21
ANYON DEF	10/5/2020 11:45	PCB-1260	<0.49	ug/L	0.49	11096-82-5	0.036
ANYON DEF	10/5/2020 11:45	PCB-1254	<0.49	ug/L	0.49	11097-69-1	0.087
ANYON DEF	10/5/2020 11:45	PCB-1221	<0.49	ug/L	0.49	11104-28-2	0.19
ANYON DEF	10/5/2020 11:45	PCB-1232	<0.49	ug/L	0.49	11141-16-5	0.057
ANYON DEF	10/5/2020 11:45	PCB-1248	<0.49	ug/L	0.49	12672-29-6	0.053
ANYON DEF	10/5/2020 11:45	PCB-1016	<0.49	ug/L	0.49	12674-11-2	0.034
ANYON DEF	10/5/2020 11:45	Ethoprophos	<0.8	ug/L	0.8	13194-48-4	0.31
ANYON DEF	10/5/2020 11:45	Stirophos	<0.8	ug/L	0.8	22248-79-9	0.53
ANYON DEF	10/5/2020 11:45	Pronamide	<100	ug/L	100	23950-58-5	10
ANYON DEF	10/5/2020 11:45	Mevinphos	<0.8	ug/L	0.8	26718-64-0	0.52
ANYON DEF	10/5/2020 11:45	Endosulfan II	<0.049	ug/L	0.049	33213-65-9	0.01
ANYON DEF	10/5/2020 11:45	Tokuthion	<0.8	ug/L	0.8	34643-46-4	0.25
ANYON DEF	10/5/2020 11:45	Sulprofos	<0.8	ug/L	0.8	35400-43-2	0.15
ANYON DEF	10/5/2020 11:45	Bis(2-chloroisopropyl)ether	<21	ug/L	21	39638-32-9	4
ANYON DEF	10/5/2020 11:45	PCB-1242	<0.49	ug/L	0.49	53469-21-9	0.045
ANYON DEF	10/5/2020 11:45	Endrin ketone	<0.049	ug/L	0.049	53494-70-5	0.012
ANYON DEF	10/5/2020 11:45	Silver, Total Recoverable	<0.05	mg/L	0.05	7440-22-4	0.025
ANYON DEF	10/5/2020 11:45	Toxaphene	<0.29	ug/L	0.29	8001-35-2	0.14
ANYON DEF	10/5/2020 11:45	Demeton	<3.2	ug/L	3.2	8065-48-3	0.83
ANYON DEF	10/5/2020 11:45	cis-1,3-Dichloropropene	<200	ug/L	200	10061-01-5	38
ANYON DEF	10/5/2020 11:45	N-Nitroso-di-n-Butylamine	<100	ug/L	100	924-16-3	14
ANYON DEF	10/5/2020 11:45	N-Nitrosopyrrolidine	<100	ug/L	100	930-55-2	12
ANYON DEF	10/5/2020 11:45	Endosulfan I	<0.049	ug/L	0.049	959-98-8	0.012
ANYON DEF	10/5/2020 11:45	Heptachlor epoxide	<0.02	ug/L	0.02	1024-57-3	0.0078
ANYON DEF	10/5/2020 11:45	Endosulfan sulfate	<0.049	ug/L	0.049	1031-07-8	0.013
ANYON DEF	10/5/2020 11:45	MTBE	<200	ug/L	200	1634-04-4	27
ANYON DEF	10/5/2020 11:45	Dicamba	<0.48	ug/L	0.48	1918-00-9	0.13
ANYON DEF	10/5/2020 11:45	yl p-nitrophenyl phenylphosphorothio	<0.8	ug/L	0.8	2104-64-5	0.39
ANYON DEF	10/5/2020 11:45	Diallate	<100	ug/L	100	2303-16-4	13
ANYON DEF	10/5/2020 11:45	Chlorpyrifos	<0.8	ug/L	0.8	2921-88-2	0.25
ANYON DEF	10/5/2020 11:45	Sulfotepp	<1.6	ug/L	1.6	3689-24-5	0.54
ANYON DEF	10/5/2020 11:45	4-Chlorophenyl-phenylether	<21	ug/L	21	7005-72-3	3
ANYON DEF	10/5/2020 11:45	MCPPP	<480	ug/L	480	7085-19-0	77
ANYON DEF	10/5/2020 11:45	Endrin aldehyde	<0.098	ug/L	0.098	7421-93-4	0.031
ANYON DEF	10/5/2020 11:45	Ammonia	970	mg/L	80	7664-41-7	40
ANYON DEF	10/5/2020 11:45	2,2-Dichloropropane	<400	ug/L	400	594-20-7	150
ANYON DEF	10/5/2020 11:45	2,6-Dinitrotoluene	<21	ug/L	21	606-20-2	3.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
ANYON DEF	10/5/2020 11:45	Pentachlorobenzene	<100	ug/L	100	608-93-5	14
ANYON DEF	10/5/2020 11:45	N-Nitrosodi-n-propylamine	<21	ug/L	21	621-64-7	4
ANYON DEF	10/5/2020 11:45	1,1,1,2-Tetrachloroethane	<200	ug/L	200	630-20-6	28
ANYON DEF	10/5/2020 11:45	1,1-Dichloropropene	<200	ug/L	200	563-58-6	28
ANYON DEF	10/5/2020 11:45	2-Hexanone	<4000	ug/L	4000	591-78-6	200
ANYON DEF	10/5/2020 11:45	Pyrene	<21	ug/L	21	129-00-0	3.5
ANYON DEF	10/5/2020 11:45	1,4-Naphthoquinone	<200	ug/L	200	130-15-4	7.6
ANYON DEF	10/5/2020 11:45	Dimethylphthalate	<21	ug/L	21	131-11-3	2.4
ANYON DEF	10/5/2020 11:45	Dibenzofuran	<21	ug/L	21	132-64-9	2.6
ANYON DEF	10/5/2020 11:45	1-Naphthylamine	<200	ug/L	200	134-32-7	7.9
ANYON DEF	10/5/2020 11:45	1,3-Dichloropropane	<400	ug/L	400	142-28-9	33
ANYON DEF	10/5/2020 11:45	Kepone	<500	ug/L	500	143-50-0	22
ANYON DEF	10/5/2020 11:45	cis-1,2-Dichloroethene	<200	ug/L	200	156-59-2	43
ANYON DEF	10/5/2020 11:45	trans-1,2-Dichloroethene	<200	ug/L	200	156-60-5	33
ANYON DEF	10/5/2020 11:45	Benzo(g,h,i)perylene	<21	ug/L	21	191-24-2	4.6
ANYON DEF	10/5/2020 11:45	Indeno(1,2,3-cd)pyrene	<21	ug/L	21	193-39-5	4.9
ANYON DEF	10/5/2020 11:45	Benzo(b)fluoranthene	<21	ug/L	21	205-99-2	4.2
ANYON DEF	10/5/2020 11:45	Fluoranthene	<21	ug/L	21	206-44-0	3.1
ANYON DEF	10/5/2020 11:45	Benzo(k)fluoranthene	<21	ug/L	21	207-08-9	4
ANYON DEF	10/5/2020 11:45	Acenaphthylene	<21	ug/L	21	208-96-8	3.2
ANYON DEF	10/5/2020 11:45	Chrysene	<21	ug/L	21	218-01-9	3
ANYON DEF	10/5/2020 11:45	Thionazin	<0.8	ug/L	0.8	297-97-2	0.56
ANYON DEF	10/5/2020 11:45	Methyl Parathion	<0.8	ug/L	0.8	298-00-0	0.25
ANYON DEF	10/5/2020 11:45	Phorate	<100	ug/L	100	298-02-2	13
ANYON DEF	10/5/2020 11:45	Phorate	<1.6	ug/L	1.6	298-02-2	0.82
ANYON DEF	10/5/2020 11:45	Disulfoton	<0.8	ug/L	0.8	298-04-4	0.39
ANYON DEF	10/5/2020 11:45	Ronnel	<0.8	ug/L	0.8	299-84-3	0.26
ANYON DEF	10/5/2020 11:45	Aldrin	<0.049	ug/L	0.049	309-00-2	0.011
ANYON DEF	10/5/2020 11:45	a-BHC	<0.02	ug/L	0.02	319-84-6	0.0093
ANYON DEF	10/5/2020 11:45	b-BHC	<0.02	ug/L	0.02	319-85-7	0.0073
ANYON DEF	10/5/2020 11:45	d-BHC	<0.02	ug/L	0.02	319-86-8	0.0073
ANYON DEF	10/5/2020 11:45	Trichloronate	<0.8	ug/L	0.8	327-98-0	0.24
ANYON DEF	10/5/2020 11:45	Diazinon	<0.8	ug/L	0.8	333-41-5	0.41
ANYON DEF	10/5/2020 11:45	Isodrin	<100	ug/L	100	465-73-6	12
ANYON DEF	10/5/2020 11:45	Chlorobenzilate	<500	ug/L	500	510-15-6	15
ANYON DEF	10/5/2020 11:45	4,6-Dinitro-2-methylphenol	<100	ug/L	100	534-52-1	42
ANYON DEF	10/5/2020 11:45	1,3-Dichlorobenzene	<200	ug/L	200	541-73-1	39
ANYON DEF	10/5/2020 11:45	1,3-Dichlorobenzene	<21	ug/L	21	541-73-1	3.2
ANYON DEF	10/5/2020 11:45	Dibromochloromethane	<200	ug/L	200	124-48-1	25
ANYON DEF	10/5/2020 11:45	O,O,O-Triethylphosphorothioate	<500	ug/L	500	126-68-1	13
ANYON DEF	10/5/2020 11:45	Methacrylonitrile	<800	ug/L	800	126-98-7	170
ANYON DEF	10/5/2020 11:45	2-Chloro-1,3-Butadiene	<4000	ug/L	4000	126-99-8	38
ANYON DEF	10/5/2020 11:45	Tetrachloroethene	<200	ug/L	200	127-18-4	97
ANYON DEF	10/5/2020 11:45	Trans-1,4-Dichloro-2-Butene	<800	ug/L	800	110-57-6	55
ANYON DEF	10/5/2020 11:45	Bis(2-chloroethyl)ether	<49	ug/L	49	111-44-4	3
ANYON DEF	10/5/2020 11:45	Bis(2-chloroethoxy)methane	<21	ug/L	21	111-91-1	3.2
ANYON DEF	10/5/2020 11:45	Dasanit	<1.6	ug/L	1.6	115-90-2	0.64
ANYON DEF	10/5/2020 11:45	Bis(2-ethylhexyl)phthalate	7.9	ug/L	21	117-81-7	7.8
ANYON DEF	10/5/2020 11:45	Di-n-octylphthalate	<21	ug/L	21	117-84-0	9

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
ANYON DEF	10/5/2020 11:45	Hexachlorobenzene	<21	ug/L	21	118-74-1	1.9
ANYON DEF	10/5/2020 11:45	3,3-Dimethylbenzidine	<1000	ug/L	1000	119-93-7	8.5
ANYON DEF	10/5/2020 11:45	Anthracene	<21	ug/L	21	120-12-7	2.6
ANYON DEF	10/5/2020 11:45	Dichlorprop	<4.8	ug/L	4.8	120-36-5	0.5
ANYON DEF	10/5/2020 11:45	Isosafrole	<100	ug/L	100	120-58-1	15
ANYON DEF	10/5/2020 11:45	1,2,4-Trichlorobenzene	<200	ug/L	200	120-82-1	36
ANYON DEF	10/5/2020 11:45	1,2,4-Trichlorobenzene	<21	ug/L	21	120-82-1	3.2
ANYON DEF	10/5/2020 11:45	2,4-Dichlorophenol	<21	ug/L	21	120-83-2	3.5
ANYON DEF	10/5/2020 11:45	2,4-Dinitrotoluene	<21	ug/L	21	121-14-2	3.7
ANYON DEF	10/5/2020 11:45	Malathion	<1.6	ug/L	1.6	121-75-5	0.85
ANYON DEF	10/5/2020 11:45	A,A-Dimethylphenethylamine	<1000	ug/L	1000	122-09-8	13
ANYON DEF	10/5/2020 11:45	Diphenylamine	<100	ug/L	100	122-39-4	14
ANYON DEF	10/5/2020 11:45	1,2-Diphenylhydrazine	<21	ug/L	21	122-66-7	1.7
ANYON DEF	10/5/2020 11:45	1,4-Dioxane	310	ug/L	2.5	123-91-1	0.89
ANYON DEF	10/5/2020 11:45	Chlorobenzene	<200	ug/L	200	108-90-7	35
ANYON DEF	10/5/2020 11:45	Phenol	<21	ug/L	21	108-95-2	1.1
ANYON DEF	10/5/2020 11:45	Tetrahydrofuran	570	ug/L	800	109-99-9	230
ANYON DEF	10/5/2020 11:45	4-Methyl-2-Pentanone	<2000	ug/L	2000	108-10-1	170
ANYON DEF	10/5/2020 11:45	Toluene	<200	ug/L	200	108-88-3	37
ANYON DEF	10/5/2020 11:45	Acrylonitrile	<2000	ug/L	2000	107-13-1	230
ANYON DEF	10/5/2020 11:45	Vinyl acetate	<2000	ug/L	2000	108-05-4	280
ANYON DEF	10/5/2020 11:45	1,2-Dichloroethane	<200	ug/L	200	107-06-2	30
ANYON DEF	10/5/2020 11:45	Propionitrile	<2000	ug/L	2000	107-12-0	410
ANYON DEF	10/5/2020 11:45	Acrolein	<4000	ug/L	4000	107-02-8	240
ANYON DEF	10/5/2020 11:45	Allyl Chloride	<800	ug/L	800	107-05-1	220
ANYON DEF	10/5/2020 11:45	4-Chloroaniline	<21	ug/L	21	106-47-8	3.3
ANYON DEF	10/5/2020 11:45	P-Phenylenediamine	<500	ug/L	500	106-50-3	16
ANYON DEF	10/5/2020 11:45	1,2-Dibromoethane	<200	ug/L	200	106-93-4	24
ANYON DEF	10/5/2020 11:45	1,2,3-Trichloropropane	<400	ug/L	400	96-18-4	31
ANYON DEF	10/5/2020 11:45	Ethyl Methacrylate	<800	ug/L	800	97-63-2	22
ANYON DEF	10/5/2020 11:45	Styrene	<200	ug/L	200	100-42-5	23
ANYON DEF	10/5/2020 11:45	Benzyl Alcohol	<21	ug/L	21	100-51-6	4
ANYON DEF	10/5/2020 11:45	N-Nitrosopiperidine	<100	ug/L	100	100-75-4	12
ANYON DEF	10/5/2020 11:45	4-Bromophenyl-phenylether	<21	ug/L	21	101-55-3	2.6
ANYON DEF	10/5/2020 11:45	2,4-Dimethylphenol	<21	ug/L	21	105-67-9	1.7
ANYON DEF	4/15/2020 12:30	1,4-Dichlorobenzene	18	ug/L	11	106-46-7	4.4
ANYON DEF	10/5/2020 11:45	1,4-Dichlorobenzene	<200	ug/L	200	106-46-7	29
ANYON DEF	10/5/2020 11:45	1,4-Dichlorobenzene	<21	ug/L	21	106-46-7	3.4
ANYON DEF	10/5/2020 11:45	O-Toluidene	<100	ug/L	100	95-53-4	5.3
ANYON DEF	10/5/2020 11:45	2-Chlorophenol	<21	ug/L	21	95-57-8	3.5
ANYON DEF	10/5/2020 11:45	Tetrachlorobenzenes	<100	ug/L	100	95-94-3	10
ANYON DEF	10/5/2020 11:45	2,4,5-Trichlorophenol	<21	ug/L	21	95-95-4	3.9
ANYON DEF	10/5/2020 11:45	1,2-Dibromo-3-Chloropropane	<2000	ug/L	2000	96-12-8	210
ANYON DEF	4/15/2020 12:30	Acetophenone	<170	ug/L	170	98-86-2	23
ANYON DEF	10/5/2020 11:45	Acetophenone	<100	ug/L	100	98-86-2	15
ANYON DEF	10/5/2020 11:45	Nitrobenzene	<49	ug/L	49	98-95-3	2.9
ANYON DEF	10/5/2020 11:45	3-Nitroaniline	<21	ug/L	21	99-09-2	3.1
ANYON DEF	10/5/2020 11:45	5-Nitro-O-Toluidine	<100	ug/L	100	99-55-8	8.6
ANYON DEF	10/5/2020 11:45	4-Nitroaniline	<21	ug/L	21	100-01-6	2

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
ANYON DEF	10/5/2020 11:45	4-Nitrophenol	<21	ug/L	21	100-02-7	3.3
ANYON DEF	10/5/2020 11:45	Ethylbenzene	<200	ug/L	200	100-41-4	35
ANYON DEF	10/5/2020 11:45	2-Methylnaphthalene	<21	ug/L	21	91-57-6	2.6
ANYON DEF	10/5/2020 11:45	2-Chloronaphthalene	<21	ug/L	21	91-58-7	2.9
ANYON DEF	10/5/2020 11:45	2-Naphthylamine	<500	ug/L	500	91-59-8	8.1
ANYON DEF	10/5/2020 11:45	Methapyrilene	<500	ug/L	500	91-80-5	31
ANYON DEF	10/5/2020 11:45	3,3-Dichlorobenzidine	<49	ug/L	49	91-94-1	17
ANYON DEF	10/5/2020 11:45	4-Aminobiphenyl	<200	ug/L	200	92-67-1	5.7
ANYON DEF	10/5/2020 11:45	Benzidine	<100	ug/L	100	92-87-5	58
ANYON DEF	10/5/2020 11:45	2,4,5-TP (Silvex)	<0.48	ug/L	0.48	93-72-1	0.38
ANYON DEF	10/5/2020 11:45	2,4,5-T	<0.48	ug/L	0.48	93-76-5	0.2
ANYON DEF	10/5/2020 11:45	Safrole	<100	ug/L	100	94-59-7	13
ANYON DEF	10/5/2020 11:45	MCPA	<480	ug/L	480	94-74-6	150
ANYON DEF	10/5/2020 11:45	2,4-D	<4.8	ug/L	4.8	94-75-7	0.8
ANYON DEF	10/5/2020 11:45	2,4-DB	<4.8	ug/L	4.8	94-82-6	3.3
ANYON DEF	10/5/2020 11:45	o-Xylene	<200	ug/L	200	95-47-6	34
ANYON DEF	10/5/2020 11:45	1,1,2,2-Tetrachloroethane	<200	ug/L	200	79-34-5	35
ANYON DEF	10/5/2020 11:45	Methyl Methacrylate	<800	ug/L	800	80-62-6	190
ANYON DEF	10/5/2020 11:45	2-Methylphenol	<21	ug/L	21	95-48-7	2.7
ANYON DEF	10/5/2020 11:45	1,2-Dichlorobenzene	<200	ug/L	200	95-50-1	33
ANYON DEF	10/5/2020 11:45	1,2-Dichlorobenzene	<21	ug/L	21	95-50-1	3.1
ANYON DEF	10/5/2020 11:45	1,1,2-Trichloroethane	<200	ug/L	200	79-00-5	28
ANYON DEF	10/5/2020 11:45	Trichloroethene	<200	ug/L	200	79-01-6	41
ANYON DEF	10/5/2020 11:45	Pentachloronitrobenzene	<100	ug/L	100	82-68-8	13
ANYON DEF	10/5/2020 11:45	Acenaphthene	<21	ug/L	21	83-32-9	2.9
ANYON DEF	10/5/2020 11:45	Diethylphthalate	<21	ug/L	21	84-66-2	2.9
ANYON DEF	10/5/2020 11:45	Di-n-butylphthalate	<21	ug/L	21	84-74-2	9.4
ANYON DEF	10/5/2020 11:45	Phenanthrene	<21	ug/L	21	85-01-8	3
ANYON DEF	10/5/2020 11:45	Butylbenzylphthalate	<21	ug/L	21	85-68-7	7
ANYON DEF	10/5/2020 11:45	N-Nitrosodiphenylamine	<21	ug/L	21	86-30-6	3
ANYON DEF	10/5/2020 11:45	Azinphos Methyl	<0.8	ug/L	0.8	86-50-0	0.44
ANYON DEF	10/5/2020 11:45	Fluorene	<21	ug/L	21	86-73-7	3.3
ANYON DEF	10/5/2020 11:45	2,6-Dichlorophenol	<100	ug/L	100	87-65-0	15
ANYON DEF	10/5/2020 11:45	Hexachlorobutadiene	<21	ug/L	21	87-68-3	4.3
ANYON DEF	10/5/2020 11:45	Pentachlorophenol	<21	ug/L	21	87-86-5	20
ANYON DEF	10/5/2020 11:45	2,4,6-Trichlorophenol	<21	ug/L	21	88-06-2	3
ANYON DEF	10/5/2020 11:45	2-Nitroaniline	<21	ug/L	21	88-74-4	4.2
ANYON DEF	10/5/2020 11:45	2-Nitrophenol	<21	ug/L	21	88-75-5	5.5
ANYON DEF	10/5/2020 11:45	2-Sec-butyl-4,6-dinitrophenol	<2.4	ug/L	2.4	88-85-7	2.1
ANYON DEF	10/5/2020 11:45	Naphthalene	<400	ug/L	400	91-20-3	39
ANYON DEF	10/5/2020 11:45	Naphthalene	<21	ug/L	21	91-20-3	3.1
ANYON DEF	10/5/2020 11:45	1,2-Dichloropropane	<200	ug/L	200	78-87-5	39
ANYON DEF	10/5/2020 11:45	2-Butanone	17000	ug/L	2000	78-93-3	180
ANYON DEF	10/5/2020 11:45	Dalapon	<12	ug/L	12	75-99-0	4.5
ANYON DEF	10/5/2020 11:45	Heptachlor	<0.02	ug/L	0.02	76-44-8	0.0073
ANYON DEF	10/5/2020 11:45	Hexachlorocyclopentadiene	<49	ug/L	49	77-47-4	23
ANYON DEF	10/5/2020 11:45	Isophorone	<21	ug/L	21	78-59-1	3.5
ANYON DEF	10/5/2020 11:45	Isobutyl Alcohol	<4000	ug/L	4000	78-83-1	750
ANYON DEF	10/5/2020 11:45	Trichlorofluoromethane	<200	ug/L	200	75-69-4	41

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
ANYON DEF	10/5/2020 11:45	Dichlorodifluoromethane	<400	ug/L	400	75-71-8	40
ANYON DEF	10/5/2020 11:45	Bromodichloromethane	<200	ug/L	200	75-27-4	21
ANYON DEF	10/5/2020 11:45	1,1-Dichloroethane	<200	ug/L	200	75-34-3	24
ANYON DEF	10/5/2020 11:45	1,1-Dichloroethene	<200	ug/L	200	75-35-4	41
ANYON DEF	4/15/2020 12:30	1,1-Dimethylethanol	1200	ug/L	250	75-65-0	130
ANYON DEF	10/5/2020 11:45	1,1-Dimethylethanol	<4000	ug/L	4000	75-65-0	1600
ANYON DEF	10/5/2020 11:45	Carbon Disulfide	<4000	ug/L	4000	75-15-0	150
ANYON DEF	10/5/2020 11:45	Bromoform	<200	ug/L	200	75-25-2	39
ANYON DEF	10/5/2020 11:45	Acetonitrile	<4000	ug/L	4000	75-05-8	800
ANYON DEF	10/5/2020 11:45	Methylene Chloride	<400	ug/L	400	75-09-2	17
ANYON DEF	10/5/2020 11:45	Chloroethane	<200	ug/L	200	75-00-3	47
ANYON DEF	10/5/2020 11:45	Vinyl Chloride	<200	ug/L	200	75-01-4	31
ANYON DEF	10/5/2020 11:45	Chloromethane	<2000	ug/L	2000	74-87-3	780
ANYON DEF	10/5/2020 11:45	Methyl Iodide	<10000	ug/L	10000	74-88-4	5700
ANYON DEF	10/5/2020 11:45	Dibromomethane	<200	ug/L	200	74-95-3	50
ANYON DEF	10/5/2020 11:45	Bromochloromethane	<400	ug/L	400	74-97-5	33
ANYON DEF	10/5/2020 11:45	1,1,1-Trichloroethane	<200	ug/L	200	71-55-6	34
ANYON DEF	10/5/2020 11:45	Endrin	<0.02	ug/L	0.02	72-20-8	0.0098
ANYON DEF	10/5/2020 11:45	Methoxychlor	<0.049	ug/L	0.049	72-43-5	0.019
ANYON DEF	10/5/2020 11:45	4,4-DDD	<0.049	ug/L	0.049	72-54-8	0.013
ANYON DEF	10/5/2020 11:45	4,4-DDE	<0.02	ug/L	0.02	72-55-9	0.0083
ANYON DEF	10/5/2020 11:45	Bromomethane	<800	ug/L	800	74-83-9	400
ANYON DEF	10/5/2020 11:45	Chloroform	<200	ug/L	200	67-66-3	25
ANYON DEF	10/5/2020 11:45	Hexachloroethane	<21	ug/L	21	67-72-1	4.1
ANYON DEF	10/5/2020 11:45	Benzene	<200	ug/L	200	71-43-2	29
ANYON DEF	10/5/2020 11:45	4,4-DDT	<0.049	ug/L	0.049	50-29-3	0.025
ANYON DEF	10/5/2020 11:45	Benzo(a)pyrene	<21	ug/L	21	50-32-8	4.3
ANYON DEF	10/5/2020 11:45	2,4-Dinitrophenol	<100	ug/L	100	51-28-5	39
ANYON DEF	10/5/2020 11:45	Famphur	<0.8	ug/L	0.8	52-85-7	0.37
ANYON DEF	10/5/2020 11:45	Dibenzo(a,h)anthracene	<21	ug/L	21	53-70-3	5.6
ANYON DEF	10/5/2020 11:45	2-Acetylaminofluorene	<200	ug/L	200	53-96-3	13
ANYON DEF	10/5/2020 11:45	N-Nitrosodiethylamine	<100	ug/L	100	55-18-5	10
ANYON DEF	10/5/2020 11:45	Fenthion	<0.8	ug/L	0.8	55-38-9	0.14
ANYON DEF	10/5/2020 11:45	Carbon tetrachloride	<200	ug/L	200	56-23-5	23
ANYON DEF	10/5/2020 11:45	Parathion	<0.8	ug/L	0.8	56-38-2	0.39
ANYON DEF	10/5/2020 11:45	3-Methylcholanthrene	<200	ug/L	200	56-49-5	10
ANYON DEF	10/5/2020 11:45	Benzo(a)anthracene	<21	ug/L	21	56-55-3	3.3
ANYON DEF	10/5/2020 11:45	Coumaphos	<0.8	ug/L	0.8	56-72-4	0.29
ANYON DEF	10/5/2020 11:45	Chlordane	<0.098	ug/L	0.098	57-74-9	0.036
ANYON DEF	10/5/2020 11:45	7,12-Dimethylbenz(a)anthracene	<100	ug/L	100	57-97-6	15
ANYON DEF	10/5/2020 11:45	g-BHC (Lindane)	<0.02	ug/L	0.02	58-89-9	0.0069
ANYON DEF	10/5/2020 11:45	2,3,4,6-Tetrachlorophenol	<500	ug/L	500	58-90-2	15
ANYON DEF	10/5/2020 11:45	4-Chloro-3-Methylphenol	<21	ug/L	21	59-50-7	3.2
ANYON DEF	10/5/2020 11:45	4-Dimethylaminoazobenzene	<100	ug/L	100	60-11-7	12
ANYON DEF	10/5/2020 11:45	Dimethoate	<0.8	ug/L	0.8	60-51-5	0.42
ANYON DEF	10/5/2020 11:45	Dieldrin	<0.049	ug/L	0.049	60-57-1	0.011
ANYON DEF	10/5/2020 11:45	Phenacetin	<100	ug/L	100	62-44-2	14
ANYON DEF	10/5/2020 11:45	Ethyl Methanesulfonate	<200	ug/L	200	62-50-0	15
ANYON DEF	10/5/2020 11:45	Aniline	<21	ug/L	21	62-53-3	2.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
ANYON DEE	10/5/2020 11:45	Dichlorvos	<0.8	ug/L	0.8	62-73-7	0.56
ANYON DEE	10/5/2020 11:45	N-Nitrosodimethylamine	<21	ug/L	21	62-75-9	2.1
ANYON DEE	10/5/2020 11:45	Benzoic Acid	<100	ug/L	100	65-85-0	50
ANYON DEE	10/5/2020 11:45	Methyl Methanesulfonate	<200	ug/L	200	66-27-3	15
ANYON DEE	10/5/2020 11:45	Acetone	15000	ug/L	4000	67-64-1	1600
INE CANYC	9/22/2020 7:18	Acetone	<10	ug/L	10	67-64-1	4
INE CANYC	12/21/2020 9:04	Acetone	<8	ug/L	8	67-64-1	4
INE CANYC	9/22/2020 7:18	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.057
INE CANYC	12/21/2020 9:04	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.27
INE CANYC	9/22/2020 7:18	Benzene	0.9	ug/L	0.5	71-43-2	0.072
INE CANYC	12/21/2020 9:04	Benzene	0.59	ug/L	0.5	71-43-2	0.27
INE CANYC	9/22/2020 7:18	Chloroform	<0.5	ug/L	0.5	67-66-3	0.062
INE CANYC	12/21/2020 9:04	Chloroform	<0.5	ug/L	0.5	67-66-3	0.28
INE CANYC	9/22/2020 7:18	Bromomethane	<2	ug/L	2	74-83-9	0.99
INE CANYC	12/21/2020 9:04	Bromomethane	<1	ug/L	1	74-83-9	0.93
INE CANYC	9/22/2020 7:18	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.084
INE CANYC	12/21/2020 9:04	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.27
INE CANYC	9/22/2020 7:18	Bromochloromethane	<1	ug/L	1	74-97-5	0.082
INE CANYC	12/21/2020 9:04	Bromochloromethane	<1	ug/L	1	74-97-5	0.35
INE CANYC	9/22/2020 7:18	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.13
INE CANYC	12/21/2020 9:04	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.23
INE CANYC	9/22/2020 7:18	Methyl Iodide	<25	ug/L	25	74-88-4	14
INE CANYC	12/21/2020 9:04	Methyl Iodide	<25	ug/L	25	74-88-4	5.9
INE CANYC	9/22/2020 7:18	Chloromethane	<5	ug/L	5	74-87-3	2
INE CANYC	12/21/2020 9:04	Chloromethane	<1	ug/L	1	74-87-3	0.29
INE CANYC	9/22/2020 7:18	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.078
INE CANYC	12/21/2020 9:04	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.4
INE CANYC	9/22/2020 7:18	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.12
INE CANYC	12/21/2020 9:04	Chloroethane	<0.5	ug/L	0.5	75-00-3	0.44
INE CANYC	9/22/2020 7:18	Methylene Chloride	<1	ug/L	1	75-09-2	0.043
INE CANYC	12/21/2020 9:04	Methylene Chloride	<1	ug/L	1	75-09-2	0.48
INE CANYC	9/22/2020 7:18	Acetonitrile	<10	ug/L	10	75-05-8	2
INE CANYC	12/21/2020 9:04	Acetonitrile	<10	ug/L	10	75-05-8	3.9
INE CANYC	9/22/2020 7:18	Bromoform	<0.5	ug/L	0.5	75-25-2	0.096
INE CANYC	12/21/2020 9:04	Bromoform	<0.5	ug/L	0.5	75-25-2	0.39
INE CANYC	9/22/2020 7:18	Carbon Disulfide	<10	ug/L	10	75-15-0	0.39
INE CANYC	12/21/2020 9:04	Carbon Disulfide	<1	ug/L	1	75-15-0	0.24
INE CANYC	9/22/2020 7:18	1,1-Dimethylethanol	990	ug/L	100	75-65-0	40
INE CANYC	12/21/2020 9:04	1,1-Dimethylethanol	660	ug/L	20	75-65-0	16
INE CANYC	9/22/2020 7:18	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.1
INE CANYC	12/21/2020 9:04	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.39
INE CANYC	9/22/2020 7:18	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.06
INE CANYC	12/21/2020 9:04	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.35
INE CANYC	9/22/2020 7:18	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.053
INE CANYC	12/21/2020 9:04	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.22
INE CANYC	9/22/2020 7:18	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.099
INE CANYC	12/21/2020 9:04	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.68
INE CANYC	9/22/2020 7:18	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.1
INE CANYC	12/21/2020 9:04	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.3

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
INE CANYC	9/22/2020 7:18	Isobutyl Alcohol	<10	ug/L	10	78-83-1	1.9
INE CANYC	12/21/2020 9:04	Isobutyl Alcohol	<10	ug/L	10	78-83-1	5.7
INE CANYC	9/22/2020 7:18	2-Butanone	<5	ug/L	5	78-93-3	0.46
INE CANYC	12/21/2020 9:04	2-Butanone	<5	ug/L	5	78-93-3	3
INE CANYC	9/22/2020 7:18	Naphthalene	<1	ug/L	1	91-20-3	0.097
INE CANYC	12/21/2020 9:04	Naphthalene	<1	ug/L	1	91-20-3	0.32
INE CANYC	9/22/2020 7:18	1,2-Dichloropropane	0.17	ug/L	0.5	78-87-5	0.099
INE CANYC	12/21/2020 9:04	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.24
INE CANYC	9/22/2020 7:18	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.069
INE CANYC	12/21/2020 9:04	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.085
INE CANYC	9/22/2020 7:18	Trichloroethene	0.25	ug/L	0.5	79-01-6	0.1
INE CANYC	12/21/2020 9:04	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.29
INE CANYC	9/22/2020 7:18	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.082
INE CANYC	12/21/2020 9:04	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.23
INE CANYC	9/22/2020 7:18	Methyl Methacrylate	<2	ug/L	2	80-62-6	0.48
INE CANYC	12/21/2020 9:04	Methyl Methacrylate	<2	ug/L	2	80-62-6	1.1
INE CANYC	9/22/2020 7:18	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.086
INE CANYC	12/21/2020 9:04	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.35
INE CANYC	9/22/2020 7:18	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.087
INE CANYC	12/21/2020 9:04	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.36
INE CANYC	9/22/2020 7:18	1,2-Dibromo-3-Chloropropane	<5	ug/L	5	96-12-8	0.51
INE CANYC	12/21/2020 9:04	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.64
INE CANYC	9/22/2020 7:18	1,4-Dichlorobenzene	1.3	ug/L	0.5	106-46-7	0.073
INE CANYC	12/21/2020 9:04	1,4-Dichlorobenzene	1.4	ug/L	0.5	106-46-7	0.22
INE CANYC	9/22/2020 7:18	Styrene	<0.5	ug/L	0.5	100-42-5	0.059
INE CANYC	12/21/2020 9:04	Styrene	<0.5	ug/L	0.5	100-42-5	0.28
INE CANYC	9/22/2020 7:18	Ethyl Methacrylate	<2	ug/L	2	97-63-2	0.056
INE CANYC	12/21/2020 9:04	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1.2
INE CANYC	9/22/2020 7:18	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.087
INE CANYC	12/21/2020 9:04	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.19
INE CANYC	9/22/2020 7:18	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.076
INE CANYC	12/21/2020 9:04	1,2,3-Trichloropropane	<0.5	ug/L	0.5	96-18-4	0.32
INE CANYC	9/22/2020 7:18	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.059
INE CANYC	12/21/2020 9:04	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.14
INE CANYC	9/22/2020 7:18	Acrolein	<10	ug/L	10	107-02-8	0.59
INE CANYC	12/21/2020 9:04	Acrolein	<4	ug/L	4	107-02-8	2.2
INE CANYC	9/22/2020 7:18	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.075
INE CANYC	12/21/2020 9:04	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.15
INE CANYC	9/22/2020 7:18	Allyl Chloride	<2	ug/L	2	107-05-1	0.55
INE CANYC	12/21/2020 9:04	Allyl Chloride	<2	ug/L	2	107-05-1	0.38
INE CANYC	9/22/2020 7:18	Propionitrile	<5	ug/L	5	107-12-0	1
INE CANYC	12/21/2020 9:04	Propionitrile	<5	ug/L	5	107-12-0	3.7
INE CANYC	9/22/2020 7:18	Vinyl acetate	<5	ug/L	5	108-05-4	0.7
INE CANYC	12/21/2020 9:04	Vinyl acetate	<5	ug/L	5	108-05-4	3.1
INE CANYC	9/22/2020 7:18	Toluene	<0.5	ug/L	0.5	108-88-3	0.093
INE CANYC	12/21/2020 9:04	Toluene	<0.5	ug/L	0.5	108-88-3	0.33
INE CANYC	9/22/2020 7:18	Acrylonitrile	<5	ug/L	5	107-13-1	0.57
INE CANYC	12/21/2020 9:04	Acrylonitrile	<5	ug/L	5	107-13-1	0.87
INE CANYC	9/22/2020 7:18	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	0.42

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
INE CANYC	12/21/2020 9:04	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.2
INE CANYC	9/22/2020 7:18	Tetrahydrofuran	2.1	ug/L	2	109-99-9	0.57
INE CANYC	12/21/2020 9:04	Tetrahydrofuran	1.4	ug/L	2	109-99-9	1.1
INE CANYC	9/22/2020 7:18	1,4-Dioxane	31	ug/L	0.5	123-91-1	0.18
INE CANYC	12/21/2020 9:04	1,4-Dioxane	23	ug/L	0.5	123-91-1	0.34
INE CANYC	9/22/2020 7:18	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.089
INE CANYC	12/21/2020 9:04	1,2,4-Trichlorobenzene	<0.5	ug/L	0.5	120-82-1	0.38
INE CANYC	9/22/2020 7:18	Chlorobenzene	0.31	ug/L	0.5	108-90-7	0.088
INE CANYC	12/21/2020 9:04	Chlorobenzene	0.3	ug/L	0.5	108-90-7	0.24
INE CANYC	9/22/2020 7:18	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	0.14
INE CANYC	12/21/2020 9:04	Trans-1,4-Dichloro-2-Butene	<2	ug/L	2	110-57-6	1.3
INE CANYC	9/22/2020 7:18	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.24
INE CANYC	12/21/2020 9:04	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.29
INE CANYC	9/22/2020 7:18	2-Chloro-1,3-Butadiene	<10	ug/L	10	126-99-8	0.095
INE CANYC	12/21/2020 9:04	2-Chloro-1,3-Butadiene	<2	ug/L	2	126-99-8	1.8
INE CANYC	9/22/2020 7:18	Methacrylonitrile	<2	ug/L	2	126-98-7	0.42
INE CANYC	12/21/2020 9:04	Methacrylonitrile	<2	ug/L	2	126-98-7	0.71
INE CANYC	9/22/2020 7:18	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.064
INE CANYC	12/21/2020 9:04	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.27
INE CANYC	9/22/2020 7:18	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.098
INE CANYC	12/21/2020 9:04	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.26
INE CANYC	9/22/2020 7:18	cis-1,2-Dichloroethene	2.5	ug/L	0.5	156-59-2	0.11
INE CANYC	12/21/2020 9:04	cis-1,2-Dichloroethene	2	ug/L	0.5	156-59-2	0.3
INE CANYC	9/22/2020 7:18	1,3-Dichloropropane	<1	ug/L	1	142-28-9	0.082
INE CANYC	12/21/2020 9:04	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.2
INE CANYC	9/22/2020 7:18	2-Hexanone	<10	ug/L	10	591-78-6	0.5
INE CANYC	12/21/2020 9:04	2-Hexanone	<6	ug/L	6	591-78-6	4.3
INE CANYC	9/22/2020 7:18	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.07
INE CANYC	12/21/2020 9:04	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.24
INE CANYC	9/22/2020 7:18	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.082
INE CANYC	12/21/2020 9:04	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.36
INE CANYC	9/22/2020 7:18	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.07
INE CANYC	12/21/2020 9:04	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.26
INE CANYC	9/22/2020 7:18	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.38
INE CANYC	12/21/2020 9:04	2,2-Dichloropropane	<0.5	ug/L	0.5	594-20-7	0.4
INE CANYC	9/22/2020 7:18	Ammonia	26	mg/L	1	7664-41-7	0.5
INE CANYC	12/21/2020 9:04	Ammonia	17	mg/L	2.5	7664-41-7	0.5
INE CANYC	9/22/2020 7:18	MTBE	3.9	ug/L	0.5	1634-04-4	0.067
INE CANYC	12/21/2020 9:04	MTBE	2.9	ug/L	0.5	1634-04-4	0.21
INE CANYC	9/22/2020 7:18	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.096
INE CANYC	12/21/2020 9:04	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.19
INE CANYC	12/21/2020 9:04	Boron, Total Recoverable	5.5	mg/L	0.05	7440-42-8	0.025
INE CANYC	9/22/2020 7:18	Alkalinity	2100	mg/L	4	ALK	0
INE CANYC	12/21/2020 9:04	Alkalinity	2200	mg/L	4	ALK	0
INE CANYC	9/22/2020 7:18	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.053
INE CANYC	12/21/2020 9:04	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.17
INE CANYC	12/21/2020 9:04	Carbon Dioxide, Free	150	mg/L	2	124-38-9	0
INE CANYC	12/21/2020 9:04	Bromide	2.6	mg/L	1	24959-67-9	0.5
INE CANYC	9/22/2020 7:18	Chloride	530	mg/L	100	16887-00-6	50

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
INE CANYC	12/21/2020 9:04	Chloride	430	mg/L	50	16887-00-6	25
INE CANYC	12/21/2020 9:04	Calcium, Total Recoverable	190	mg/L	0.1	7440-70-2	0.05
INE CANYC	12/21/2020 9:04	Iron, Total Recoverable	1.4	mg/L	0.1	7439-89-6	0.05
INE CANYC	9/22/2020 7:18	Chemical Oxygen Demand	150	mg/L	20	COD	10
INE CANYC	12/21/2020 9:04	Chemical Oxygen Demand	130	mg/L	20	COD	10
INE CANYC	12/21/2020 9:04	Fluoride, Total	<1	mg/L	1	16984-48-8	0.5
INE CANYC	12/21/2020 9:04	Bicarbonate	2200	mg/L	4	HCO3	0
INE CANYC	12/21/2020 9:04	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
INE CANYC	9/22/2020 7:18	Potassium, Total Recoverable	46	mg/L	0.5	9/7/7440	0.25
INE CANYC	12/21/2020 9:04	Potassium, Total Recoverable	29	mg/L	0.5	9/7/7440	0.25
INE CANYC	9/22/2020 7:18	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.15
INE CANYC	12/21/2020 9:04	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.78
INE CANYC	12/21/2020 9:04	Manganese, Total Recoverable	2.5	mg/L	0.02	7439-96-5	0.015
INE CANYC	12/21/2020 9:04	Sulfate	480	mg/L	50	14808-79-8	25
INE CANYC	12/21/2020 9:04	Magnesium, Total Recoverable	130	mg/L	0.02	7439-95-4	0.01
INE CANYC	12/21/2020 9:04	Sodium, Total Recoverable	860	mg/L	1	7440-23-5	0.52
INE CANYC	12/21/2020 9:04	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
INE CANYC	9/22/2020 7:18	Total Organic Carbon	25	mg/L	0.5	TOC	0.25
INE CANYC	12/21/2020 9:04	Total Organic Carbon	52	mg/L	1	TOC	0.5
INE CANYC	9/22/2020 7:18	Solids, Total Dissolved	4100	mg/L	100	TDS	50
INE CANYC	12/21/2020 9:04	Solids, Total Dissolved	3500	mg/L	100	TDS	50
TRENCH	2/18/2020 8:18	Solids, Total Dissolved	4300	mg/L	100	TDS	50
TRENCH	6/23/2020 9:25	Solids, Total Dissolved	4200	mg/L	100	TDS	50
TRENCH	9/22/2020 9:12	Solids, Total Dissolved	4600	mg/L	50	TDS	25
TRENCH	12/21/2020 9:57	Solids, Total Dissolved	4200	mg/L	50	TDS	25
TRENCH	6/23/2020 9:25	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
TRENCH	12/21/2020 9:57	Sulfide, Total	<0.05	mg/L	0.05	18496-25-8	0.027
TRENCH	2/18/2020 8:18	Total Organic Carbon	80	mg/L	2	TOC	1
TRENCH	6/23/2020 9:25	Total Organic Carbon	94	mg/L	1	TOC	0.5
TRENCH	9/22/2020 9:12	Total Organic Carbon	170	mg/L	5	TOC	2.5
TRENCH	12/21/2020 9:57	Total Organic Carbon	130	mg/L	5	TOC	2.5
TRENCH	6/23/2020 9:25	Nitrogen, Nitrate	<1.1	mg/L	1.1	14797-55-8	0.55
TRENCH	12/21/2020 9:57	Nitrogen, Nitrate	<0.22	mg/L	0.22	14797-55-8	0.11
TRENCH	6/23/2020 9:25	Sulfate	1700	mg/L	250	14808-79-8	130
TRENCH	12/21/2020 9:57	Sulfate	1200	mg/L	50	14808-79-8	25
TRENCH	6/23/2020 9:25	Sodium, Total Recoverable	440	mg/L	0.5	7440-23-5	0.26
TRENCH	12/21/2020 9:57	Sodium, Total Recoverable	540	mg/L	0.5	7440-23-5	0.26
TRENCH	6/23/2020 9:25	Manganese, Total Recoverable	4.9	mg/L	0.02	7439-96-5	0.015
TRENCH	12/21/2020 9:57	Manganese, Total Recoverable	2.8	mg/L	0.02	7439-96-5	0.015
TRENCH	6/23/2020 9:25	Magnesium, Total Recoverable	250	mg/L	0.02	7439-95-4	0.01
TRENCH	12/21/2020 9:57	Magnesium, Total Recoverable	230	mg/L	0.02	7439-95-4	0.01
TRENCH	2/18/2020 8:18	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
TRENCH	6/23/2020 9:25	m,p-Xylene	<1	ug/L	1	108-38-3_106-42-3	0.5
TRENCH	9/22/2020 9:12	m,p-Xylene	<5	ug/L	5	108-38-3_106-42-3	0.74
TRENCH	12/21/2020 9:57	m,p-Xylene	<4	ug/L	4	108-38-3_106-42-3	3.1
TRENCH	2/18/2020 8:18	Potassium, Total Recoverable	41	mg/L	0.5	9/7/7440	0.25
TRENCH	6/23/2020 9:25	Potassium, Total Recoverable	41	mg/L	0.5	9/7/7440	0.25
TRENCH	9/22/2020 9:12	Potassium, Total Recoverable	75	mg/L	0.5	9/7/7440	0.25
TRENCH	12/21/2020 9:57	Potassium, Total Recoverable	68	mg/L	0.5	9/7/7440	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
TRENCH	6/23/2020 9:25	Bicarbonate	1000	mg/L	4	HCO3	0
TRENCH	12/21/2020 9:57	Bicarbonate	1300	mg/L	4	HCO3	0
TRENCH	6/23/2020 9:25	Fluoride, Total	<5	mg/L	5	16984-48-8	2.5
TRENCH	12/21/2020 9:57	Fluoride, Total	<1	mg/L	1	16984-48-8	0.5
TRENCH	6/23/2020 9:25	Iron, Total Recoverable	72	mg/L	0.1	7439-89-6	0.05
TRENCH	12/21/2020 9:57	Iron, Total Recoverable	85	mg/L	0.1	7439-89-6	0.05
TRENCH	6/23/2020 9:25	Carbon Dioxide, Free	230	mg/L	2	124-38-9	0
TRENCH	12/21/2020 9:57	Carbon Dioxide, Free	200	mg/L	2	124-38-9	0
TRENCH	2/18/2020 8:18	Chloride	470	mg/L	50	16887-00-6	25
TRENCH	6/23/2020 9:25	Chloride	420	mg/L	100	16887-00-6	50
TRENCH	9/22/2020 9:12	Chloride	670	mg/L	100	16887-00-6	50
TRENCH	12/21/2020 9:57	Chloride	780	mg/L	50	16887-00-6	25
TRENCH	6/23/2020 9:25	Calcium, Total Recoverable	490	mg/L	0.1	7440-70-2	0.05
TRENCH	12/21/2020 9:57	Calcium, Total Recoverable	470	mg/L	0.1	7440-70-2	0.05
TRENCH	2/18/2020 8:18	Chemical Oxygen Demand	230	mg/L	20	COD	10
TRENCH	6/23/2020 9:25	Chemical Oxygen Demand	140	mg/L	20	COD	10
TRENCH	9/22/2020 9:12	Chemical Oxygen Demand	390	mg/L	20	COD	10
TRENCH	12/21/2020 9:57	Chemical Oxygen Demand	470	mg/L	20	COD	10
TRENCH	6/23/2020 9:25	Bromide	6.3	mg/L	5	24959-67-9	2.5
TRENCH	12/21/2020 9:57	Bromide	10	mg/L	1	24959-67-9	0.5
TRENCH	6/23/2020 9:25	Boron, Total Recoverable	1.9	mg/L	0.05	7440-42-8	0.025
TRENCH	12/21/2020 9:57	Boron, Total Recoverable	3.3	mg/L	0.05	7440-42-8	0.025
TRENCH	2/18/2020 8:18	Alkalinity	1100	mg/L	4	ALK	0
TRENCH	6/23/2020 9:25	Alkalinity	1000	mg/L	4	ALK	0
TRENCH	9/22/2020 9:12	Alkalinity	1200	mg/L	4	ALK	0
TRENCH	12/21/2020 9:57	Alkalinity	1300	mg/L	4	ALK	0
TRENCH	2/18/2020 8:18	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
TRENCH	6/23/2020 9:25	cis-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-01-5	0.25
TRENCH	9/22/2020 9:12	cis-1,3-Dichloropropene	<2.5	ug/L	2.5	10061-01-5	0.48
TRENCH	12/21/2020 9:57	cis-1,3-Dichloropropene	<2	ug/L	2	10061-01-5	0.77
TRENCH	2/18/2020 8:18	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
TRENCH	6/23/2020 9:25	trans-1,3-Dichloropropene	<0.5	ug/L	0.5	10061-02-6	0.25
TRENCH	9/22/2020 9:12	trans-1,3-Dichloropropene	<2.5	ug/L	2.5	10061-02-6	0.27
TRENCH	12/21/2020 9:57	trans-1,3-Dichloropropene	<2	ug/L	2	10061-02-6	0.69
TRENCH	2/18/2020 8:18	MTBE	0.7	ug/L	0.5	1634-04-4	0.25
TRENCH	6/23/2020 9:25	MTBE	0.48	ug/L	0.5	1634-04-4	0.25
TRENCH	9/22/2020 9:12	MTBE	<2.5	ug/L	2.5	1634-04-4	0.33
TRENCH	12/21/2020 9:57	MTBE	<2	ug/L	2	1634-04-4	0.82
TRENCH	2/18/2020 8:18	Ammonia	19	mg/L	1	7664-41-7	0.5
TRENCH	6/23/2020 9:25	Ammonia	13	mg/L	1	7664-41-7	0.5
TRENCH	9/22/2020 9:12	Ammonia	24	mg/L	1	7664-41-7	0.5
TRENCH	12/21/2020 9:57	Ammonia	26	mg/L	5	7664-41-7	1
TRENCH	2/18/2020 8:18	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
TRENCH	6/23/2020 9:25	1,1,1,2-Tetrachloroethane	<0.5	ug/L	0.5	630-20-6	0.25
TRENCH	9/22/2020 9:12	1,1,1,2-Tetrachloroethane	<2.5	ug/L	2.5	630-20-6	0.35
TRENCH	12/21/2020 9:57	1,1,1,2-Tetrachloroethane	<2	ug/L	2	630-20-6	1
TRENCH	2/18/2020 8:18	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
TRENCH	6/23/2020 9:25	1,3-Dichlorobenzene	<0.5	ug/L	0.5	541-73-1	0.25
TRENCH	9/22/2020 9:12	1,3-Dichlorobenzene	<2.5	ug/L	2.5	541-73-1	0.49

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
TRENCH	12/21/2020 9:57	1,3-Dichlorobenzene	<2	ug/L	2	541-73-1	1
TRENCH	2/18/2020 8:18	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
TRENCH	6/23/2020 9:25	1,1-Dichloropropene	<0.5	ug/L	0.5	563-58-6	0.25
TRENCH	9/22/2020 9:12	1,1-Dichloropropene	<2.5	ug/L	2.5	563-58-6	0.35
TRENCH	12/21/2020 9:57	1,1-Dichloropropene	<2	ug/L	2	563-58-6	0.97
TRENCH	2/18/2020 8:18	2-Hexanone	<5	ug/L	5	591-78-6	2.5
TRENCH	6/23/2020 9:25	2-Hexanone	<5	ug/L	5	591-78-6	2.5
TRENCH	9/22/2020 9:12	2-Hexanone	<50	ug/L	50	591-78-6	2.5
TRENCH	12/21/2020 9:57	2-Hexanone	<24	ug/L	24	591-78-6	17
TRENCH	2/18/2020 8:18	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
TRENCH	6/23/2020 9:25	2,2-Dichloropropane	<1	ug/L	1	594-20-7	0.4
TRENCH	9/22/2020 9:12	2,2-Dichloropropane	<5	ug/L	5	594-20-7	1.9
TRENCH	12/21/2020 9:57	2,2-Dichloropropane	<2	ug/L	2	594-20-7	1.6
TRENCH	2/18/2020 8:18	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
TRENCH	6/23/2020 9:25	1,3-Dichloropropane	<0.5	ug/L	0.5	142-28-9	0.25
TRENCH	9/22/2020 9:12	1,3-Dichloropropane	<5	ug/L	5	142-28-9	0.41
TRENCH	12/21/2020 9:57	1,3-Dichloropropane	<2	ug/L	2	142-28-9	0.82
TRENCH	2/18/2020 8:18	cis-1,2-Dichloroethene	3.3	ug/L	0.5	156-59-2	0.25
TRENCH	6/23/2020 9:25	cis-1,2-Dichloroethene	3.4	ug/L	0.5	156-59-2	0.25
TRENCH	9/22/2020 9:12	cis-1,2-Dichloroethene	1.2	ug/L	2.5	156-59-2	0.54
TRENCH	12/21/2020 9:57	cis-1,2-Dichloroethene	<2	ug/L	2	156-59-2	1.2
TRENCH	2/18/2020 8:18	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
TRENCH	6/23/2020 9:25	trans-1,2-Dichloroethene	<0.5	ug/L	0.5	156-60-5	0.25
TRENCH	9/22/2020 9:12	trans-1,2-Dichloroethene	<2.5	ug/L	2.5	156-60-5	0.41
TRENCH	12/21/2020 9:57	trans-1,2-Dichloroethene	<2	ug/L	2	156-60-5	1.4
TRENCH	2/18/2020 8:18	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
TRENCH	6/23/2020 9:25	Methacrylonitrile	<10	ug/L	10	126-98-7	2.5
TRENCH	9/22/2020 9:12	Methacrylonitrile	<10	ug/L	10	126-98-7	2.1
TRENCH	12/21/2020 9:57	Methacrylonitrile	<8	ug/L	8	126-98-7	2.8
TRENCH	2/18/2020 8:18	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
TRENCH	6/23/2020 9:25	2-Chloro-1,3-Butadiene	<1	ug/L	1	126-99-8	0.5
TRENCH	9/22/2020 9:12	2-Chloro-1,3-Butadiene	<50	ug/L	50	126-99-8	0.47
TRENCH	12/21/2020 9:57	2-Chloro-1,3-Butadiene	<8	ug/L	8	126-99-8	7.3
TRENCH	2/18/2020 8:18	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
TRENCH	6/23/2020 9:25	Tetrachloroethene	<0.5	ug/L	0.5	127-18-4	0.25
TRENCH	9/22/2020 9:12	Tetrachloroethene	<2.5	ug/L	2.5	127-18-4	1.2
TRENCH	12/21/2020 9:57	Tetrachloroethene	<2	ug/L	2	127-18-4	1.2
TRENCH	2/18/2020 8:18	1,4-Dioxane	49	ug/L	1	123-91-1	0.25
TRENCH	6/23/2020 9:25	1,4-Dioxane	33	ug/L	1	123-91-1	0.25
TRENCH	9/22/2020 9:12	1,4-Dioxane	130	ug/L	5	123-91-1	1.8
TRENCH	12/21/2020 9:57	1,4-Dioxane	110	ug/L	2.5	123-91-1	1.7
TRENCH	2/18/2020 8:18	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
TRENCH	6/23/2020 9:25	Dibromochloromethane	<0.5	ug/L	0.5	124-48-1	0.25
TRENCH	9/22/2020 9:12	Dibromochloromethane	<2.5	ug/L	2.5	124-48-1	0.32
TRENCH	12/21/2020 9:57	Dibromochloromethane	<2	ug/L	2	124-48-1	1.1
TRENCH	2/18/2020 8:18	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
TRENCH	6/23/2020 9:25	1,2,4-Trichlorobenzene	<1	ug/L	1	120-82-1	0.4
TRENCH	9/22/2020 9:12	1,2,4-Trichlorobenzene	<2.5	ug/L	2.5	120-82-1	0.45
TRENCH	12/21/2020 9:57	1,2,4-Trichlorobenzene	<2	ug/L	2	120-82-1	1.5

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
TRENCH	2/18/2020 8:18	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
TRENCH	6/23/2020 9:25	Trans-1,4-Dichloro-2-Butene	<5	ug/L	5	110-57-6	2.5
TRENCH	9/22/2020 9:12	Trans-1,4-Dichloro-2-Butene	<10	ug/L	10	110-57-6	0.68
TRENCH	12/21/2020 9:57	Trans-1,4-Dichloro-2-Butene	<8	ug/L	8	110-57-6	5.2
TRENCH	2/18/2020 8:18	Tetrahydrofuran	19	ug/L	10	109-99-9	5
TRENCH	6/23/2020 9:25	Tetrahydrofuran	15	ug/L	10	109-99-9	5
TRENCH	9/22/2020 9:12	Tetrahydrofuran	19	ug/L	10	109-99-9	2.8
TRENCH	12/21/2020 9:57	Tetrahydrofuran	16	ug/L	8	109-99-9	4.3
TRENCH	2/18/2020 8:18	Chlorobenzene	<0.5	ug/L	0.5	108-90-7	0.25
TRENCH	6/23/2020 9:25	Chlorobenzene	0.29	ug/L	0.5	108-90-7	0.25
TRENCH	9/22/2020 9:12	Chlorobenzene	<2.5	ug/L	2.5	108-90-7	0.44
TRENCH	12/21/2020 9:57	Chlorobenzene	<2	ug/L	2	108-90-7	0.95
TRENCH	2/18/2020 8:18	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
TRENCH	6/23/2020 9:25	Toluene	<0.5	ug/L	0.5	108-88-3	0.25
TRENCH	9/22/2020 9:12	Toluene	<2.5	ug/L	2.5	108-88-3	0.46
TRENCH	12/21/2020 9:57	Toluene	<2	ug/L	2	108-88-3	1.3
TRENCH	2/18/2020 8:18	Vinyl acetate	<4	ug/L	4	108-05-4	2
TRENCH	6/23/2020 9:25	Vinyl acetate	<4	ug/L	4	108-05-4	2
TRENCH	9/22/2020 9:12	Vinyl acetate	<25	ug/L	25	108-05-4	3.5
TRENCH	12/21/2020 9:57	Vinyl acetate	<20	ug/L	20	108-05-4	13
TRENCH	2/18/2020 8:18	Acrylonitrile	<50	ug/L	50	107-13-1	1
TRENCH	2/18/2020 8:18	Acrylonitrile	<2	ug/L	2	107-13-1	1
TRENCH	6/23/2020 9:25	Acrylonitrile	<50	ug/L	50	107-13-1	1
TRENCH	9/22/2020 9:12	Acrylonitrile	<25	ug/L	25	107-13-1	2.9
TRENCH	12/21/2020 9:57	Acrylonitrile	<20	ug/L	20	107-13-1	3.5
TRENCH	2/18/2020 8:18	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
TRENCH	6/23/2020 9:25	4-Methyl-2-Pentanone	<5	ug/L	5	108-10-1	2.5
TRENCH	9/22/2020 9:12	4-Methyl-2-Pentanone	<25	ug/L	25	108-10-1	2.1
TRENCH	12/21/2020 9:57	4-Methyl-2-Pentanone	<20	ug/L	20	108-10-1	9
TRENCH	2/18/2020 8:18	Propionitrile	<20	ug/L	20	107-12-0	10
TRENCH	6/23/2020 9:25	Propionitrile	<20	ug/L	20	107-12-0	10
TRENCH	9/22/2020 9:12	Propionitrile	<25	ug/L	25	107-12-0	5.2
TRENCH	12/21/2020 9:57	Propionitrile	<20	ug/L	20	107-12-0	15
TRENCH	2/18/2020 8:18	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
TRENCH	6/23/2020 9:25	Allyl Chloride	<1	ug/L	1	107-05-1	0.5
TRENCH	9/22/2020 9:12	Allyl Chloride	<10	ug/L	10	107-05-1	2.8
TRENCH	12/21/2020 9:57	Allyl Chloride	<8	ug/L	8	107-05-1	1.5
TRENCH	2/18/2020 8:18	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
TRENCH	6/23/2020 9:25	1,2-Dichloroethane	<0.5	ug/L	0.5	107-06-2	0.25
TRENCH	9/22/2020 9:12	1,2-Dichloroethane	<2.5	ug/L	2.5	107-06-2	0.37
TRENCH	12/21/2020 9:57	1,2-Dichloroethane	<2	ug/L	2	107-06-2	0.6
TRENCH	2/18/2020 8:18	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
TRENCH	6/23/2020 9:25	1,2-Dibromoethane	<0.5	ug/L	0.5	106-93-4	0.25
TRENCH	9/22/2020 9:12	1,2-Dibromoethane	<2.5	ug/L	2.5	106-93-4	0.3
TRENCH	12/21/2020 9:57	1,2-Dibromoethane	<2	ug/L	2	106-93-4	0.55
TRENCH	2/18/2020 8:18	Acrolein	<50	ug/L	50	107-02-8	2.5
TRENCH	2/18/2020 8:18	Acrolein	<5	ug/L	5	107-02-8	2.5
TRENCH	6/23/2020 9:25	Acrolein	<50	ug/L	50	107-02-8	2.5
TRENCH	9/22/2020 9:12	Acrolein	<50	ug/L	50	107-02-8	3

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
TRENCH	12/21/2020 9:57	Acrolein	<16	ug/L	16	107-02-8	8.8
TRENCH	2/18/2020 8:18	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
TRENCH	6/23/2020 9:25	Ethyl Methacrylate	<2	ug/L	2	97-63-2	1
TRENCH	9/22/2020 9:12	Ethyl Methacrylate	<10	ug/L	10	97-63-2	0.28
TRENCH	12/21/2020 9:57	Ethyl Methacrylate	<8	ug/L	8	97-63-2	4.7
TRENCH	2/18/2020 8:18	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
TRENCH	6/23/2020 9:25	Ethylbenzene	<0.5	ug/L	0.5	100-41-4	0.25
TRENCH	9/22/2020 9:12	Ethylbenzene	<2.5	ug/L	2.5	100-41-4	0.44
TRENCH	12/21/2020 9:57	Ethylbenzene	<2	ug/L	2	100-41-4	1.4
TRENCH	2/18/2020 8:18	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
TRENCH	6/23/2020 9:25	Styrene	<0.5	ug/L	0.5	100-42-5	0.25
TRENCH	9/22/2020 9:12	Styrene	<2.5	ug/L	2.5	100-42-5	0.29
TRENCH	12/21/2020 9:57	Styrene	<2	ug/L	2	100-42-5	1.1
TRENCH	2/18/2020 8:18	1,4-Dichlorobenzene	1.3	ug/L	0.5	106-46-7	0.25
TRENCH	6/23/2020 9:25	1,4-Dichlorobenzene	1.1	ug/L	0.5	106-46-7	0.25
TRENCH	9/22/2020 9:12	1,4-Dichlorobenzene	0.57	ug/L	2.5	106-46-7	0.37
TRENCH	12/21/2020 9:57	1,4-Dichlorobenzene	<2	ug/L	2	106-46-7	0.9
TRENCH	2/18/2020 8:18	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
TRENCH	6/23/2020 9:25	1,2-Dibromo-3-Chloropropane	<1	ug/L	1	96-12-8	0.5
TRENCH	9/22/2020 9:12	1,2-Dibromo-3-Chloropropane	<25	ug/L	25	96-12-8	2.6
TRENCH	12/21/2020 9:57	1,2-Dibromo-3-Chloropropane	<4	ug/L	4	96-12-8	2.6
TRENCH	2/18/2020 8:18	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
TRENCH	6/23/2020 9:25	1,2,3-Trichloropropane	<1	ug/L	1	96-18-4	0.4
TRENCH	9/22/2020 9:12	1,2,3-Trichloropropane	<5	ug/L	5	96-18-4	0.38
TRENCH	12/21/2020 9:57	1,2,3-Trichloropropane	<2	ug/L	2	96-18-4	1.3
TRENCH	2/18/2020 8:18	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
TRENCH	6/23/2020 9:25	o-Xylene	<0.5	ug/L	0.5	95-47-6	0.25
TRENCH	9/22/2020 9:12	o-Xylene	<2.5	ug/L	2.5	95-47-6	0.43
TRENCH	12/21/2020 9:57	o-Xylene	<2	ug/L	2	95-47-6	1.4
TRENCH	2/18/2020 8:18	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
TRENCH	6/23/2020 9:25	Methyl Methacrylate	<2	ug/L	2	80-62-6	1
TRENCH	9/22/2020 9:12	Methyl Methacrylate	<10	ug/L	10	80-62-6	2.4
TRENCH	12/21/2020 9:57	Methyl Methacrylate	<8	ug/L	8	80-62-6	4.4
TRENCH	2/18/2020 8:18	Naphthalene	<1	ug/L	1	91-20-3	0.4
TRENCH	6/23/2020 9:25	Naphthalene	<1	ug/L	1	91-20-3	0.4
TRENCH	9/22/2020 9:12	Naphthalene	<5	ug/L	5	91-20-3	0.48
TRENCH	12/21/2020 9:57	Naphthalene	<4	ug/L	4	91-20-3	1.3
TRENCH	2/18/2020 8:18	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
TRENCH	6/23/2020 9:25	1,2-Dichlorobenzene	<0.5	ug/L	0.5	95-50-1	0.25
TRENCH	9/22/2020 9:12	1,2-Dichlorobenzene	<2.5	ug/L	2.5	95-50-1	0.41
TRENCH	12/21/2020 9:57	1,2-Dichlorobenzene	<2	ug/L	2	95-50-1	0.92
TRENCH	2/18/2020 8:18	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
TRENCH	6/23/2020 9:25	Trichloroethene	<0.5	ug/L	0.5	79-01-6	0.25
TRENCH	9/22/2020 9:12	Trichloroethene	<2.5	ug/L	2.5	79-01-6	0.51
TRENCH	12/21/2020 9:57	Trichloroethene	<2	ug/L	2	79-01-6	1.2
TRENCH	2/18/2020 8:18	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
TRENCH	6/23/2020 9:25	1,1,2,2-Tetrachloroethane	<0.5	ug/L	0.5	79-34-5	0.25
TRENCH	9/22/2020 9:12	1,1,2,2-Tetrachloroethane	<2.5	ug/L	2.5	79-34-5	0.43
TRENCH	12/21/2020 9:57	1,1,2,2-Tetrachloroethane	<2	ug/L	2	79-34-5	0.78

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
TRENCH	2/18/2020 8:18	2-Butanone	<5	ug/L	5	78-93-3	2.5
TRENCH	6/23/2020 9:25	2-Butanone	<5	ug/L	5	78-93-3	2.5
TRENCH	9/22/2020 9:12	2-Butanone	<25	ug/L	25	78-93-3	2.3
TRENCH	12/21/2020 9:57	2-Butanone	<20	ug/L	20	78-93-3	12
TRENCH	2/18/2020 8:18	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
TRENCH	6/23/2020 9:25	1,2-Dichloropropane	<0.5	ug/L	0.5	78-87-5	0.25
TRENCH	9/22/2020 9:12	1,2-Dichloropropane	<2.5	ug/L	2.5	78-87-5	0.49
TRENCH	12/21/2020 9:57	1,2-Dichloropropane	<2	ug/L	2	78-87-5	0.96
TRENCH	2/18/2020 8:18	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
TRENCH	6/23/2020 9:25	1,1,2-Trichloroethane	<0.5	ug/L	0.5	79-00-5	0.25
TRENCH	9/22/2020 9:12	1,1,2-Trichloroethane	<2.5	ug/L	2.5	79-00-5	0.35
TRENCH	12/21/2020 9:57	1,1,2-Trichloroethane	<2	ug/L	2	79-00-5	0.34
TRENCH	2/18/2020 8:18	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
TRENCH	6/23/2020 9:25	Isobutyl Alcohol	<25	ug/L	25	78-83-1	13
TRENCH	9/22/2020 9:12	Isobutyl Alcohol	<50	ug/L	50	78-83-1	9.4
TRENCH	12/21/2020 9:57	Isobutyl Alcohol	<40	ug/L	40	78-83-1	23
TRENCH	2/18/2020 8:18	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
TRENCH	6/23/2020 9:25	Dichlorodifluoromethane	<1	ug/L	1	75-71-8	0.4
TRENCH	9/22/2020 9:12	Dichlorodifluoromethane	<5	ug/L	5	75-71-8	0.5
TRENCH	12/21/2020 9:57	Dichlorodifluoromethane	<4	ug/L	4	75-71-8	2.7
TRENCH	2/18/2020 8:18	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
TRENCH	6/23/2020 9:25	Trichlorofluoromethane	<0.5	ug/L	0.5	75-69-4	0.25
TRENCH	9/22/2020 9:12	Trichlorofluoromethane	<2.5	ug/L	2.5	75-69-4	0.52
TRENCH	12/21/2020 9:57	Trichlorofluoromethane	<2	ug/L	2	75-69-4	1.2
TRENCH	2/18/2020 8:18	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
TRENCH	6/23/2020 9:25	1,1-Dichloroethane	<0.5	ug/L	0.5	75-34-3	0.25
TRENCH	9/22/2020 9:12	1,1-Dichloroethane	<2.5	ug/L	2.5	75-34-3	0.3
TRENCH	12/21/2020 9:57	1,1-Dichloroethane	<2	ug/L	2	75-34-3	1.4
TRENCH	2/18/2020 8:18	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
TRENCH	6/23/2020 9:25	1,1-Dichloroethene	<0.5	ug/L	0.5	75-35-4	0.25
TRENCH	9/22/2020 9:12	1,1-Dichloroethene	<2.5	ug/L	2.5	75-35-4	0.51
TRENCH	12/21/2020 9:57	1,1-Dichloroethene	<2	ug/L	2	75-35-4	1.6
TRENCH	2/18/2020 8:18	1,1-Dimethylethanol	62	ug/L	10	75-65-0	5
TRENCH	6/23/2020 9:25	1,1-Dimethylethanol	94	ug/L	10	75-65-0	5
TRENCH	9/22/2020 9:12	1,1-Dimethylethanol	<50	ug/L	50	75-65-0	20
TRENCH	12/21/2020 9:57	1,1-Dimethylethanol	<20	ug/L	20	75-65-0	16
TRENCH	2/18/2020 8:18	Bromoform	<1	ug/L	1	75-25-2	0.4
TRENCH	6/23/2020 9:25	Bromoform	<1	ug/L	1	75-25-2	0.4
TRENCH	9/22/2020 9:12	Bromoform	<2.5	ug/L	2.5	75-25-2	0.48
TRENCH	12/21/2020 9:57	Bromoform	<2	ug/L	2	75-25-2	1.6
TRENCH	2/18/2020 8:18	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
TRENCH	6/23/2020 9:25	Bromodichloromethane	<0.5	ug/L	0.5	75-27-4	0.25
TRENCH	9/22/2020 9:12	Bromodichloromethane	<2.5	ug/L	2.5	75-27-4	0.26
TRENCH	12/21/2020 9:57	Bromodichloromethane	<2	ug/L	2	75-27-4	0.89
TRENCH	2/18/2020 8:18	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
TRENCH	6/23/2020 9:25	Carbon Disulfide	<1	ug/L	1	75-15-0	0.5
TRENCH	9/22/2020 9:12	Carbon Disulfide	<50	ug/L	50	75-15-0	1.9
TRENCH	12/21/2020 9:57	Carbon Disulfide	<4	ug/L	4	75-15-0	0.98
TRENCH	2/18/2020 8:18	Methylene Chloride	<2	ug/L	2	75-09-2	0.88

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
TRENCH	6/23/2020 9:25	Methylene Chloride	<2	ug/L	2	75-09-2	0.88
TRENCH	9/22/2020 9:12	Methylene Chloride	<5	ug/L	5	75-09-2	0.21
TRENCH	12/21/2020 9:57	Methylene Chloride	<4	ug/L	4	75-09-2	1.9
TRENCH	2/18/2020 8:18	Acetonitrile	<20	ug/L	20	75-05-8	10
TRENCH	6/23/2020 9:25	Acetonitrile	<20	ug/L	20	75-05-8	10
TRENCH	9/22/2020 9:12	Acetonitrile	<50	ug/L	50	75-05-8	10
TRENCH	12/21/2020 9:57	Acetonitrile	<40	ug/L	40	75-05-8	16
TRENCH	2/18/2020 8:18	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
TRENCH	6/23/2020 9:25	Vinyl Chloride	<0.5	ug/L	0.5	75-01-4	0.25
TRENCH	9/22/2020 9:12	Vinyl Chloride	<2.5	ug/L	2.5	75-01-4	0.39
TRENCH	12/21/2020 9:57	Vinyl Chloride	<2	ug/L	2	75-01-4	1.6
TRENCH	2/18/2020 8:18	Chloroethane	<1	ug/L	1	75-00-3	0.4
TRENCH	6/23/2020 9:25	Chloroethane	<1	ug/L	1	75-00-3	0.4
TRENCH	9/22/2020 9:12	Chloroethane	<2.5	ug/L	2.5	75-00-3	0.59
TRENCH	12/21/2020 9:57	Chloroethane	<2	ug/L	2	75-00-3	1.8
TRENCH	2/18/2020 8:18	Methyl Iodide	<2	ug/L	2	74-88-4	1
TRENCH	6/23/2020 9:25	Methyl Iodide	<2	ug/L	2	74-88-4	1
TRENCH	9/22/2020 9:12	Methyl Iodide	<130	ug/L	130	74-88-4	71
TRENCH	12/21/2020 9:57	Methyl Iodide	<100	ug/L	100	74-88-4	24
TRENCH	2/18/2020 8:18	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
TRENCH	6/23/2020 9:25	Dibromomethane	<0.5	ug/L	0.5	74-95-3	0.25
TRENCH	9/22/2020 9:12	Dibromomethane	<2.5	ug/L	2.5	74-95-3	0.63
TRENCH	12/21/2020 9:57	Dibromomethane	<2	ug/L	2	74-95-3	0.92
TRENCH	2/18/2020 8:18	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
TRENCH	6/23/2020 9:25	Bromochloromethane	<0.5	ug/L	0.5	74-97-5	0.25
TRENCH	9/22/2020 9:12	Bromochloromethane	<5	ug/L	5	74-97-5	0.41
TRENCH	12/21/2020 9:57	Bromochloromethane	<4	ug/L	4	74-97-5	1.4
TRENCH	2/18/2020 8:18	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
TRENCH	6/23/2020 9:25	Bromomethane	<0.5	ug/L	0.5	74-83-9	0.25
TRENCH	9/22/2020 9:12	Bromomethane	<10	ug/L	10	74-83-9	5
TRENCH	12/21/2020 9:57	Bromomethane	<4	ug/L	4	74-83-9	3.7
TRENCH	2/18/2020 8:18	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
TRENCH	6/23/2020 9:25	Chloromethane	<0.5	ug/L	0.5	74-87-3	0.25
TRENCH	9/22/2020 9:12	Chloromethane	<25	ug/L	25	74-87-3	9.8
TRENCH	12/21/2020 9:57	Chloromethane	<4	ug/L	4	74-87-3	1.2
TRENCH	2/18/2020 8:18	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
TRENCH	6/23/2020 9:25	1,1,1-Trichloroethane	<0.5	ug/L	0.5	71-55-6	0.25
TRENCH	9/22/2020 9:12	1,1,1-Trichloroethane	<2.5	ug/L	2.5	71-55-6	0.42
TRENCH	12/21/2020 9:57	1,1,1-Trichloroethane	<2	ug/L	2	71-55-6	1.1
TRENCH	2/18/2020 8:18	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
TRENCH	6/23/2020 9:25	Benzene	<0.5	ug/L	0.5	71-43-2	0.25
TRENCH	9/22/2020 9:12	Benzene	<2.5	ug/L	2.5	71-43-2	0.36
TRENCH	12/21/2020 9:57	Benzene	<2	ug/L	2	71-43-2	1.1
TRENCH	2/18/2020 8:18	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
TRENCH	6/23/2020 9:25	Chloroform	<0.5	ug/L	0.5	67-66-3	0.25
TRENCH	9/22/2020 9:12	Chloroform	<2.5	ug/L	2.5	67-66-3	0.31
TRENCH	12/21/2020 9:57	Chloroform	<2	ug/L	2	67-66-3	1.1
TRENCH	2/18/2020 8:18	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25
TRENCH	6/23/2020 9:25	Carbon tetrachloride	<0.5	ug/L	0.5	56-23-5	0.25

Well	Date Time	Parameter	Result	Units	RL	CAS Number	MDL
TRENCH	9/22/2020 9:12	Carbon tetrachloride	<2.5	ug/L	2.5	56-23-5	0.28
TRENCH	12/21/2020 9:57	Carbon tetrachloride	<2	ug/L	2	56-23-5	1.1
TRENCH	2/18/2020 8:18	Acetone	<20	ug/L	20	67-64-1	10
TRENCH	6/23/2020 9:25	Acetone	<20	ug/L	20	67-64-1	10
TRENCH	9/22/2020 9:12	Acetone	<50	ug/L	50	67-64-1	20
TRENCH	12/21/2020 9:57	Acetone	<32	ug/L	32	67-64-1	16